

\$5 + \$10 (TWO NUMBERS)	\$25	1,440.00	7,500
\$25	\$25	1,200.00	9,000
(\$10 x 2) + \$20	\$40	1,200.00	9,000
\$5 (TWO NUMBERS) + \$10 (STAR)	\$40	1,200.00	9,000
\$10 (TWO NUMBERS) + \$20	\$40	1,200.00	9,000
\$20 (TWO NUMBERS)	\$40	1,200.00	9,000
\$40	\$40	1,200.00	9,000
\$20 + (\$40 x 2)	\$100	3,600.00	3,000
\$5 + \$20 + \$25 (STAR)	\$100	3,600.00	3,000
\$20 (TWO NUMBERS) + \$20 (STAR)	\$100	3,600.00	3,000
\$20 + \$40 (TWO NUMBERS)	\$100	3,600.00	3,000
\$100	\$100	3,600.00	3,000
\$20 + \$40 (TWO NUMBERS) + \$100	\$200	30,000.00	360
(\$40 x 2) + \$40 (STAR)	\$200	30,000.00	360
\$20 (TWO NUMBERS) + \$20 (STAR) + \$100	\$200	30,000.00	360
\$100 (TWO NUMBERS) + \$100 (TWO NUMBERS) + \$200 (STAR)	\$1,000	180,000.00	60
\$200 (TWO NUMBERS) + \$200 (STAR)	\$1,000	180,000.00	60
\$100 (STAR) + \$100 (STAR) + \$200 (TWO NUMBERS)	\$1,000	180,000.00	60
\$100 (TWO NUMBERS) + \$200 + \$200 (STAR)	\$1,000	180,000.00	60
\$10,000	\$10,000	1,080,000.00	10
\$10,000 (STAR)	\$30,000	2,160,000.00	5
\$30,000	\$30,000	2,160,000.00	5

(10) The estimated overall odds of winning some prize in Instant Game Number 1052 are 1 in 4.36. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 1052, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for TRIPLE LUCKY NUMBERS lottery tickets shall be made in accordance with rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a),(b),(c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 3-12-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: March 12, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V

Petitions and Dispositions Regarding Rule Variance or Waiver

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on March 1, 2010, the Suwannee River Water Management District has issued an order.

This Order granted variance under Section 120.542, F.S., to Bishop Robert J. Baker, 18847 N. W. 282 Drive, High Springs, FL 32643, for the repair of existing residence and deck (ERP09-0303). The petition for variance was received by SRWMD on December 18, 2009. Notice of receipt of petition requesting variance was published in F.A.W., Vol. 36, No. 1, January 8, 2010. No public comment has been received. This Order provides a waiver from SRWMD criteria for subsection 40B-4.3030(9), F.A.C., as to the zero-rise certification requirement and a variance from SRWMD criteria for paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirement, within Township 8 South, Range 17 East, Section 6, Alachua County. SRWMD granted the petition because the petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that a substantial hardship would be created if the petitioner was required to comply with this rule.

A copy of the Order may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN THAT on February 19, 2010, the Suwannee River Water Management District, received a petition for variance from Sweetwater Homes of Citrus, Inc., 8016 S. Suncoast Blvd., Homosassa, FL 34446, for Ronald Abbott, 15529 208th Place, O'Brien, FL 32071, pursuant to Section 120.542, F.S. Petitioner is seeking variance from subsection 40B-4.3030(5), F.A.C., as to obstructions below the first floor of elevated buildings and subsection 40B-4.3030(7), F.A.C., as to obstructions above natural grade. Petitioner intends to construct a residence, located in Township 5 South, Range 12 East, Section 01, Suwannee County. These rules are intended to set forth criteria for development activities within a Work of the District. Comments on this petition should be filed with: Jon Dinges, District Clerk, SRWMD, 9225 CR 49, Live Oak, FL 32060, within 14 days of publication of this notice. The petition has been assigned ERP Number 09-0290.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN THAT on March 11, 2010, the South Florida Water Management District (SFWMD), received a petition for Variance (Application No. 100311-7, Permit No.: 06-00076-W) from Seacrest Services Inc., 1937 N. W. 40th Court, Pompano Beach, FL 33064, for a project known as Century Village Deerfield, located in Sections 2-4, Township 48 South, Range 42 East, Broward County. The petition seeks relief from Section 120.60, F.S., and Chapter 40E-24, F.A.C., pertaining to the mandatory year-round landscape irrigation conversation measures.

A copy of the Petition for Variance or Waiver may be obtained by contacting: the Environmental Resource Regulation Department, during the normal business hours of 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at 3301 Gun Club Road, West Palm Beach, FL 33406, (561)682-6911, e-mail: permits@sfwmd.gov or by accessing the District's website (www.sfwmd.gov) using the Application/Permit Search on the ePermitting page. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, West Palm Beach, FL 33401, Attn.: District Clerk.

For additional information contact: Jesus Rodriguez at (561)682-6060 or e-mail: jerodrig@sfwmd.gov.

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN THAT on March 15, 2010, the Agency for Health Care Administration has issued an order. Denying Petition for Waiver from Rule 59G-13.083, Florida Administrative Code. On December 16, 2009, AHCA received from K.A.P. by and through R.P., a document entitled, "Request for Waiver of Rule," which is treated as a Petition for Waiver from Rule 59G-13.083, Florida Administrative Code (the "Petition"). Rule 59G-13.083, Florida Administrative Code, entitled Developmental Disabilities Waiver Services, incorporates by reference the Florida Medicaid Developmental Disabilities Waiver Services Coverage and Limitations Handbook, July 2007 (the "Handbook"). K.A.P. seeks a waiver from the portion of the Handbook, which requires that Private Duty Nursing ("PDN") services be provided in the recipient's own home or family home. The Notice of the Petition was published in the Florida Administrative Weekly on January 29, 2010.

On March 15, 2010, AHCA issued a Final Order denying the Petition. AHCA determined that the Petition failed to provide facts that constitute competent, substantial evidence, pursuant to Section 120.542(8), Florida Statutes, to support a variance or waiver of Rule 59G-13.083, Florida Administrative Code.

A copy of the Order may be obtained by contacting: Richard Shoop, Agency Clerk, Agency for Health Care Administration, 2727 Mahan Drive, Building 3, Mail Station 3, Tallahassee, Florida 32308.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Dan R. Peterka, River Commons, Pt. Charlotte, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2012 (VW 2009-800).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Dan Peterka, Scottish Towers, Dunedin, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2014 (VW 2009-801).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to James R. Beasley, Stetson University, DeLand, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 1, 2010 (VW 2009-802).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Carolyn S. Oppie, Steamboat Bend East, Ft. Myers, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 30, 2010 (VW 2009-803).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Ellen Brown, WoodPark Owners Assoc., Inc., Bradenton, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2011 (VW 2009-804).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Richard Daniels, Gold Coast Towers, Lake Worth, FL, to not comply with Rule 3.11.3 and 3.11.1(a)(2), ASME A17.3, 1996 edition until December 20, 2013 (VW 2009-807).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Fred

Gollash, Park Plaza, Inc., Naples, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 30, 2010 (VW 2009-809).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Matthew Golden, Marina Village Condo, Merritt Island, FL, to not comply with Rule 2.20.4 and 2.24.2.1, ASME A17.1, 2005 edition (VW 2009-813).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Tim Cleckner, Canaveral Sands Condo Assoc., Inc., Cape Canaveral to not comply with Rule 3.11.3, 3.3.2 and 2.7.4, ASME A17.3, 1996 edition until December 1, 2012 (VW 2009-815).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Bath & Tennis Club, Palm Beach, FL, to not comply with Rule 3.4.4 and 3.4.7, ASME A17.1, 2004 edition (VW 2009-819).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Jayne Rocco of Putnam Hotel of Deland to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 28, 2010 (VW 2009-820).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Scott Lese, Everglades Club, Palm Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until September 1, 2011 (VW 2009-822).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Snyder, Seville Apartments, Tampa, FL, to not comply with Rule 2.2.5, ASME A17.3, 1996 edition (VW 2009-823).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Stacey Zuckerman, Tequesta Financial Center, LLC, Tequesta, FL, to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until March 31, 2010 (VW 2009-832).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Scott Bale, Ironwood Eleventh Condo Assoc., Inc., Bradenton, FL to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2012 (VW 2009-837).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to K. Wayne Wainwright, University of Florida, Gainesville, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until June 2, 2011 (VW 2010-005).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Wayne Turk, Cove Harbor Condo Assoc., Inc., Panama City, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2013 (VW 2010-012).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on March 9, 2010 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Joseph W. LaRue, Lakeside of Delray, Delray Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 1, 2013 (VW 2010-013).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Hassan Ghalam, Tequesta Towers, Tequesta, FL, to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 1, 2013 (VW 2010-020).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Tray Edmonds, One Memorial Center, Tampa, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2013 (VW 2010-026).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Richard S.

Johnson, Jr., Flagler Center II, West Palm Beach, FL to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until December 31, 2014 (VW 2010-028).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, St. Johns River Community College, St. Augustine, FL, to not comply with Rule 2.20.4 and 2.24.2.1, ASME A17.1, 2005 edition (VW 2010-034).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Don Birdsall, St. Johns County Courthouse, St. Augustine, FL, to not comply with Rule 2.6.5, 2.1.1.1 and 2.1.1.2, ASME A18.1, 2003 edition (VW 2010-037).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Sheron Nichols, Imperial Park Condominium, Inc., Clearwater, FL, to not comply with Rule 2.7.4, 3.10.4(t), 3.11.1(a)(2), and 3.3.2, ASME A17.3, 1996 edition and with Rule 204.7(a), ASME A17.1, 1996 edition until March 1, 2012 (VW 2010-038).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Marilyn Ward, Beau Monde, St. Pete Beach, FL, to not comply with Rule 3.11.1(a)(2), ASME A17.3, 1996 edition until March 1, 2015 (VW 2010-039).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Stacia Scofero, Ironwood Twelfth Condo Assoc., Inc., Sarasota, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2013 (VW 2010-045).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Thomas Cook, Ironwood Fifteenth Condo Assoc., Bradenton, FL, to not comply with Rule 3.11.3, 2.7.4 and 3.10.4(t), ASME A17.3, 1996 edition until September 1, 2010 (VW 2010-046).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Fred Grotke, Sunrise of the Palm Beaches Phase I, Lake Worth, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2012 (VW 2010-047).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Patrick Murphy, Comfort Inn and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2010-048).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to James Carreau, Lakeside Point Apartment No. 11, Lake Worth, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2015 (VW 2010-049).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Tom Boyce, Stevens Landing, Marco Island, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 1, 2013 (VW 2010-072).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Bill Jones, Best Western Orlando Gateway, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2012 (VW 2010-073).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Pamela LeCompte, Wittner Centre Partners, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2010-074).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby of Beach Club Condo of Daytona Beach Shores to not comply with Rule 3.11.3, 3.10.4(u) and 3.11.1(a)(2), ASME A17.3, 1996 edition until February 1, 2013 (VW 2010-079).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Sherry K. Clifton, Oceanside Inn Beach Resort Condo Assoc., Inc.,

Daytona Beach Shores, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until June 15, 2013 (VW 2010-080).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lawrence Schiller, Oxford Building, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 1, 2013 (VW 2010-091).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, 3.11.1(a)(2) and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Smugglers Cove of Ft. Myers Beach, and location of the Serial Number 25106-07, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Daniel Hughes (VW 2010-109).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 2.2.3, 2.7.4, 3.3.2, 3.9.1 and 3.10.4(t) and from A17.1, Section 8.6.5.8 as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Winston Gateway Assoc., Inc., St. Petersburg, FL, and location of the Serial Number 8825-27, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder, agent (VW 2010-110).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an

unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Tenth Condo Assoc. of Bradenton, and location of the Serial Number 29531, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Herbert E. Ziehl (VW 2010-111).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a variance from A17.1, Section 2.8.2.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Greater Orlando Aviation Authority, Orlando, FL, and location of the Serial Number 44338-41, requests the variance to allow a sprinkler pipe in the machine room. The petition was received from Michael Shumack (VW 2010-112). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.1, Section 8.6.5.8, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Indian River Place Condo, Ft. Pierce, FL, and location of the Serial Number 9198, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert Belgau (VW 2010-113).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Forestbrook IV Condo Assoc., Largo, FL, and location of the Serial Number 29751, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Vicky Kingsbury (VW 2010-114).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on February 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Kress Building, Orlando, FL, and location of the Serial Number 7665, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sharon Surless (VW 2010-115).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Plantation House Condo of Stuart, and location of the Serial Number 26427, requests the variance from having to upgrade the fire fighter's service. The petition was received from Joseph Hovsepian (VW 2010-116).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency variance from A17.1, Section 5.2.1.4.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Compass Rose Restaurant of Valparaiso, and location of the Serial Number 97709, requests the variance that the alternative rule be allowed for this structure. The petition was received from Lee Rigby, agent (VW 2010-117).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.1(a)(2) and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph

61C-5.001(1)(a), F.A.C. The petitioner, Banyan Tree Village Condo Assoc., Delray Beach, FL, and location of the Serial Number 28530, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Michael E. Chapnick, Esq. (VW 2010-118).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bay & Beach Condo Assoc., Indian Shores, FL, and location of the Serial Number 32382, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Assistant Secretary Adams (VW 2010-119).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, 4.7.8 and 3.10.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Coquina Condo Assoc., Ft. Myers, FL, and location of the Serial Number 30839, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Glynnis Lowman (VW 2010-120).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, 3.11.1, 3.10.4 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Coco Plum Beach Villas Condo, Marathon, FL, and location of the Serial Number 37914, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Mark Stich, agent (VW 2010-121).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, 3.11.1 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Clarion Inn, Altamonte Springs, FL, and location of undisclosed Serial Number(s), requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Nash Hooda (VW 2010-122).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Edgewater Arms Condos, Dunedin, FL, and location of undisclosed Serial Number(s), requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert E. Bertics (VW 2010-123).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a variance from A17.1, Section 2.7.4.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Orlando Events Center (a.k.a Amway Center), Orlando, FL, requests the variance due to a structural slab in the machine room. The petition was received from Katya Thresher, agent (VW 2010-124).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2

Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Tidewater Condo, Ponce Inlet, FL, and location of the Serial Number 36859, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, agent (VW 2010-125).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Comfort Inn Universal Studios, Orlando, FL, and location of the Serial Number 35253, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Soli Bratanatawira (VW 2010-126).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Calini Beach Club of Sarasota, and location of the Serial Number 33025, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sharon Cunningham (VW 2010-127).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, SunTrust Building, Daytona Beach, FL, and location of the Serial Number 4602, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert W. Kuehn (VW 2010-128).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, International Palms Resort, Orlando, FL, and location of the Serial Number 21189, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Greg Grunder (VW 2010-129).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a variance from A17.1, Section 2.20.4, 2.24.2.1 and 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, El Rancho Motel, Key West, FL, requests the variance to allow for the use of the newest, most advance elevator technology. The petition was received from Lee Rigby, agent (VW 2010-130).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3 and 2.7.4 as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bellair Condos, Daytona Beach, FL, and location of the Serial Number 12553-54, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sheila Sostarich (VW 2010-131).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2

Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Memorial Hospital, Jacksonville, FL, and location of the Serial Number 30290, 32652-55, 7050, 7149-51, 12238, 7884, 29060, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Grady D. Padgett (VW 2010-132).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 2.2.3, 2.4.1, 3.11.3, 2.7.4 and 3.10.4(t) and from A17.1, Section 101.3a, 106.1e and 110.14c, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Redington Reef Condos, Redington Beach, FL, and location of the Serial Number 3431-32, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder, agent (VW 2010-133).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on March 10, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Section 509.221(1)(b), Florida Statutes, paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code from Caliyogurt located in Orlando, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers and employees. They are requesting to utilize public bathrooms located more than 300 feet away in a mall for customers and employees.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on March 10, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Section 509.221(1)(b), Florida Statutes, subsection 61C-1.004(1), paragraph 61C-1.004(1)(d), Florida Administrative Code, and Paragraph 5-202.11(A), 2001 FDA Food Code from Xtreme Indoor Karting Bar located in Fort Lauderdale. The above referenced F.A.C. addresses the

requirement that each establishment discharge sewage into an approved collection system and have an approved plumbing system installed. They are requesting to utilize holding tanks to provide potable water and to collect waste water.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011

NOTICE IS HEREBY GIVEN THAT on March 9, 2010, the Board of Architecture and Interior Design, received a petition for Stephanie Hellstrom, seeking a variance or waiver of subsection 61G1-22.002(1), F.A.C., which requires that applicants for licensure obtain the diversified interior design experience required by Section 481.209(2), F.S., with a registered interior designer (any state) or registered architect (any state) performing interior design services, unlicensed interior designer (outside of Florida) who has passed the NCIDQ (National Council for Interior Design Qualification) or the AID (American Institute of Designers) examination, or unlicensed interior designer (outside of Florida) who would have met the six-year experience grandfather requirement of Section 21, Chapter 88-383, Laws of Florida.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Anthony Spivey, Executive Director, Board of Architecture and Interior Design, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Board of Architecture and Interior Design within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on March 10, 2010, the Bureau of Beaches and Coastal Systems, received a petition for variance or waiver, pursuant to Section 120.542, Florida Statutes, and Chapter 28-104, F.A.C., from subsections 62B-33.002(18) and (64), F.A.C., which defines "eligible structures" and "vulnerable," respectively, and from paragraph 62B-33.0051(1)(a), F.A.C., which provides the condition where construction of armoring shall be authorized for the protection of an eligible structure. The petition was received from Patrick Krechowski, on behalf of Daniel and Jeanne McNellis regarding WL-932 AR ATF. The Petitioners seek to obtain a variance in relation to their after the fact permit application for coastal armoring. The property is located at 4525 West Hwy. 30A, in Walton County, FL.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rosaline Beckham at (850)488-7815 or by e-mail: rosaline.beckham@dep.state.fl.us. Any comments should be filed in writing: Department of Environmental Protection, 3900 Commonwealth Blvd., MS #300, Tallahassee, Florida 32399-3000, and should be submitted within 14 days of the date of this publication.

NOTICE IS HEREBY GIVEN THAT on March 5, 2010, the Bureau of Beaches and Coastal Systems, received a petition for variance or waiver, pursuant to Section 120.542, Florida Statutes, and Chapter 28-104, F.A.C., from subsections 62B-56.900(13) and (14), F.A.C., Letter of Credit and Standby Trust Agreement respectively. The referenced forms are required by the Department to be used for providing proof of financial assurance pursuant to Rule 62B-56.090, F.A.C. The petitioner seeks a variance from the rule in order to modify certain provisions of the forms. The petition was received from Walter and Marilyn Kreiseder, James Meekison and Carolyn Keystone, Brian and Pamela Sullivan, Fritz and Ping Faulhaber, and William Crouse, regarding ST-1727 GT, an application to use geotextile containers as the core of a reconstructed dune. The properties are located on Casey Key in Nokomis Sarasota Co., at 2209, 2207, 2305, 2309 and 2315 Casey Key Rd.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rosaline Beckham at (850)488-7815 or by e-mail: rosaline.beckham@dep.state.fl.us. Any comments should be filed in writing with the Department at 3900 Commonwealth Blvd., M.S. #300, Tallahassee, Florida 32399-3000, and should be submitted within 14 days of the date of this publication.

DEPARTMENT OF HEALTH

The Board of Osteopathic Medicine hereby gives notice that it has received a petition, filed on February 22, 2010, by Adam D. Sterlace, D.O., seeking a waiver or variance of Rule 64B15-13.001, F.A.C., with respect to attending live continuing medical education credits sufficient to maintain licensure renewal in this biennial period. And the requirement to take certain continuing education credits.

Comments on this petition should be filed with: Board of Osteopathic Medicine, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256, within 14 days of publication of this notice.

For a copy of the petition, contact: Kaye Howerton, Executive Director, at the above address or telephone (850)245-4161.

NOTICE IS HEREBY GIVEN THAT on February 12, 2010, the Board of Pharmacy, received a petition for Robert Campbell, PharmD., on behalf of Bay Medical Center, seeking a variance or waiver of Rule 64B16-27.797, Florida

Administrative Code, which lists the requirements for standards of practice for compounding sterile preparations (CSPs).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rebecca Poston, Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254, (850)245-4292. Comments on this petition should be filed with the Board of Pharmacy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on March 5, 2010, the Department of Health received a letter WITHDRAWING a petition for variance filed on November 17, 2009, by Francis McMahon, regarding the "Kellygreen System". Petitioner sought a variance from Rule 64E-6.013, Florida Administrative Code, which requires treatment receptacles to meet minimum standards. Notice of the petition was published in the December 18, 2009, edition of the Florida Administrative Weekly.

As the petition has been withdrawn, the Department of Health is taking no further action on the petition.

A copy of the petition and letter of withdrawal may be obtained by contacting: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin #A02, Tallahassee, Florida 32399-1703.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on March 3, 2010, the Department of Children and Families, received a petition for waiver of Rule 65C-15.010, F.A.C., from One Church One Child of Florida, Inc. assigned Case No.: 10-017W. Rule 65C-15.010, F.A.C., states an agency shall have its financial records audited annually.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on March 4, 2010, the Department of Children and Families, received a petition for waiver for subsection 65C-15.017(3), F.A.C., from Addie Walker, assigned Case No.: 10-018W. Subsection 65C-15.017(3), F.A.C., requires agency staff responsible for performing casework services shall have a bachelor's or master's degree in social work or a related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on March 12, 2010, the Department of Children and Families, received a petition for waiver of Rule 65C-14.079, F.A.C., from Beta Center, assigned Case No.: 10-019W. Rule 65C-14.079, F.A.C., relates to staffing requirements for maternity residences.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

Section VI Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

State Board of Administration
Financial Services Commission
Department of Veterans' Affairs
Department of Highway Safety and Motor Vehicles
Department of Law Enforcement
Department of Revenue
Department of Education
Administration Commission
Florida Land and Water Adjudicatory Commission
Board of Trustees of the Internal Improvement Trust Fund
Department of Environmental Protection

DATE AND TIME: April 13, 2010, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED:
Regular scheduled meeting of the Governor and Cabinet

The State Board of Administration will take action on matters duly presented on its agenda, which may include such matters as Executive Director's reports; approval of fiscal sufficiency of state bond issues; approval of sale of local bonds at an interest rate in excess of statutory interest rate limitation; report on investment performance; designation of banks as depositories for state funds; adoption of rules and regulations; investment of state funds pursuant to Chapter 215, F.S.; and consideration of other matters within its authority pursuant to Chapters 215 and 344, F.S., and Section 16 of Article IX of the Florida Constitution of 1885, as continued by subsection 9(c) of Article XII of the Florida Constitution of 1968. The Division of Bond Finance of the State Board of Administration

will take action on matters duly presented on its agenda, which will deal with the issuance of State bonds, arbitrage compliance and related matters.

The Financial Services Commission will take action on matters duly presented on its agenda which may include, but not be limited to, matters relating to rulemaking for all activities concerning insurers and other risk bearing entities, including licensing, rates, policy forms, market conduct, claims, adjusters, issuance of certificates of authority, solvency, viatical settlements, premium financing, and administrative supervision, as provided under the Insurance Code or Chapter 636, F.S., and for all activities relating to the regulation of banks, credit unions, other financial institutions, finance companies, and the securities industry.

The Department of Veterans' Affairs will take action on matters duly presented on its agenda which may include the administration of the Department as well as actions taken to further the Department's mission of providing assistance to veterans and their dependents, pursuant to Section 292.05, F.S. The Department of Highway Safety and Motor Vehicles will take action on matters duly presented on its agenda, which may include such matters as approval of agency policies, taking agency action with regard to administrative procedure matters, and considering other matters within its authority pursuant to Florida Statutes.

The Department of Law Enforcement will take action on matters duly presented on its agenda which may include but not be limited to such matters as transfer of agency funds or positions, formulation of Departmental Rules, administrative procedure matters, submittal of reports as required, enter into contracts as authorized and to consider other matters within its authority pursuant to Chapters 20, 23, 120 and 943, F.S.

The Department of Revenue will act on matters duly presented on its agenda which may include approval of rules, legislative concept proposals, contracts over \$100,000, Departmental budgets, taking final action on formal and informal hearings under Chapter 120, F.S., and consideration of other matters within its authority.

The Department of Education will finalize agency action on the business of the Florida Department of Education.

The Administration Commission will take action on matters duly presented on its agenda which may include such matters as to create or transfer agency funds or positions, approve Career Service rules, administrative procedure matters, environmental matters arising under Chapter 380, F.S., comprehensive planning issues pursuant to Section 163.3184, F.S., determine sheriffs' budget matters, and consider other matters within its authority pursuant to Chapters 110, 215 and 216, F.S.

The Florida Land and Water Adjudicatory Commission will take action on matters duly presented on its agenda including appeals of local government development orders in areas of critical state concern or of developments of regional impact