

(f) If one spouse dies, and there are eligible dependents, the remaining employee's coverage level will be family coverage.

(g) If one spouse dies, and there are no eligible dependents, the coverage level of the remaining employee will change to individual coverage.

(9) If participants in the spouse program do not timely notify the designated agent of their disqualifying event, the participants shall be financially liable for medical or prescription drug claims incurred by the participants and their dependents, and any premiums paid by the state during the time the participants and/or their dependents were not eligible.

(10) If an ineligible spouse returns to eligible state employment, the spouse program shall only become effective upon the re-enrollment in the program by both employees in accordance with subsection (3) above.

THIS EMERGENCY RULE TAKES EFFECT ON July 1, 2010.

Rulemaking Specific Authority 110.123(5) FS. Law Implemented 110.123 FS. History--New 8-22-96, Repromulgated 1-31-02, Amended 7-1-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: July 1, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V

Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF COMMUNITY AFFAIRS

NOTICE IS HEREBY GIVEN THAT on June 10, 2010, the Department of Community Affairs has issued an order.

NAME OF THE PETITIONER: City of DeFuniak Springs, Florida, DCA10-WAI-111

DATE PETITION WAS FILED: May 17, 2010

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Paragraph 9B-43.0041(2)(b), Florida Administrative Code

THE GENERAL BASIS FOR THE DECISION: The Petitioner sought a waiver of the grant ceiling limitations imposed upon the City of DeFuniak Springs under the Small Cities Community Development Block Grant Program, referenced in paragraph 9B-43.0041(2)(b), Florida

Administrative Code, and a supplemental award. One of the explicit purposes for the Small Cities Community Development Block Grant program is to provide "activities to improve housing conditions and expand housing opportunities, providing direct benefit to persons of low or moderate income." Section 290.0411, Florida Statutes (2007). The project waiver and supplemental award proposed by the Petitioner's application directly fulfill this statutory objective. The Petitioner has demonstrated that, absent the waiver, the City and the recipient of the benefits of the underlying grant will suffer a substantial economic hardship.

A copy of the Order may be obtained by contacting: Paula P. Ford, Agency Clerk, Department of Community Affairs, 2555 Shumard Oak Blvd., Tallahassee, FL 32399.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on June 14, 2010, the Suwannee River Water Management District, received a petition for variance from Harvey and Jane Lewis, 5340 Great Oak Court, Fernandina Beach, FL 32034, pursuant to Section 120.542, F.S. Petitioner is seeking variance from paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirement. Petitioner seeks to elevate the existing building, in Hamilton County, in Township 1 South, Range 11 East, Section 12. These rules are intended to set forth criteria for development activities within a Work of the District. Comments on this petition should be filed with: Jon Dinges, District Clerk, SRWMD, 9225 CR 49, Live Oak, FL 32060, within 14 days of publication of this notice. The petition has been assigned ERP Number 10-0102.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN THAT on June 15, 2010, the South Florida Water Management District (District), received a petition for waiver from the Town of Davie, Application No.: 08-0918-1M, for utilization of Works or Lands of the District known as the C-11 Canal for proposed linear park improvements consisting of landscaping and signs within the north right of way of C-11 Canal, Sections 28, 29, 30, 25, Township 50 South, Range 40 & 41 East; Broward County. The petition seeks relief from subsections 40E-6.011(4) and

(6), Florida Administrative Code, which prohibits the placement of permanent and semi-permanent above ground facilities within 40 feet of the top of canal bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on June 7, 2010, the South Florida Water Management District (District), received a petition for waiver from Collier County Board of Commissioners, Application Number: 10-0216-1, for utilization of Works or Lands of the District known as the County Road 951 Canal for existing safety cameras which includes poles with foundation and conduits; Section 26, Township 49 South, Range 26 East, Collier County. The petition seeks relief from subsections 40E-6.011(4), (5), and paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review and criteria which governs placement of above-ground permanent and semi-permanent encroachments within 40' top of canal bank within the Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or email: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by end of business on 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on June 7, 2010, the South Florida Water Management District (District), received a petition for waiver from Collier County Board of Commissioners, Application Number: 10-0216-2, for utilization of Works or Lands of the District known as the Airport Road Canal for existing safety cameras which includes poles with foundation and conduits; Section 13, Township 49 South, Range 25 East, Collier County. The petition seeks relief from subsections 40E-6.011(4), (5), and paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review and criteria which governs placement of above-ground permanent and semi-permanent encroachments within 40' top of canal bank within the Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or email: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this

notice. To be considered, comments must be received by end of business on 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on April 28, 2010, the South Florida Water Management District (SFWMD), received a petition for Variance (Application No.: 100428-9) from Reedy Creek Improvement District, c/o Ray Maxwell, District Administrator, P. O. Box 10170, Lake Buena Vista, FL 32830, for a project known as Reedy Creek Improvement District, located in Orange and Osceola Counties. The petition seeks relief from provisions in Rule 40E-24.201, F.A.C., pertaining to mandatory year-round landscape irrigation conversation measures, pursuant to Section 120.542, Florida Statutes.

A copy of the Petition for Variance or Waiver may be obtained by contacting: the Environmental Resource Regulation Department, during the normal business hours of 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at 3301 Gun Club Road, West Palm Beach, FL 33406, (561)682-6911, e-mail: permits@sfwmd.gov or by accessing the District's website: www.sfwmd.gov using the Application/Permit Search on the ePermitting page. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, West Palm Beach, FL 33401, Attn.: District Clerk. For additional information, contact: Jesus Rodriguez at (561)682-6060 or e-mail: jerodrig@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on June 15, 2010, the South Florida Water Management District (District), received a petition for waiver from Miami-Dade County, Application No. 10-0524-1M, for utilization of Works or Lands of the District known as the C-4 Canal for ditch filling and installation of French drains and risers. The project site is located within the north right of way of the C-4 Canal between Walsh Boulevard and S. W. 119th Avenue; Section 2, Township 54 South, Range 39 East, Miami-Dade County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which prohibits the placement of drainage treatment facilities within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn.: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN THAT on April 28, 2010, the South Florida Water Management District (SFWMD), received a petition for Variance (Application No.: 100428-8) from The

Walt Disney World Company, P. O. Box 10000, Lake Buena Vista, FL 32830 for a project known as Walt Disney World Resort, located in Orange and Osceola Counties. The petition seeks relief from provisions in Rule 40E-24.201, F.A.C., pertaining to mandatory year-round landscape irrigation conversation measures, pursuant to Section 120.542, Florida Statutes.

A copy of the Petition for Variance or Waiver may be obtained by contacting: The Environmental Resource Regulation Department, during the normal business hours of 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at 3301 Gun Club Road, West Palm Beach, FL 33406, (561)682-6911, e-mail: permits@sfwmd.gov or by accessing the District's website: www.sfwmd.gov using the Application/Permit Search on the ePermitting page. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, West Palm Beach, FL 33401, Attn.: District Clerk. For additional information, contact: Jesus Rodriguez at (561)682-6060 or e-mail: jerodrig@sfwmd.gov.

DEPARTMENT OF MANAGEMENT SERVICES

NOTICE IS HEREBY GIVEN THAT on June 1, 2010, the Agency for Workforce Innovation received a request from the Early Learning Coalition of Manatee County, seeking a withdrawal of its petition for temporary waiver of paragraph 60BB-8.201(4)(a), F.A.C., which provides requirements for Coalitions to conduct parent-orientation sessions for parents registering their children for the Voluntary Prekindergarten Education Program. The Petition has been assigned OGC file number 2010-00062. A Notice of Receipt of Petition for Variance/Waiver was published on May 14, 2010.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on May 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for received a petition from Tray Edmonds on behalf of Three Oaks Buildings 2 & 3, Jacksonville, FL. Petitioner seeks a waiver/variance of the requirements of Rules 2.7.4 and 3.11.3, ASME A17.3, as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings and Fire Fighter Service Phase I and II. Petitioner states that correcting these violations will require extensive renovations of the control system which is expensive and will require shutting the elevators down for an extended time. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Paul Komie, Alliance Elevator Consultants, Inc., c/o Yomtob Office Holdings LLC, Delray Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Karen Bates, President, The Aloha Condo Assn., Inc., c/o Aloha Condo, Orlando, Florida. Petitioner seeks a variance to the requirements of A17.1, 2.27.3.2.1(a), as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires elevator fire alarm initiating device maintenance which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Ralph Belfiglio, c/o Hampton Court Apts., St. Petersburg, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 2.7.4, 3.3.2, 3.10.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires

upgrading the elevator for door restrictors, platform guards, and firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Henry Bryant, Supervisor, c/o Internal Operations Center One, Orlando, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Gary Cerceck, c/o Beach Condominium, Redington Shores, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 3.11.3; A17.1, 306.6 as required in NFPA 70, Article 620-51, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations and component rewiring which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Dennis M. Clos, Santa Maria Condominium, Fort Myers Beach, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Heron Harbour Condo Association. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Boca Bayou. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Gate Riverplace Tower. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a sump pump in elevators with firefighters' emergency operation, installation of which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Regency West Condo 1. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Ambassador Hotel Cooperative Apartments Corporation. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Crown House Condo. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 or an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Mariner IV Condo Association. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and installing restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Privateer South Condo Association. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and installing restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments

within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Labcorp Building. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4, 3.10.4(t) and 2.6.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, installing restricted door openings, self closing doors and a car stop-switch which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Southbay Condo Association. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Home Association. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.3.3 and 3.10.4(e), as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a stop switch in the pit and on top of every car, installation of which poses a significant economic/financial hardship. Any interested person

may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 100 Ocean Rd. Condo Association. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.7.2.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that permits only the proper machinery and equipment in the elevator machine room. Petitioner would like the fire panel to be installed in the machine room. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Beach Winds Condo. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4 and 3.10.4(u), as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, and installing restricted door openings and an emergency stop switch which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Lagoon Towers Condo Assn, c/o Lagoon Towers, Panama City Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 2.7.4, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires

upgrading the elevators for door restrictors and firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for from Central Florida Housing and Neighborhood Development Services, Inc. on behalf of Lake Davis Apartments, Orlando, FL. Petitioner seeks a waiver/variance of the requirements of unspecified sections of ASMEA17.3, as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code. Petitioner states that due to the poor economy, they are unable to fund the needed work. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), (6), Florida Administrative Code, from Lesly Catering, Orlando, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on May 24, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from William F. Miller, Property Manager, c/o Pelican Pointe of Sebastian I Condominium Assoc., Sebastian, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 3.3.2, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida

Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for platform guards, and firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Safe Elevator Corporation – Chrissy Cronin, c/o Ocean Place Condo Assn Inc., – Johns Island, 1150 Beach Rd., Vero Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 2.7.4, 3.3.2, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors, platform guards, and firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Safe Elevator Corporation – Chrissy Cronin, c/o Ocean Place Condo Assn Inc., – Johns Island, Vero Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 2.7.4, 3.3.2, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors, platform guards, and firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from John Petrikas, Trinity St. Jude Inc., c/o Oxford House Apts, Fort Myers, Florida. Petitioner seeks a variance to the requirements of A17.1, 3.3.2, 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires elevator upgrades for door restrictors and platform guards which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Safe Elevator Corporation – Chrissy Cronin, c/o 800 Beach Rd. Condominium Assn Inc., – Johns Island, Vero Beach, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 2.7.4, 3.3.2, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors, platform guards, and firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on April 23, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a variance from Will Sunter, Esquire on behalf of 6505 Democracy Associates. Petitioner seeks a waiver/variance of the requirements of 3.11.3, ASME A17.3, as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires Fire Fighter Service Phase I

& II. Petitioner states that additional time is needed to raise the funds given the current poor economy and increased expenses for taxes and insurance while rents have remained stagnant or decreased. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on June 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Lee Rigby, c/o Wachovia Bank Building, Stuart, Florida. Petitioner seeks an emergency variance to the requirements of A17.3, 2.7.4, 3.3.2, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors, platform guards, and firefighters' emergency operations which pose a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on June 8, 2010, the Florida Department of Environmental Protection has issued an order.

On April 12, 2010, Coastal Recycling Services, LLC, applied for a variance from the provisions of paragraph 62-701.710(7)(a), F.A.C., which requires that proof of financial assurance for closure of the facility be included with the permit application. Petitioner alleged that requiring compliance before the facility began construction would create a substantial hardship. Notice was published in the F.A.W. on May 14, 2010. The Order Granting Variance allows the petitioner to delay providing proof of financial assurance until at least 60 days prior to the first receipt of waste.

A copy of the Order may be obtained by contacting: Richard Tender, Department of Environmental Protection, Solid Waste Section, MS #4565, 2400 Blair Stone Road, Tallahassee, FL 32399, (850)245-8735, email: richard.tedder@dep.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on June 11, 2010, the Florida Department of Environmental Protection has issued an order.

The Department received a petition under Section 120.542, Florida Statutes, from Lee Pitkiewicz, which requested a variance from or waiver of the provision in Section 403.813(2)(b), Florida Statutes, that prohibits the installation of mooring pilings associated with a private docking facility as an activity exempt from permitting if the dock will create a navigational hazard. Notice of receipt of this petition was published in the Florida Administrative Weekly on March 19, 2010. No public comment was received. The Final Order, file number OGC 10-1051, denied the petition, because Section 120.542, Florida Statutes, prohibits an agency from granting a variance from or waiver of a statutory provision.

A copy of the Order may be obtained by contacting: Stacey Cowley, Florida Department of Environmental Protection, Office of General Counsel, 3900 Commonwealth Boulevard, MS #35, Tallahassee, Florida 32399-3000, (850)245-2219.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on June 10, 2010, the Board of Clinical Laboratory Personnel, received a petition for Margarita Sosa. Petitioner is seeking a variance or waiver of paragraph 64B3-5.004(3)(a), Florida Administrative Code, which sets forth the requirements for a specialty licensure as a technician in microbiology, serology/immunology, clinical chemistry, hematology, and immunohematology.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sharon Guilford, Acting Executive Director, Board of Clinical Laboratory Personnel, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257. Comments on the petition should be filed with the Board of Clinical Laboratory Personnel within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on June 15, 2010, the Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, received a petition for Lazaro Joseph Garrido, seeking a variance or waiver of paragraph 64B4-3.003(3)(b), F.A.C., which requires that the applicant receive a passing score on the National Clinical Mental Health Counseling Examination (NCMHCE), with the passing score being the recommended cut-off score provided by the Nation Board for Certified Counselors (NBCC).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258. Comments on this petition should be filed with the Board within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on March 12, 2010, the Board of Massage Therapy, received a petition for a waiver or variance of Rule 64B7-28.009, F.A.C. with respect to the 12 continuing education hours that is to be taken via live classroom instruction. Petitioner seeks a variance or waiver from the requirement of the licensee's continuing education to be obtained in a live classroom setting.

Comments on this petition should be filed with the Board of Massage Therapy, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Christy Robinson, Acting Executive Director, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256.

NOTICE IS HEREBY GIVEN THAT on June 4, 2010, the Board of Massage Therapy, received a petition for a waiver or variance of Rule 64B7-32.002, F.A.C. with respect to documentation of graduation from a Board approved massage school. Petitioner seeks a variance or waiver from the requirement of an official transcript documenting the applicant's training.

Comments on this petition should be filed with: Board of Massage Therapy, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Christy Robinson, Acting Executive Director, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256.

NOTICE IS HEREBY GIVEN THAT on June 8, 2010, the Board of Medicine, received a petition for waiver or variance filed by Aparna Dole, M.D., from subsection 64B8-4.009(5), F.A.C., with regard to the requirement for documentation of medical education directly from Petitioner's medical school. Comments on this petition should be filed with: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

NOTICE IS HEREBY GIVEN THAT on June 14, 2010, the Board of Osteopathic Medicine has issued an order.

The Petition for Waiver and/or Variance was filed by Adam D. Sterlace, D.O., on February 22, 2010, seeking a waiver or variance from Rule 64B15-13.001, F.A.C., with regard to the requirement for continuing medical education (CME) to be obtained by the completion of live, participatory attendance courses. The Notice was published in Vol. 36, No. 12, of the Florida Administrative Weekly, on March 26, 2010. The Board, at its meeting held on May 15, 2010, voted to grant the Petition for Waiver or Variance finding that the Petitioner demonstrated a substantial hardship and met the purpose of the underlying statute, and that application of the rule would violate the principles of fairness.

A copy of the Order may be obtained by contacting: Board of Osteopathic Medicine, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3056.

DEPARTMENT OF FINANCIAL SERVICES

NOTICE IS HEREBY GIVEN THAT on April 2, 2010, the Department of Financial Services, Division of State Fire Marshal has issued an order.

The basis for the request is that: (1) The complex met the code requirements at the time it was built, and has not undergone any change of use or significant renovation since that time; (2) there is no record of a fire ever having occurring at the complex; (3) each apartment unit is directly accessible to an exterior corridor leading to vertical access by way of stairs located at both ends of each exterior corridor, and (4) the installation of a fire alarm system in all buildings located at the apartment complex would cost an estimated \$225,000. The basis for denying the petition is that it does not meet the statutory conditions for waiver in Section 120.542, Florida Statutes, which requires that the status quo meet the level of fire protection intended by the underlying statute, and that the application of the Department's rule would either create a substantial hardship on the Petitioner, or would affect Petitioner in a manner significantly different from the way it affects other similarly situated persons who are subject to the rule.

A copy of the Order may be obtained by contacting: Lesley Mendelson, Assistant General Counsel, 200 East Gaines Street, Tallahassee, Florida 32399-0340, (850)413-3604 or (850)413-4238, Fax: (850)922-1235 or (850)488-0697 (please advise if you would like it mailed or faxed to you and please

include your phone number on your request in case any question arises), or by e-mailing your request to: Lesley.Mendelson@myfloridacfo.com.

NOTICE IS HEREBY GIVEN THAT on April 23, 2010, the Department of Financial Services, Division of Workers' Compensation, received a petition for variance or waiver from Michigan Millers Mutual Insurance Company, pursuant to Section 120.542, Florida Statutes, and Rule 28-104.002, Florida Administrative Code. The Petitioner is requesting a variance or waiver from Rule 69L-56.3013, Florida Administrative Code, which sets forth requirements for filing certain workers' compensation claims information with the Division of Workers' Compensation via electronic data interchange rather than by submitting paper forms. Michigan Millers Mutual Insurance Company requests the variance or waiver so that it may submit by paper the information for its two open Florida workers' compensation claims rather than being required to submit the information via electronic data interchange.

Comments on this petition should be filed with: Department of Financial Services, Division of Workers' Compensation, 200 E. Gaines Street, Tallahassee, Florida 32399-4229, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Andrew Sabolic, Assistant Division Director, Division of Workers' Compensation, 200 E. Gaines Street, Tallahassee, Florida 32399-4228, (850)413-1600.

Section VI Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **National Register Review Board** announces a public meeting to which all persons are invited.

DATE AND TIME: Monday, July 12, 2010, 1:00 p.m. – until conclusion

PLACE: Via Teleconference, 500 S. Bronough Street, Tallahassee, Florida 32399-0250

GENERAL SUBJECT MATTER TO BE CONSIDERED: Review of properties for National Register nomination.

A copy of the agenda may be obtained by contacting: Pam Stanley at (850)245-6302.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 3 days before the workshop/meeting by contacting: Pam Stanley at (850)245-6302. If you are hearing