

Section I
Notice of Development of Proposed Rules
and Negotiated Rulemaking

DEPARTMENT OF HEALTH

Board of Medicine

RULE NO.: RULE TITLE:
64B8-31.010 Disciplinary Guidelines
PURPOSE AND EFFECT: The Board proposes the development of a rule amendment to clarify and update the anesthesiologist assistant disciplinary guidelines.
SUBJECT AREA TO BE ADDRESSED: Update and clarify disciplinary guidelines.
RULEMAKING AUTHORITY: 456.079, 458.309, 458.331(5) FS.
LAW IMPLEMENTED: 456.072, 456.079, 458.331(5), 458.3475 FS.

IF REQUESTED IN WRITING AND NOT DEEMED UNNECESSARY BY THE AGENCY HEAD, A RULE DEVELOPMENT WORKSHOP WILL BE NOTICED IN THE NEXT AVAILABLE FLORIDA ADMINISTRATIVE REGISTER.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE DEVELOPMENT AND A COPY OF THE PRELIMINARY DRAFT, IF AVAILABLE, IS: Paul Vazquez, J.D., Executive Director, Board of Medicine/MQA, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3253, Paul.Vazquez@flhealth.gov

THE PRELIMINARY TEXT OF THE PROPOSED RULE DEVELOPMENT IS AVAILABLE AT NO CHARGE FROM THE CONTACT PERSON LISTED ABOVE.

DEPARTMENT OF HEALTH

Board of Osteopathic Medicine

RULE NO.: RULE TITLE:
64B15-7.010 Disciplinary Guidelines
PURPOSE AND EFFECT: The Board proposes the development of a rule amendment to clarify and update disciplinary guidelines.
SUBJECT AREA TO BE ADDRESSED: To clarify and update disciplinary guidelines.
RULEMAKING AUTHORITY: 456.079, 459.005, 459.015(5), 459.023 FS.
LAW IMPLEMENTED: 456.072, 456.079, 459.015(5), 459.023 FS.

IF REQUESTED IN WRITING AND NOT DEEMED UNNECESSARY BY THE AGENCY HEAD, A RULE DEVELOPMENT WORKSHOP WILL BE NOTICED IN

THE NEXT AVAILABLE FLORIDA ADMINISTRATIVE REGISTER.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE DEVELOPMENT AND A COPY OF THE PRELIMINARY DRAFT, IF AVAILABLE, IS: Kama Monroe, Executive Director, Board of Osteopathic Medicine/MQA, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256, or by email at Kama.Monroe@flhealth.gov.

THE PRELIMINARY TEXT OF THE PROPOSED RULE DEVELOPMENT IS AVAILABLE AT NO CHARGE FROM THE CONTACT PERSON LISTED ABOVE.

DEPARTMENT OF HEALTH

Board of Osteopathic Medicine

RULE NO.: RULE TITLE:
64B15-14.0077 Approval of Osteopathic Physician Office Accrediting Organizations
PURPOSE AND EFFECT: The Board proposes the development of a rule amendment to clarify and update the rule, including clarification of the qualifications, standards, and requirements for the accrediting organizations and surveyors.
SUBJECT AREA TO BE ADDRESSED: To clarify and update the rule language for accrediting organizations and surveyors.
RULEMAKING AUTHORITY: 459.005(2) FS.
LAW IMPLEMENTED: 459.005(2) FS.

IF REQUESTED IN WRITING AND NOT DEEMED UNNECESSARY BY THE AGENCY HEAD, A RULE DEVELOPMENT WORKSHOP WILL BE NOTICED IN THE NEXT AVAILABLE FLORIDA ADMINISTRATIVE REGISTER.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE DEVELOPMENT AND A COPY OF THE PRELIMINARY DRAFT, IF AVAILABLE, IS: Kama Monroe, Executive Director, Board of Osteopathic Medicine/MQA, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256, or by email at Kama.Monroe@flhealth.gov.

THE PRELIMINARY TEXT OF THE PROPOSED RULE DEVELOPMENT IS AVAILABLE AT NO CHARGE FROM THE CONTACT PERSON LISTED ABOVE.

Section II Proposed Rules

DEPARTMENT OF ENVIRONMENTAL PROTECTION

<p>RULE NOS.:</p> <p>62-600.200</p> <p>62-600.300</p> <p>62-600.400</p> <p>62-600.405</p> <p>62-600.410</p> <p>62-600.520</p> <p>62-600.680</p> <p>62-600.700</p> <p>62-600.705</p> <p>62-600.720</p> <p>62-600.735</p>	<p>RULE TITLES:</p> <p>Definitions</p> <p>General Technical Documents</p> <p>Design Requirements</p> <p>Planning for Wastewater Facilities Expansion</p> <p>Operation and Maintenance Requirements</p> <p>Discharge to Surface Waters - (Coastal and Open Ocean)</p> <p>Reporting</p> <p>General</p> <p>Collection/Transmission Systems</p> <p>Operation and Maintenance Manual</p> <p>Operation and Maintenance Performance Report</p>
---	---

PURPOSE AND EFFECT: The Department is proposing amendments to Chapter 62-600, F.A.C., to ensure the proper collection and transmission of domestic wastewater. The amendments will implement provisions from Chapter 2020-150, Laws of Florida, related to collection systems and sanitary sewer overflows.

SUMMARY: Proposed amendments to Chapter 62-600, F.A.C., which contains requirements for the construction and operation of domestic wastewater facilities, were developed based on the provisions of Chapter 2020-150, Laws of Florida, to minimize sanitary sewer overflows from domestic wastewater facility collection/transmission systems. The revisions would establish requirements for power outage contingency plans; collection system assessment, repair, and replacement plans that include provisions for inflow, infiltration, and leakage studies, as well as other considerations related to minimizing sanitary sewer overflows; annual reporting requirements for pollution mitigation and the collection system assessment, repair, and replacement plans; annual progress reports for facilities subject to the elimination of non-beneficial surface water discharges under section 403.064(17), F.S., and for facility emergency response plans to address cybersecurity.

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has been prepared by the Agency.

The Agency has determined that the proposed rule is expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein:

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 403.051, 403.061, 403.086, 403.087, 403.088, 403.913, F.S.

LAW IMPLEMENTED: 403.021, 403.051, 403.061, 403.062, 403.064, 403.085, 403.086, 403.087, 403.088, 403.0881, 403.859, 403.913, 403.918, F.S.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Maurice Barker, Senior Program Analyst, Division of Water Resource Management, (850)245-8614 or by email at Maurice.Barker@floridadep.gov.. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Maurice Barker, Senior Program Analyst, Division of Water Resource Management, MS 3545, 2600 Blair Stone Road, Tallahassee, FL 32399, (850)245-8614 or by email at Maurice.Barker@floridadep.gov.

THE FULL TEXT OF THE PROPOSED RULE IS:

PART I GENERAL

62-600.200 Definitions.

Terms used in this chapter shall have the meanings specified below.

(1) through (30) No change.

(31) “Infiltration” means groundwater that enters a collection/transmission system, including service connections, through defective pipes, pipe joints, connections, service connections, manholes, or pump stations. Infiltration does not include, and is distinguished from inflow. Infiltration is generally observed during seasonally high ground water conditions.

(32) “Inflow” means surface water and stormwater that enters a collection/transmission system through service connections, from sources such as roof leaders, cellar drains, yard drains, area drains, drains from wet areas, foundation drains, cross connections between storm sewers and sanitary sewers, catch basins, stormwater, surface runoff, manhole covers, or drainage. Inflow does not include permitted

industrial discharges into the collection system or the intentional introduction of water into a collection system to supplement reclaimed water supplies, and is distinguished from, infiltration. Inflow is generally observed during wet weather and in coastal communities, during some high tide flooding events.

~~(33)~~(34) No change.

(34) “Leakage” or “exfiltration” means wastewater that leaks into surrounding soil from deteriorated, poorly designed, poorly constructed, or otherwise defective collection/transmission systems including from service connections, pipes, manholes, and pump stations.

(32) through (55) renumbered (35) through (58) No change.

(59) “Sanitary sewer lateral” means a privately-owned pipeline connecting a property to the main sewer line which is maintained and repaired by the property owner.

(60) “Sanitary sewer overflow” means any overflow, spill, release, discharge, or diversion of wastewater from a domestic wastewater collection/transmission system.

(61) “Satellite collection system” means a collection/transmission system owned or operated by an entity other than the entity that owns the wastewater treatment facility.

(56) through (81) renumbered (62) through (87) No change.

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.062, 403.085, 403.086, 403.087, 403.088 FS. History—New 11-27-89, Amended 1-30-91, 6-8-93, Formerly 17-600.200, Amended 12-24-96, 2-8-16, ____.

62-600.300 General Technical Documents.

(1) The technical standards and criteria contained in the following ~~standard~~ manuals and technical publications listed in subsection ~~62-600.300(2)~~ ~~62-600.300(4)~~, F.A.C., ~~and those referenced throughout this chapter~~ are provided to assist applicants and permittees comply with the requirements of this chapter hereby incorporated by reference and shall be applied, if applicable, in determining whether permits allowing construction or modification of domestic wastewater facilities shall be issued or denied.

~~(2) Deviations from the standards and criteria contained in the publications listed in subsection 62-600.300(4), F.A.C., shall be approved by the Department provided that:~~

~~(a) The preliminary design or engineering report provides reasonable assurance that the proposed design will provide collection, transmission, treatment, and reuse or disposal meeting the requirements of this chapter; and either:~~

~~(b) Conforming with these standards cannot be done except at unreasonably higher costs, or~~

~~(c) It is not technically feasible to conform to these standards because of site conditions or incompatibility with a proposed facility design employing new and innovative~~

~~techniques which assure compliance with the remainder of this chapter.~~

~~(3) In cases where standards and criteria contained in the publications listed in subsection 62-600.300(4), F.A.C., conflict with other rules of the Department, the other rules shall apply.~~

~~(2)~~(4) Standard Manuals and Publications.

(a) No Change.

(b) Great Lakes/Upper Mississippi River Board of State Sanitary Engineers, ~~2014~~ ~~1978~~ edition. Recommended Standards for Wastewater Facilities Sewage Works. Health Research, Inc., Health Education Services Division Service, Inc., P.O. Box 7126, Albany, New York 12224. <http://www.healthresearch.org>
<http://www.healthresearch.org/store>.

(c) through (g) No change.

(h) U.S. Environmental Protection Agency, ~~1993~~ ~~1975~~. Nitrogen Control – Process Design Manual. EPA-625/R-93/010 EPA-625/1-75-007. EPA Center for Environmental Research Information, 26 West Martin Luther King Drive, Cincinnati, Ohio 45268, <http://www.epa.gov>
<http://www.epa.gov/nscep/index.html>.

(i) U.S. Environmental Protection Agency, ~~2006~~ ~~1984~~. Land Treatment of Municipal Wastewater Effluents – Process Design Manual. EPA-625/R-06/016 EPA-625/1-81-013. EPA National Risk Management Research Laboratory ~~Center for Environmental Research Information~~, 26 West Martin Luther King Drive, Cincinnati, Ohio 45268, <http://www.epa.gov/nscep/index.html>.

(j) through (n) No change.

(o) U.S. Environmental Protection Agency, ~~2002~~ ~~1980~~. ~~Design Manual— Onsite Wastewater Treatment and Disposal Systems Manual.~~ EPA/625/R-00/008 EPA-625/1-80-012. EPA Center for Environmental Research Information, 26 West Martin Luther King Drive, Cincinnati, Ohio 45268, <http://www.epa.gov/nscep/index.html>.

(p) No change.

(q) Florida Fish and Wildlife Conservation Commission Department of Transportation, 2018 ~~1985~~. Florida Land Use, Cover and Forms Classification System. Procedure No. 550-040-001-A. Florida Fish and Wildlife Research Institute, 100 8th Avenue SE, Saint Petersburg, Florida, 33701, www.myfwc.com Department of Transportation, Maps and Publications Sales, Mail Station 12, 605 Suwannee Street, Tallahassee, Florida 32399-0450, <http://www.dot.state.fl.us/surveyingandmapping/>.

(r) No change.

~~(s) U.S. Environmental Protection Agency, 1984. Land Treatment of Municipal Wastewater— Supplement on Rapid Infiltration and Overland Flow— Process Design Manual. EPA-625/1-81-013a. EPA Center for Environmental Research~~

~~Information, 26 West Martin Luther King Drive, Cincinnati, Ohio 45268, <http://www.epa.gov/nseep/index.html>.~~

(t) renumbered (s) No change.

(t) U.S. Environmental Protection Agency, 1991. Sewer System Infrastructure Analysis and Rehabilitation – Handbook. EPA/625/6-91/030. EPA Center for Environmental Research Information, 26 West Martin Luther King Drive, Cincinnati, Ohio 45268, www.epa.gov.

(u) U.S. Environmental Protection Agency, 2003. Exfiltration in Sewer Systems – Project Summary. EPA/600/SR-01/034. EPA National Risk Management Research Laboratory, 26 West Martin Luther King Drive, Cincinnati, Ohio 45268, www.epa.gov.

(r) Water Environment Association, 1994. Manual of Practice No. FD-6, Existing Sewer Evaluation and Rehabilitation. Water Environment Federation, 601 Wythe Street, Alexandria, VA 22314, www.wef.org.

(s) Water Environment Research Foundation, 2004. Emergency Response Plan Guidance for Wastewater Systems. Water Environment Research Foundation, 635 Slaters Lane, Suite 300, Alexandria, VA 22314-1177, www.werf.org.

(t) American Water Works Association, 2018. Emergency Planning for Water and Wastewater Utilities. American Water Works Association, 6666 West Quincy Avenue, Denver, CO 80235-3098, www.awwa.org.

(u) Rural Community Assistance Partnership, 2013. Emergency Response Planning Template for Public Wastewater Systems. Rural Community Assistance Partnership, Inc., 1522 K Street, N.W., Suite 400, Washington, D.C. 20005, www.rcap.org.

~~(3)(5) Members of the public may request and obtain Ceopies of the publications listed in subsection 62-600.300(2) 62-600.300(4), F.A.C., above by contacting the appropriate publisher at the address indicated. Copies of the above publications are on file and are available at the Department of Environmental Protection, Wastewater Management Program, M.S. 3545, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, for review in the Department's Tallahassee offices and in the Department's district and branch offices where they may be reviewed during normal business hours.~~

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088, 403.913 FS. Law Implemented 403.021, 403.051, 403.061, 403.062, 403.085, 403.086, 403.087, 403.088, 403.913, 403.918 FS. History–New 11-27-89, Amended 1-30-91, 6-8-93, Formerly 17-600.300, Amended 12-24-96, 2-8-16,_____.

PART II TREATMENT FACILITIES

62-600.400 Design Requirements.

(1) Facilities.

(a) No change.

(b) For new facilities and modifications of existing facilities, it shall be the design objective to select treatment

processes and equipment that will efficiently and reliably meet required reclaimed water or effluent limitations. Unless otherwise stated, new or modified wastewater treatment and biosolids treatment, handling, and dewatering facilities shall provide Class III reliability as described in paragraph 62-600.300(2)(1) 62-600.300(4)(1), F.A.C. The minimum Class III reliability requirement shall only apply to the new or modified portions of the facilities. Facility reliability shall be addressed in the preliminary design or engineering report as required by subsection 62-620.410(3), F.A.C. The Department shall approve other methods of providing Class I, II, or III reliability if the permittee provides reasonable assurances in the preliminary design report that the level of reliability provided is equivalent to the class of reliability required (i.e., Class I, II, or III, whichever applies).

(c) No change.

(2) No change.

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.062, 403.086, 403.087, 403.088 FS. History–New 11-27-89, Amended 1-30-91, 6-8-93, Formerly 17-600.400, Amended 12-24-96, 2-8-16,_____.

62-600.405 Planning for Wastewater Facilities Expansion.

(1) The permittee shall provide for the timely planning, design, and construction of wastewater facilities necessary to provide proper collection, treatment and reuse or disposal of domestic wastewater and management of biosolids.

(2) The permittee shall routinely compare flows being treated at the wastewater facilities with the permitted capacities of the treatment, biosolids, reuse, and disposal facilities. Collection system flows shall be routinely reviewed as part of the pipe assessment, repair, and replacement plan required in Rule 62-600.705, F.A.C.

(3) through (9) No change.

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.086, 403.087, 403.088, 403.0881 FS. History–New 1-30-91, Formerly 17-600.405, Amended 2-8-16,_____.

62-600.410 Operation and Maintenance Requirements.

(1) through (2) No change.

(3) All facilities and equipment necessary for the collection, treatment, reuse, and disposal of domestic wastewater and biosolids shall be maintained, at a minimum, so as to function as intended.

(4) through (5) No change.

(6) All collection/transmission systems owned or operated by a facility or utility shall be maintained to function as intended and operated to provide uninterrupted service. All facilities shall also maintain collection/transmission systems under control of the facility permittee to minimize, to the extent technically and economically feasible, infiltration and inflow into the collection/transmission systems, as well as leakage

from the collection/transmission systems, in accordance with Rule 62-604.500, F.A.C.

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.062, 403.085, 403.086, 403.087, 403.088 FS. History—New 11-27-89, Amended 1-30-91, Formerly 17-600.410, Amended 12-24-96, 2-8-16,_____.

PART III TREATMENT REQUIREMENTS

62-600.520 Discharge to Surface Waters – (Coastal and Open Ocean).

(1) through (5) No change.

(6) The discharge of domestic wastewater through ocean outfalls is prohibited after December 31, 2025, except as a backup discharge that is part of a functioning reuse system or other wastewater management system authorized by the department. A backup discharge may occur only during periods of reduced demand for reclaimed water in the reuse system, such as periods of wet weather, or as a result of peak flows from other wastewater management systems, and must comply with the advanced wastewater treatment requirements of paragraph 403.086(10)(b), F.S. Discharges for maintenance purposes require prior approval by the department.

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.062, 403.085, 403.086, 403.087, 403.088, 403.859 FS. History—New 11-27-89, Amended 1-30-91, Formerly 17-600.520, Amended 10-11-13, 2-8-16,

PART IV MONITORING AND REPORTING REQUIREMENTS

62-600.680 Reporting.

(1) through (2) No change.

(3) Facilities subject to the requirements of section 403.064(17), F.S., to implement a plan to eliminate nonbeneficial surface water discharge by January 1, 2032, shall electronically submit an annual progress report to the Department’s Wastewater Management Program no later than November 1 of each calendar year.

(a) The annual progress report shall provide an update on the average gallons of effluent, reclaimed water, or reuse water no longer discharged into surface waters and the dates of such elimination; the average gallons per day of surface water discharges that will continue under an allowed alternative in accordance with section 403.064(17), F.S.; and, the level of treatment that the effluent, reclaimed water, or reuse water will receive before being discharged into a surface water.

(b) The annual progress report shall indicate if there were any modifications to the facility’s existing plan to eliminate nonbeneficial surface water discharge by January 1, 2032, or if a new plan was submitted since November 1 of the previous year. When the plan has been fully implemented in accordance with section 403.064(17), F.S., and such implementation has been acknowledged by the Department, the facility’s subsequent annual progress report shall indicate the report is the

facility’s final report and no further annual progress reports are required.

Rulemaking Authority 403.061(7) FS. Law Implemented 403.061(13.) 403.064, FS. History—New 2-8-16. Amended _____.

PART V PERMITTING

62-600.700 General.

(1) through (3) No change.

(4) Public utilities or their affiliated companies shall submit annual reports regarding transactions or allocations of common costs and expenditures on pollution mitigation and prevention among the utility’s permitted wastewater systems, including the prevention of sanitary sewer overflows, collection and transmission system pipe leakages, and inflow and infiltration. This report may be combined with the annual report requirement in paragraph 62-600.705(2)(b), F.A.C. The annual report shall be submitted electronically to the applicable district office or delegated local program no later than June 30 of the year following the close of the fiscal year covered by the report. Rulemaking Authority 403.051, 403.061, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.087, 403.088, 403.0881 FS. History—New 11-27-89, Amended 1-30-91, Formerly 17-600.700, Amended 12-24-96, 2-8-16,_____.

62-600.705 Collection/Transmission Systems.

(1) An applicant for a wastewater treatment facility permit shall provide a power outage contingency plan with the submittal of the facility’s application for a new permit, permit renewal, or substantial permit revision. The power outage contingency plan shall describe the general program and protocols to mitigate the impacts of power outages on the facility’s collection/transmission system and pump stations, including any applicable mutual aid agreements. A copy of the power outage contingency plan, including any updates or revisions, shall be submitted with subsequent facility applications for permit renewal or substantial permit revision.

(2) Domestic wastewater facilities shall act to prevent sanitary sewer overflows and underground pipe leaks for all collection/transmission systems under control of the facility and shall meet the requirements in this section for those systems.

(a) The facility permittee for a wastewater treatment facility permit shall develop a pipe assessment, repair, and replacement action plan, referred to hereafter in this sections as the “collection system action plan” or “plan,” with at least a 5-year planning horizon for all collection/transmission systems under the utility’s control to mitigate sanitary sewer overflows and underground pipe leaks to the extent technically and economically feasible. The detail of the plan shall be consistent with the complexity of the system based on the best professional judgement of the individual signing the plan. Any portion of the plan requiring “engineering,” as defined by Chapter 471, F.S., shall be certified by a professional engineer registered in the State of Florida. An electronic summary of the

collection system action plan shall be submitted to the Department with the facility permit application for any new permit, permit renewal, or substantial permit revision. A copy of the plan or portions of the plan shall be provided within 7 days of request by the Department. The collection system action plan shall meet the following requirements:

1. The plan shall provide a deliberate, proactive approach to evaluating or surveying the pipes, manholes, pump stations, tanks, and other equipment for the collection/transmission systems under the facility's control during the 5-year planning horizon period. This shall be accomplished in an economically feasible manner. The collection system action plan shall set goals for evaluating percentages of the collection/transmission system annually through the use of one or more investigative techniques such as camera inspections, smoke testing, data analytics, flow isolation, focused electrode leak location, direct observation, and sonar imaging, water chemistry, and solids analysis, or through use of flow monitoring determine the amounts of infiltration, inflow, and leakages. The plan shall set a minimum goal of performing basic evaluations for at least 25 percent of the collection/transmission system during the plan's five-year planning horizon, unless the permittee demonstrates based on economic feasibility, the age or performance of the collection/transmission system or repairs, replacements, maintenance activities, and other upgrades conducted therein that a lower percentage will achieve the requirements of subsection 62-600.410(6), F.A.C., and the goals for infiltration, inflow, and leakages shall be below the amounts considered excessive under Rule 62-604.500, F.A.C.

2. The plan shall be based on inflow and infiltration studies and leakage surveys conducted by the facility permittee or designee. When the initial inflow and infiltration studies and leakage surveys indicate that inflow, infiltration, or leakage is excessive, then the plan shall also be based on any follow-up sanitary sewer evaluation surveys. The facility permittee may propose an alternative metric to these requirements which the Department shall accept upon a demonstration by the facility permittee that the alternative metric is at least as effective in characterizing the collection/transmission system and determining the actions needed to prevent sanitary sewer overflows.

3. The plan shall provide contact information for the facility and utility of those responsible for implementing the collection system action plan.

4. The plan shall include a map and inventory of the collection/transmission system. The plan for facilities with a permitted capacity of 1 million gallons per day (mgd) or greater shall incorporate the use of a computerized geographic information systems (GIS) map and an electronic maintenance management system or other electronic inventory of the collection/transmission systems under control of the facility,

which shall include the following information to the extent technically and economically practicable:

a. For each section of pipe, manholes, and pump stations, a component identification tracking number, the location, length of portion, size and diameter, type of pipe or construction, age, inspection information, and maintenance information.

b. Any climatic and geologic data determined necessary by the facility permittee to help identify appropriate maintenance and repair actions, such as geologic and topographic information; hydrologic information including seasonal high water table information prepared by the facility permittee, United States Geological Survey or other governmental entity; regional rainfall data collected by the facility permittee or other governmental entity; and groundwater quality monitoring associated with the collection/transmission system, if conducted.

c. Information regarding any collection/transmission system flows, overflows, bypasses, verified odor complaints, corrosion data, past inflow and infiltration analysis results, past leakage surveys, population served, and industries served.

5. The plan shall include adaptive maintenance and repair plans including general facility program and protocols regarding routine maintenance, cleaning activities, and protocol for emergency repairs.

6. The plan shall address record keeping for all items in the collection system action plan.

7. The plan shall describe measures taken, if any, for limiting the presence of fats, oils, grease, wet wipes, sand, and grit to the collection/transmission system, as well as a root control program.

8. The plan shall describe measures taken, if any, such as any sewer ordinances or any programs established by the applicable county or municipality in accordance with sections 125.569 and 166.0481, F.S., to minimize inflow and infiltration from individual service connections or sanitary sewer laterals, including for single-family residences, to the extent addressing such inflow and infiltration is determined necessary to prevent sanitary sewer overflows and redressable within the authority of the facility permittee.

9. The plan shall identify, by no later than the first new permit, permit renewal, or substantial permit revision application after December 21, 2025, all satellite collection systems connected to the facility collection system including the name of each satellite collection system, the ownership type of each identified satellite collection system, a unique identifier number for each satellite collection system, whether the satellite collection system is under the control of the facility, and population served by the satellite collection system. The plan shall describe the measures taken, if any, to require or encourage owners/operators of satellite collection systems to minimize inflow and infiltration from their satellite collection

systems that cause or contribute to sanitary sewer overflows in the facility's collection system.

10. The plan shall describe the resiliency of the collection/transmission systems that considers sea-level rise and the planned or completed flood mitigation and stormwater control actions, if any, by the facility permittee or governmental entities that the facility permittee identified as reducing the potential for inflow and infiltration into the facility permittee's collection/transmission system.

(b) The facility permittee shall submit an annual report summarizing the collection system action plan implementation to the Department no later than June 30 of the year following the close of the fiscal year covered by the report. The report shall be submitted electronically to the applicable district office or delegated local program. The annual report shall address or include the following, at a minimum:

1. A summary of the collection/transmission system-related assessments (e.g. evaluations, investigations, studies, and surveys) conducted including the percentage of the collection/transmission system assessed during the year and the cumulative percentage investigated to date during the 5-year planning horizon of the collection system action plan; the methods used for the assessments; the results of the assessments; and any estimates of inflow, infiltration, and leakages.

2. Any repairs, replacements, maintenance activities, expansions and other upgrades, which the facility permittee identifies as significant, conducted during the year and planned for the upcoming year based on the performance and identified needs of the collection/transmission system.

3. After December 21, 2025, the identification of any new satellite collection systems added to the system including the name of each satellite collection system, the ownership-type of each satellite collection system, a unique identifier number for each satellite collection system, whether the satellite system is under the control of the facility, and the estimated population served by each satellite collection system.

4. Information regarding the annual expenditures dedicated to the inflow and infiltration studies and the collection system action plan; expenditures dedicated to pipe assessment, repair, and replacement; and expenditures designed to limit the presence of fats, oils, grease, roots, wet wipes, sand, and grit in the facility's collection/transmission system.

5. Details of facility revenues and expenditures including any substantial increase or decrease of annual expenditures from identified cost projections to address system needs related to inflow and infiltration studies; model plans for pipe assessment, repair, and replacement; and pipe assessment, repair, and replacement required or identified by the collection system action plan.

6. Additional activities and information that the facility permittee identifies as relevant to the prevention of sanitary sewer overflows and underground pipe leakages, such as public education campaigns regarding the proper disposal of wet wipes, flood mitigation measures, stormwater control projects, and other relevant actions identified by the facility permittee.

(3) An applicant may use an alternative to a requirement in subsection 62-600.705(2), F.A.C., if the applicant:

(a) Demonstrates to the Department that the proposed alternative assures at least the same level of protection to the environment and public health; and,

(b) The alternative is submitted and approved with an application for a new facility permit, permit renewal, or substantial permit revision.

(4) Facility permittees meeting the stated goals of their pipe assessment, repair, and replacement action plans shall be eligible for ten year permits in accordance with Section 403.087, F.S.

(5) Substantial compliance with subsection 62-600.705(2), F.A.C., will be used as evidence in mitigation for the purposes of assessing penalties under Department rules.

(6) Owners/operators of publicly owned satellite collection systems with a flow of 100,000 gallons per day (gpd) or greater, or serving a population of 1000 or more, shall develop a collection system action plan in accordance with Rule 62-600.705, F.A.C. The plan shall be prepared no later than five years after (effective date of rule). The owner/operator of the satellite collection system shall notify the Department and the treatment facility which receives the satellite collection system's flow when the plan has been prepared. This plan shall be reviewed annually by the owner/operator of the satellite collection system and updated at least every five years. The plan shall be made available for inspection within 7 days of request by the Department.

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.087, 403.088, 403.0881 FS. History—New XX-XX-XX.

62-600.720 Operation and Maintenance Manual.

(1) In accordance with Rule 62-620.630, F.A.C., permittees of newly constructed or modified domestic wastewater treatment plants and effluent disposal or reuse facilities shall provide notification to the Department that a draft operation and maintenance manual is available prior to placing the newly constructed or modified portion of the facility into operation. Within six months after placing the new or modified facilities into operation, the permittee shall provide notification that a current operation and maintenance manual is available. Permittees of existing domestic wastewater treatment plants and effluent disposal or reuse facilities shall maintain and make available for inspection copies of current operation and maintenance manuals for the facilities, in accordance with Rule

62-620.350, F.A.C. The manual shall provide for the reliable and efficient operation and maintenance of the facilities as follows:

(a) through (b) No change.

(c) The manual shall include a power outage contingency plan that mitigates the impacts of power outages on the utility's collection system and pump stations.

(d) For permittees of domestic wastewater treatment facilities with a permitted flow of 500,000 gallons per day or greater, the emergency response plan portion of the manual shall address cybersecurity preparedness, response, and recovery in addition to other potential emergencies, and include a vulnerability assessment. Guidance to assist permittees in the preparation of the facility emergency response plan is provided in subsection 62-600.300(2), F.A.C.

(c) through (e) renumbered (e) through (g) No change.

(2) through (5) No change.

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.062, 403.085, 403.086, 403.087, 403.088 FS. History—New 11-27-89, Amended 1-30-91, 6-8-93, Formerly 17-600.720, Amended 12-24-96, 2-8-16,_____.

62-600.735 Operation and Maintenance Performance Report.

(1) through (4) No change.

All applications to renew permits for treatment, reuse, or disposal facilities as required by Form 62-620.910(2), F.A.C., shall

(5) The collection system and the collection system action plan shall not be evaluated if unless treatment plant problems result from the operation of collection and transmission facilities (such as excessive infiltration/inflow, septic wastewater, introduction of toxic substances, or lack of controls on industrial wastewater discharges to the collection system).

(6) No change.

Rulemaking Authority 403.051, 403.061, 403.086, 403.087, 403.088 FS. Law Implemented 403.021, 403.051, 403.061, 403.087, 403.088 FS. History—New 1-30-91, Formerly 17-600.735, Amended 12-24-96, 2-8-16,_____.

NAME OF PERSON ORIGINATING PROPOSED RULE: Maurice Barker, Senior Program Analyst, Wastewater Management Program

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Shawn Hamilton, Secretary

DATE PROPOSED RULE APPROVED BY AGENCY HEAD: August 31, 2021

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: August 19, 2021

DEPARTMENT OF HEALTH

Board of Massage Therapy

RULE NO.: RULE TITLE:

64B7-32.002 Proof of Graduation

PURPOSE AND EFFECT: The Board proposes the rule amendment to clarify language

SUMMARY: To clarify, language

SUMMARY OF STATEMENT OF ESTIMATED REGULATORY COSTS AND LEGISLATIVE RATIFICATION:

The Agency has determined that this will not have an adverse impact on small business or likely increase directly or indirectly regulatory costs in excess of \$200,000 in the aggregate within one year after the implementation of the rule. A SERC has not been prepared by the Agency.

The Agency has determined that the proposed rule is not expected to require legislative ratification based on the statement of estimated regulatory costs or if no SERC is required, the information expressly relied upon and described herein: During discussion of the economic impact of this rule at its Board meeting, the Board concluded that this rule change will not have any impact on licensees and their businesses or the businesses that employ them. The rule will not increase any fees, business costs, personnel costs, will not decrease profit opportunities, and will not require any specialized knowledge to comply. This change will not increase any direct or indirect regulatory costs. Hence, the Board determined that a Statement of Estimated Regulatory Costs (SERC) was not necessary and that the rule will not require ratification by the Legislature. No person or interested party submitted additional information regarding the economic impact at that time.

Any person who wishes to provide information regarding a statement of estimated regulatory costs, or provide a proposal for a lower cost regulatory alternative must do so in writing within 21 days of this notice.

RULEMAKING AUTHORITY: 480.035(7), FS.

LAW IMPLEMENTED: 480.033(9), 480.041(1)(b), FS.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN THE FAR.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE IS: Kama Monroe, Executive Director, Board of Massage Therapy, 4052 Bald Cypress Way, Bin # C06, Tallahassee, Florida 32399-3257.

THE FULL TEXT OF THE PROPOSED RULE IS:

64B7-32.002 Proof of Graduation.

An applicant may be ~~To be~~ acknowledged as a graduate from a board approved massage therapy school pursuant to 64B7-25.001(1)(c), F.A.C. when proof of graduation is

demonstrated by the submission of: ~~the Board's administrative office must receive:~~

(1) A graduate list from a board approve massage therapy school in Florida which identifies the graduate applicant, or

(2) An official transcript provided by a board approved massage therapy school, or custodian of records in the event of school closure which, indicating that the applicant has met all educational and institutional requirements. An official transcript must:

(a) Identifies the graduate.

(b) Identifies the board approved massage therapy school.

(c) Identifies the campus of facility by address where classroom hours were completed.

(d)(e) Indicates dates of enrollment and graduation.

(e) Indicates that the graduate has successfully completed a course of study which meets or exceeds the requirements of 64B7-32.003(1)(b), F.A.C. by successfully completing all classes comprising the completed course of study during enrollment.

~~(b) Contain a list of courses which satisfy the course of study requirements in paragraph 64B7-32.003(1)(b), F.A.C., and indicate completion of courses by the applicant during enrollment.~~

(f)(e) Be Is signed and dated by an approved signer and specifies the name and title of the approved signer.

(g)(d) Be Is sent directly from the school or custodian of records to the Board office in an envelope sealed by the approved signer or custodian or records and marked "official transcript." envelope.

Rulemaking Authority 480.035(7) FS. Law Implemented 480.033(9), 480.041(1)(b) FS. History—New 3-25-86, Formerly 21L-32.002, Amended 2-13-95, 2-21-96, Formerly 61G11-32.002, Amended 2-26-12, 12-8-13, 3-10-16, 12-31-17, _____.

NAME OF PERSON ORIGINATING PROPOSED RULE:
Board of Massage Therapy

NAME OF AGENCY HEAD WHO APPROVED THE PROPOSED RULE: Board of Massage Therapy

DATE PROPOSED RULE APPROVED BY AGENCY HEAD: June 09, 2021

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAR: September 1, 2021

Section III

Notice of Changes, Corrections and Withdrawals

NONE

Section IV
Emergency Rules

NONE

Section V
Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Division of Hotels and Restaurants

RULE NO.: RULE TITLE:

61C-5.001 Safety Standards

NOTICE IS HEREBY GIVEN that on September 9, 2021, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Eastpointe Executive Center at 122 S Amelia Ave, Deland, FL. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Sections 2.27.1.1, 2.27.3.1, and 2.27.3.2, as adopted by Rule 61C-5.001, Florida Administrative Code that requires upgrading the two-way communications, phase I emergency recall operation, and phase I emergency recall operation by fire alarm initiating devices, which poses a significant hardship. Any interested person may file comments within 5 days of the publication of this notice with Division of Hotels and Restaurants, Bureau of Elevator Safety, 2601 Blair Stone Road, Tallahassee, Florida 32399-1013 (VW2021-137). A copy of the Petition for Variance or Waiver may be obtained by contacting: Division of Hotels and Restaurants, Bureau of Elevator Safety, 2601 Blair Stone Road, Tallahassee, Florida 32399-1013. hdr.elevators@myfloridalicense.com.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Division of Hotels and Restaurants

RULE NO.: RULE TITLE:

61C-5.001 Safety Standards

NOTICE IS HEREBY GIVEN that on September 9, 2021, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Marion County Board of Commission at 109 W Silver Springs Blvd, Ocala, FL. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Sections 2.14.5.7, 2.15.9, 2.26.1.4.3, 2.26.2.21, and 2.27.1.1.3, as adopted by Rule 61C-5.001, Florida Administrative Code that requires restricted opening of car doors, platform guards, in-car inspection operation provisions, in-car stop switch, and two-way communication means compliance, which poses a

significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Division of Hotels and Restaurants, Bureau of Elevator Safety, 2601 Blair Stone Road, Tallahassee, Florida 32399-1013 (VW2021-138).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Division of Hotels and Restaurants, Bureau of Elevator Safety, 2601 Blair Stone Road, Tallahassee, Florida 32399-1013. chr.elevators@myfloridalicense.com.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Division of Hotels and Restaurants

RULE NO.: RULE TITLE:

61C-5.001 Safety Standards

NOTICE IS HEREBY GIVEN that on September 13, 2021, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for Shell Point Cameo at 1100 Cameo Ct, Fort Myers, FL. Petitioner seeks an emergency variance of the requirements of ASME A17.1, 2016 edition, Sections 2.4.1.5 and 2.15.9.2, as adopted by Rule 61C-5.001, Florida Administrative Code that requires platform guards and bottom car clearances operations which poses a significant hardship. Any interested person may file comments within 5 days of the publication of this notice with Division of Hotels and Restaurants, Bureau of Elevator Safety, 2601 Blair Stone Road, Tallahassee, Florida 32399-1013 (VW2021-139).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Division of Hotels and Restaurants, Bureau of Elevator Safety, 2601 Blair Stone Road, Tallahassee, Florida 32399-1013. chr.elevators@myfloridalicense.com.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

RULE NO.: RULE TITLE:

62-699.310 Classification and Staffing of Domestic Wastewater or Water Treatment Plants and Water Distribution Systems

The Department of Environmental Protection hereby gives notice: that a Final Order was issued on September 15, 2021, granting the Nautilus Ocala Mobile Home Park, LLC Petition for a Variance. The Petition was filed pursuant to Section 120.542, F.S., and was received on August 17, 2021. Notice of receipt of this Petition was published in the Florida Administrative Register on August 19, 2021. The petitioner requested a variance from subparagraph 62-699.310(2)(a)1, F.A.C., at Nautilus MH and RV Park WWTF treatment facility to reduce staffing requirements to 5 days per week for a total of 1 half-hour per week by a Class D operator rather than the required 1 hour per day, 5 days per week and one visit each weekend for a facility with total nutrient limits and a permitted capacity under 0.010 MGD. No public comments were

received. The Final Order, File No. FLA010708-006; OGC Case No. 21-0794, granted the variance to subparagraph 62-699.310(2)(a)1, F.A.C., based on a showing that Petitioner demonstrated that a strict application of the rule would result in substantial hardship to Petitioner and because Petitioner demonstrated that the purpose of the underlying statute will be achieved by other means.

A copy of the Order or additional information may be obtained by contacting: Charles LeGros, (407) 897-4158, Charles.LeGros@FloridaDEP.gov; Department of Environmental Protection, Central District, 3319 Maguire Boulevard, Orlando, Florida 32803; during normal business hours, 8:00 a.m. – 5:00 p.m., Monday through Friday, except legal holidays.

DEPARTMENT OF HEALTH

Board of Massage Therapy

RULE NO.: RULE TITLE:

64B7-28.009 Required Continuing Education for Massage Therapists

The Board of Massage Therapy hereby gives notice: of the issuance of a Notice of Intent to Grant the Petition for Variance and Waiver, filed on June 22, 2021, by Catherine Susanne LeBlanc. The Notice of Petition for Waiver or Variance was published in Vol. 47, No. 122, of the June 24, 2021 Florida Administrative Register. Petitioner sought a waiver of paragraph 64B7-28.009(4)(e), Florida Administrative Code entitled “Required Continuing Education for Massage Therapists,” which requires that during each subsequent biennial renewal cycle, the licensee shall complete: twelve classroom hours, taught in an in-person setting, which must include hands-on instruction or demonstration, and must have stated learner objectives which are relevant to and focused on massage therapy techniques, skills, and protocols as defined in subsection 480.033(3), F.S. The Board considered the instant Petition at a duly-noticed public meeting held on July 9, 2021. The Board’s Order, filed on September 8, 2021, granted the petition finding that Petitioner had established that the purpose of the underlying statute would be met by granting a variance or waiver from paragraph 64B7-28.009(4)(e), F.A.C. The Board further finds that Petitioner established that applying the requirements of the aforementioned rule to his circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Order or additional information may be obtained by contacting: Kama Monroe, Executive Director, Board of Massage Therapy, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3258, (850)245-4162, or by electronic mail: kama.monroe@flhealth.gov.

DEPARTMENT OF HEALTH

Board of Massage Therapy

RULE NO.: RULE TITLE:

64B7-28.009 Required Continuing Education for Massage Therapists

The Board of Message Therapy hereby gives notice: of the issuance of a Notice of Intent to Grant the Petition for Variance and Waiver, filed on June 24, 2021, by Xaymara Solla Leon. The Notice of Petition for Waiver or Variance was published in Vol. 47, No. 123, of the June 25, 2021 Florida Administrative Register. Petitioner sought a waiver of paragraph 64B7-28.009(4)(e), Florida Administrative Code entitled "Required Continuing Education for Massage Therapists," which requires that during each subsequent biennial renewal cycle, the licensee shall complete: twelve classroom hours, taught in an in-person setting, which must include hands-on instruction or demonstration, and must have stated learner objectives which are relevant to and focused on massage therapy techniques, skills, and protocols as defined in subsection 480.033(3), F.S. The Board considered the instant Petition at a duly-noticed public meeting held on July 9, 2021. The Board's Order, filed on September 8, 2021, granted the petition finding that Petitioner had established that the purpose of the underlying statute would be met by granting a variance or waiver from paragraph 64B7-28.009(4)(e), F.A.C. The Board further finds that Petitioner established that applying the requirements of the aforementioned rule to his circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Order or additional information may be obtained by contacting: Kama Monroe, Executive Director, Board of Massage Therapy, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3258, (850)245-4162, or by electronic mail: kama.monroe@flhealth.gov.

DEPARTMENT OF HEALTH

Board of Massage Therapy

RULE NO.: RULE TITLE:

64B7-28.009 Required Continuing Education for Massage Therapists

The Board of Message Therapy hereby gives notice: of the issuance of a Notice of Intent to Grant the Petition for Variance and Waiver, filed on June 14, 2021, by Kathleen Rancourt. The Notice of Petition for Waiver or Variance was published in Vol. 47, No. 118, of the June 18, 2021 Florida Administrative Register. Petitioner sought a waiver of paragraph 64B7-28.009(4)(e), Florida Administrative Code entitled "Required Continuing Education for Massage Therapists," which requires that during each subsequent biennial renewal cycle, the licensee shall complete: twelve classroom hours, taught in an in-person setting, which must include hands-on instruction or demonstration, and must have stated learner objectives which

are relevant to and focused on massage therapy techniques, skills, and protocols as defined in subsection 480.033(3), F.S. The Board considered the instant Petition at a duly-noticed public meeting held on July 9, 2021. The Board's Order, filed on September 8, 2021, granted the petition finding that Petitioner had established that the purpose of the underlying statute would be met by granting a variance or waiver from paragraph 64B7-28.009(4)(e), F.A.C. The Board further finds that Petitioner established that applying the requirements of the aforementioned rule to his circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Order or additional information may be obtained by contacting: Kama Monroe, Executive Director, Board of Massage Therapy, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3258, (850)245-4162, or by electronic mail: kama.monroe@flhealth.gov.

DEPARTMENT OF HEALTH

Board of Massage Therapy

RULE NO.: RULE TITLE:

64B7-28.009 Required Continuing Education for Massage Therapists

The Board of Message Therapy hereby gives notice: of the issuance of a Notice of Intent to Grant the Petition for Variance and Waiver, filed on June 10, 2021, by George Dowling. The Notice of Petition for Waiver or Variance was published in Vol. 47, No. 113, of the June 11, 2021 Florida Administrative Register. Petitioner sought a waiver of paragraph 64B7-28.009(4)(e), Florida Administrative Code entitled "Required Continuing Education for Massage Therapists," which requires that during each subsequent biennial renewal cycle, the licensee shall complete: twelve classroom hours, taught in an in-person setting, which must include hands-on instruction or demonstration, and must have stated learner objectives which are relevant to and focused on massage therapy techniques, skills, and protocols as defined in subsection 480.033(3), F.S. The Board considered the instant Petition at a duly-noticed public meeting held on July 9, 2021. The Board's Order, filed on September 8, 2021, granted the petition finding that Petitioner had established that the purpose of the underlying statute would be met by granting a variance or waiver from paragraph 64B7-28.009(4)(e), F.A.C. The Board further finds that Petitioner established that applying the requirements of the aforementioned rule to his circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Order or additional information may be obtained by contacting: Kama Monroe, Executive Director, Board of Massage Therapy, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3258, (850)245-4162, or by electronic mail: kama.monroe@flhealth.gov.

DEPARTMENT OF HEALTH

Board of Massage Therapy

RULE NO.: RULE TITLE:

64B7-28.009 Required Continuing Education for Massage Therapists

The Board of Massage Therapy hereby gives notice: of the issuance of a Notice of Intent to Grant the Petition for Variance and Waiver, filed on June 22, 2021, by Janet Morsch. The Notice of Petition for Waiver or Variance was published in Vol. 47, No. 122, of the June 24, 2021 Florida Administrative Register. Petitioner sought a waiver of paragraph 64B7-28.009(4)(e), Florida Administrative Code entitled “Required Continuing Education for Massage Therapists,” which requires that during each subsequent biennial renewal cycle, the licensee shall complete: twelve classroom hours, taught in an in-person setting, which must include hands-on instruction or demonstration, and must have stated learner objectives which are relevant to and focused on massage therapy techniques, skills, and protocols as defined in subsection 480.033(3), F.S. The Board considered the instant Petition at a duly-noticed public meeting held on July 9, 2021. The Board’s Order, filed on September 8, 2021, granted the petition finding that Petitioner had established that the purpose of the underlying statute would be met by granting a variance or waiver from paragraph 64B7-28.009(4)(e), F.A.C. The Board further finds that Petitioner established that applying the requirements of the aforementioned rule to his circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Order or additional information may be obtained by contacting: Kama Monroe, Executive Director, Board of Massage Therapy, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3258, (850)245-4162, or by electronic mail: kama.monroe@flhealth.gov.

Section VI

Notice of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

Division of Historical Resources

The Division of Historical Resources announces a public meeting to which all persons are invited.

DATE AND TIME: September 23, 2021, 10:00 a.m. to conclusion

PLACE: Joining Via Conference Call: 1(888)585-9008, Passcode/Conference Room 648769445 #

GENERAL SUBJECT MATTER TO BE CONSIDERED: Meeting of the Friends of Florida History CSO. Finance and Investment committee will meet at 10:00 a.m. followed by the full board meeting at 10:30 a.m. via conference call.

A copy of the agenda may be obtained by contacting: Carol Bryant-Martin at (850)245-6449 or carol.bryant-martin@dos.myflorida.com.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: Carol Bryant-Martin at (850)245-6449 or carol.bryant-martin@dos.myflorida.com. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Carol Bryant-Martin at (850)245-6449 or carol.bryant-martin@dos.myflorida.com.

DEPARTMENT OF LEGAL AFFAIRS

Division of Victim Services and Criminal Justice Programs

The Council on the Social Status of Black Men and Boys announces a public meeting to which all persons are invited.

DATE AND TIME: Tuesday, October 5, 2021, 2:00 p.m. – 4:00 p.m., Full Council Meeting

PLACE: <https://global.gotomeeting.com/join/591094077>

You can also dial in using your phone.

(For supported devices, tap a one-touch number below to join instantly.)

United States (Toll Free): 1(877)309-2073, One-touch: tel:+18773092073, 591094077#

United States: (646)749-3129, One-touch: tel:+16467493129, 591094077#, Access Code: 591-094-077

Join from a video-conferencing room or system. Dial in or type: 67.217.95.2 or inroomlink.goto.com, Meeting ID: 591 094 077 or dial directly: 591094077@67.217.95.2 or 67.217.95.2##591094077

New to GoToMeeting? Get the app now and be ready when your first meeting starts: <https://global.gotomeeting.com/install/591094077>.

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Council shall make a systematic study of the conditions affecting black men and boys, including, but not limited to, homicide rates, arrest and incarceration rate, poverty, violence, drug abuse, death rates, disparate annual income levels, school performance in all grade levels including postsecondary levels, and health issues.

A copy of the agenda may be obtained by contacting: <http://www.cssbmb.com>.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: The Bureau of Criminal Justice Programs at (850)414-3300. If you are hearing or speech impaired, please

contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: The Bureau of Criminal Justice Programs at (850)414-3300.

DEPARTMENT OF LAW ENFORCEMENT

The Florida Department of Law Enforcement announces a public meeting to which all persons are invited.

DATES AND TIMES: Monday, September 27, 2021, 1:00 p.m. – 5:30 p.m.; Tuesday, September 28, 2021, 8:30 a.m. – 5:30 p.m.

PLACE: BB&T Center, Chairman’s Club, 1 Panther Parkway, Sunrise, FL 33323, Use Gate 5 and park in Lot B.

GENERAL SUBJECT MATTER TO BE CONSIDERED: The above meeting is held to convene members of the Marjory Stoneman Douglas High School Public Safety Commission.

A copy of the agenda may be obtained by contacting: A copy of the Commission meeting agenda will be posted when available on the following website: <http://www.fdle.state.fl.us/MSDHS/Meetings>.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Office of Policy Development and Planning, Jennifer Miller at (850)410-8321 or e-mail at JenniferMiller2@fdle.state.fl.us. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

DEPARTMENT OF LAW ENFORCEMENT

Criminal Justice Standards and Training Commission
The Region XIV Trust Fund Advisory Training Council announces a public meeting to which all persons are invited.

DATE AND TIME: September 30, 2021, 10:00 a.m.

PLACE: Teams

GENERAL SUBJECT MATTER TO BE CONSIDERED: Discussion on year end reports and related matters.

A copy of the agenda may be obtained by contacting: Sandra Carbon at (305)237-8441 or fcarbon@mdc.edu.

REGIONAL PLANNING COUNCILS

South Florida Regional Planning Council
The South Florida Regional Planning Council announces a public meeting to which all persons are invited.

DATE AND TIME: Friday, September 17, 2021, 10:00 a.m.

PLACE: 1 Oakwood Boulevard, Suite 250, Hollywood, FL 33020

GENERAL SUBJECT MATTER TO BE CONSIDERED: CANCELLED – Volume 47/177, ID 24995850. SFRPC Legal Counsel and Executive Director Annual Reviews; Consideration of Department of Defense Grant Agreement for

South Florida Military Installation Resilience Reviews if received.

A copy of the agenda may be obtained by contacting: Administration at the South Florida Regional Planning Council, 1 Oakwood Boulevard, Suite 250, Hollywood, Florida 33020, (954)924-3653, or sfadmin@sfrpc.com.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Administration at the South Florida Regional Planning Council, 1 Oakwood Boulevard, Suite 250, Hollywood, Florida 33020, (954)924-3653, or sfadmin@sfrpc.com. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Administration at the South Florida Regional Planning Council, 1 Oakwood Boulevard, Suite 250, Hollywood, Florida 33020, (954)924-3653, or sfadmin@sfrpc.com.

AGENCY FOR HEALTH CARE ADMINISTRATION

The Agency for Health Care Administration announces a public meeting to which all persons are invited.

DATE AND TIME: Wednesday, September 29, 2021, 10:00 a.m. – 12:00 Noon

PLACE: This is an online meeting via webinar. To join the webinar please use the following link: <https://attendee.gotowebinar.com/register/4058806909235956240>,

Webinar ID 257-202-603. **AUDIO:** Participants may use their telephone for audio by dialing United States (Toll-free): 1(866)952-8437, Access Code 708-224-578. Participants are muted upon calling in and cannot be unmuted without entering an audio pin. Audio PINs are shown after joining the webinar. This meeting will be recorded.

GENERAL SUBJECT MATTER TO BE CONSIDERED: This is a meeting of the State Consumer Health Information and Policy Advisory Council (SCHIP Advisory Council) to which all interested parties are invited. The purpose of this meeting is to discuss the business of the SCHIP Advisory Council.

A copy of the agenda may be obtained by contacting: The agenda and other meeting materials will be posted to the SCHIP Advisory Council Website: <http://ahca.myflorida.com/SCHS/CommitteesCouncils/SCHIP/chismetings.shtml>.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Jennifer Miller, Florida Center for Health Information and Transparency at Jennifer.Miller@ahca.myflorida.com or (850)412-3735. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Jennifer Miller, Florida Center for Health Information and Transparency at Jennifer.Miller@ahca.myflorida.com or (850)412-3735.

DEPARTMENT OF MANAGEMENT SERVICES

The Florida E911 Board announces a public meeting to which all persons are invited.

DATES AND TIMES: October 20, 2021, 9:00 a.m.; October 21, 2021, 9:00 a.m.

PLACE: Betty Easley Conference Center, Southwood State Campus, 4075 Esplanade Way, RM 166, Tallahassee, FL. 32399

You may also join from your computer, tablet, or phone: Teleconference number: 1(877)309-2073, Conference room: (931)659-037.

GENERAL SUBJECT MATTER TO BE CONSIDERED: General Business, Rural County Grants

A copy of the agenda may be obtained by contacting: Leon Simmonds, (850)921-0041.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Leon Simmonds, (850)921-0041. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Leon Simmonds, (850)921-0041.

DEPARTMENT OF MANAGEMENT SERVICES

Division of Purchasing

The Department of Management Services announces a public meeting to which all persons are invited.

DATE AND TIME: November 8, 2021, 3:30 p.m.

PLACE: Public Opening via Go-to-Meeting:

Join from your computer, tablet or smartphone: <https://global.gotomeeting.com/join/875074941>

Join by phone: 1(866)899-4679, Access Code: 875-074-941

GENERAL SUBJECT MATTER TO BE CONSIDERED:

Proposals will be opened for DMS-21/22-186, Post Payment Claims Audit Services. Notice of any changes or additional meeting(s) will be posted on the Vendor Bid System.

Access the VBS at http://vbs.dms.state.fl.us/vbs/main_menu.

A copy of the agenda may be obtained by contacting: dms.purchasing@dms.fl.gov.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: dms.purchasing@dms.fl.gov. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: dms.purchasing@dms.fl.gov.

DEPARTMENT OF MANAGEMENT SERVICES

Division of Purchasing

The Department of Management Services announces a public meeting to which all persons are invited.

DATE AND TIME: September 28, 2021, 10:01 a.m. ET

PLACE: Conference Room 380K, 4050 Esplanade Way, Tallahassee, Florida 32399-0950

GENERAL SUBJECT MATTER TO BE CONSIDERED: In accordance with Section 120.525, Florida Statutes, a bid opening is hereby noticed for the following Invitation to Bid Number: 21-25100000-ITB, Motor Vehicles. The Department reserves the right to issue addenda and changes to the timeline and specifically to the meeting notice listed above. The Department will post notice of any changes or additional meetings within the Vendor Bid System (VBS) in accordance with subsection 287.042(3), Florida Statutes, and will not re-advertise notice in the Florida Administrative Register (FAR). Access the VBS at: http://vbs.dms.state.fl.us/vbs/main_menu.

To obtain a copy of the Invitation to Bid agenda or timeline you may contact, Keith Smith, (850)488-4945 and keith.smith@dms.fl.gov.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting the DMS ADA Coordinator at ada.coordinator@dms.fl.gov.

If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For additional information you may contact, Keith Smith at (850)488-4945, Keith.Smith@dms.fl.gov.

A copy of the agenda may be obtained by contacting: Keith Smith, (850)488-4945 and keith.smith@dms.fl.gov.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: The DMS ADA Coordinator at ada.coordinator@dms.fl.gov. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Electrical Contractors' Licensing Board

The Electrical Contractors' Licensing Board announces a public meeting to which all persons are invited.

DATES AND TIMES: Wednesday, October 20, 2021, 4:00 p.m.; Thursday, October 21, 2021, 9:00 a.m.; Friday, October 22, 2021, 8:30 a.m.

PLACE: Hyatt Regency Jacksonville, 225 East Coastline Drive, Jacksonville, FL 32202, (904)588-1234

GENERAL SUBJECT MATTER TO BE CONSIDERED: Wednesday, October 20, 2021, 4:00 p.m.: Probable Cause Panel (Portions may be closed to the public); Thursday, October 21, 2021, 9:00 a.m.: Application Review and 1:30 p.m.: Application Review; Friday, October 22, 2021, 8:30 a.m.: Discipline and General Session.

A copy of the agenda may be obtained by contacting: The Electrical Contractors' Licensing Board, 2601 Blair Stone Road, Tallahassee, Florida 32399, (850)487-1395.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: The Electrical Contractors' Licensing Board, 2601 Blair Stone Road, Tallahassee, Florida 32399, (850)487-1395. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: The Electrical Contractors' Licensing Board, 2601 Blair Stone Road, Tallahassee, Florida 32399, (850)487-1395.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Florida Building Commission

RULE NO.: **RULE TITLE:**

61G20-3.001 Scope

The Florida Building Commission, Product Approval Program Oversight Committee, announces a public meeting to which all persons are invited.

DATE AND TIME: October 6, 2021, 9:00 a.m.

PLACE: Meeting to be conducted using communications media technology, specifically teleconference and webinar: Join the meeting at <https://global.gotomeeting.com/join/533378925>. Join the conference call: United States (toll-free): 1(866)899-4679; Meeting ID / Access Code: 533-378-925.

GENERAL SUBJECT MATTER TO BE CONSIDERED:

Product approval & entities statistics report

Review of product approval and entity applications

To consider and discuss the following petition for declaratory statement:

DS 2021 – 049 by Ned Lawrence of INTEX Millwork Solutions
Other committee business on the agenda.

A copy of the agenda may be obtained by contacting: Zubeyde Binici, as set forth below or on the Commission website.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 7 days before the workshop/meeting by contacting: Ms. Barbara Bryant, Building Codes and Standards Office, Division of Professions, Department of Business and Professional Regulation, 2601 Blair Stone Road, Tallahassee, Florida 32399, (850)487-1824, fax: (850)414-8436. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Zubeyde Binici, Product Approval POC, Building Codes and Standards Office, Division of Professions, Department of Business and Professional Regulation, 2601 Blair Stone Road, Tallahassee, Florida 32399, (850)487-1824, fax: (850)414-8436; or access information on the Commission's website, <https://floridabuilding.org/c/default.aspx>.

DEPARTMENT OF HEALTH

The Correctional Medical Authority (CMA) announces a telephone conference call to which all persons are invited.

DATE AND TIME: October 1, 2021, 9:00 a.m.

PLACE: 1(888)585-9008 (toll-free), Conference Room: 344085830#

GENERAL SUBJECT MATTER TO BE CONSIDERED: CMA Quarterly Board Meeting

A copy of the agenda may be obtained by contacting: CMA@flhealth.gov, or (850)841-8430.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: The Department of Health at (850)245-4444. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: CMA@flhealth.gov.

FLORIDA HOUSING FINANCE CORPORATION

The Florida Housing Finance Corporation announces a public meeting to which all persons are invited.

DATE AND TIME: October 4, 2021, 2:00 p.m.

PLACE: The workshop will be available by telephone and webinar.

The registration information is posted to the following website: <https://www.floridahousing.org/programs/developers-multifamily-programs/competitive/2022/2022-210>

GENERAL SUBJECT MATTER TO BE CONSIDERED: The meeting will provide an overview of Florida Housing's proposed program, focusing on Permanent Supportive Housing Focusing on Best Practices and Funding for Tenancy Supports and Resident Services Coordination for High Utilizers of Public Behavioral Health Systems.

A copy of the agenda may be obtained by contacting: Rita Guzman, (850)488-4197.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Rita Guzman, (850)488-4197.

Enterprise Florida, Inc.

The Enterprise Florida, Inc. announces a public meeting to which all persons are invited.

DATE AND TIME: September 28, 2022, 8:30 a.m.

PLACE: Hyatt Regency Sarasota, 1000 Boulevard of the Arts, Sarasota, FL 34236

GENERAL SUBJECT MATTER TO BE CONSIDERED: Enterprise Florida's Audit Committee Meeting will hold one of their quarterly meetings to discuss fiscal year 20/21 Audit Review.

A copy of the agenda may be obtained by contacting: Natalie McElwee, (850)298-6654.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 days before the workshop/meeting by contacting: If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Natalie McElwee, (850)298-6654.

Enterprise Florida, Inc.

The Enterprise Florida, Inc. announces a public meeting to which all persons are invited.

DATE AND TIME: September 28, 2021, 9:00 a.m.

PLACE: Hyatt Regency Sarasota, 1000 Boulevard of the Arts, Sarasota, FL 34236

GENERAL SUBJECT MATTER TO BE CONSIDERED: Enterprise Florida's Finance & Compensation Committee will hold one of its quarterly meetings to review fiscal year audited financial statements.

A copy of the agenda may be obtained by contacting: Natalie McElwee, (850)298-6654.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 days before the workshop/meeting by contacting: If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Natalie McElwee, (850)298-6654.

Enterprise Florida, Inc.

The Enterprise Florida, Inc. announces a public meeting to which all persons are invited.

DATE AND TIME: September 28, 2021, 11:15 a.m.

PLACE: Hyatt Regency Sarasota, 1000 Boulevard of the Arts, Sarasota, FL 34236

GENERAL SUBJECT MATTER TO BE CONSIDERED: Enterprise Florida's Innovation and Business Talent Committee will have guest speakers presenting on innovation highlights in the state.

A copy of the agenda may be obtained by contacting: Natalie McElwee, (850)298-6654.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 days before the workshop/meeting by contacting: If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Natalie McElwee, (850)298-6654.

Enterprise Florida, Inc.

The Enterprise Florida, Inc. announces a public meeting to which all persons are invited.

DATE AND TIME: September 28, 2021, 2:00 p.m.

PLACE: Hyatt Regency Sarasota, 1000 Boulevard of the Arts, Sarasota, FL 34236

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Business Development and Marketing Committee will meet to provide a fiscal year 21 review and fiscal year 2022 update; advertising recap and marketing toolkit update.

A copy of the agenda may be obtained by contacting: Natalie McElwee, (850)298-6654.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 days before the workshop/meeting by contacting: If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Natalie McElwee, (850)298-6654.

Enterprise Florida, Inc.

The Enterprise Florida, Inc. announces a public meeting to which all persons are invited.

DATE AND TIME: September 28, 2021, 3:15 p.m.

PLACE: Hyatt Regency Sarasota, 1000 Boulevard of the Arts, Sarasota, FL 34236

GENERAL SUBJECT MATTER TO BE CONSIDERED: The International Committee will meet to discuss International Trade Updates.

A copy of the agenda may be obtained by contacting: Natalie McElwee, (850)298-6654.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 days before the workshop/meeting by contacting: If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Natalie McElwee, (850)298-6654.

Enterprise Florida, Inc.

The Enterprise Florida Executive Committee announces a public meeting to which all persons are invited.

DATE AND TIME: September 28, 2021, 4:30 p.m.

PLACE: Hyatt Regency Sarasota, 1000 Boulevard of the Arts, Sarasota, FL 34236

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Executive Committee will meet to approve any action items to be carried over to the full board of directors.

A copy of the agenda may be obtained by contacting: Natalie McElwee, (850)298-6654.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 days before the workshop/meeting by contacting: If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Natalie McElwee, (850)298-6654.

Enterprise Florida, Inc.

The Enterprise Florida Board of Directors Meeting announces a public meeting to which all persons are invited.

DATE AND TIME: September 29, 2021, 9:00 a.m.

PLACE: Hyatt Regency Sarasota, 1000 Boulevard of the Arts, Sarasota, FL 34236

GENERAL SUBJECT MATTER TO BE CONSIDERED: Enterprise Florida's Board of Directors will hold one of its quarterly meetings to discuss ongoing economic development throughout the state.

A copy of the agenda may be obtained by contacting: Natalie McElwee, (850)298-6654.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 days before the workshop/meeting by contacting: If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Natalie McElwee, (850)298-6654.

Council of Community College Presidents

The Florida College System Council of Presidents announces a public meeting to which all persons are invited.

DATE AND TIME: Wednesday, September 22, 2021, 9:00 a.m.

PLACE: Tallahassee Community College Center for Innovation 300 W. Pensacola Street, Tallahassee, FL 32301

GENERAL SUBJECT MATTER TO BE CONSIDERED: Issues pertaining to the Florida College System.

A copy of the agenda may be obtained by contacting: Rita Miller, rmiller@myafchome.org.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 days before the workshop/meeting by contacting: Rita Miller, rmiller@myafchome.org. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Marsha Kiner, (850)222-3222.

Commission for Florida Law Enforcement Accreditation, Inc.

The Commission for Florida Law Enforcement Accreditation, Inc. & Florida Corrections Accreditation Commission, Inc. announces a telephone conference call to which all persons are invited.

DATE AND TIME: Friday, October 1, 2021, 9:00 a.m.

PLACE: You can dial in using your phone. United States: (669)224-3412 and Access Code: 183-773-837

GENERAL SUBJECT MATTER TO BE CONSIDERED: General discussion of FCAC and CFA annual award.

A copy of the agenda may be obtained by contacting: NA

For more information, you may contact: Brittany Fitzgerald, (850)410-7204.

The Valerin Group, Inc.

The Florida Department of Transportation (FDOT) announces a public meeting to which all persons are invited.

DATE AND TIME: Thursday, September 23, 2021, 5:30 p.m.

PLACE: Virtually on GoTo Webinar; By phone at 1(866)901-6455, with passcode 154-052-301 In-Person at First Baptist Church of Webster

GENERAL SUBJECT MATTER TO BE CONSIDERED: A public meeting will be held regarding project plans on State Road (S.R.) 471 from S.R. 50 to County Road (C.R.) 478. (FPID no. 435471-2)

The purpose of this project is to provide a safe pathway for pedestrians and bicyclists by constructing a portion of the South Sumter Connector Trail along S.R. 471 from S.R. 50 to C.R. 478. The public meeting is being held to present information and receive community feedback.

The Department is offering multiple ways for the community to participate in the meeting. All participants, regardless of platform they choose, will participate in the same live meeting. Virtual Option: Interested persons may join the Virtual Public Meeting (VPM) from a computer, tablet, or mobile device. A VPM is a free live presentation or webinar over the internet. For this option, advance registration is required by visiting <http://fdot.cc/sumter-trail-virtual>. Once registered, participants will receive a confirmation email containing information about joining the meeting online. Please note, Internet Explorer cannot be used to register or attend this webinar. If joining online, please provide adequate log-in time to view the presentation in its entirety.

Phone Option (Listen Only): Participants may join the meeting in listen-only mode by dialing 1(866)901-6455 and entering the passcode 154-052-301 when prompted.

In-Person Option: Participants may attend in person by going to First Baptist Church of Webster, 173 SE 1st Avenue, Webster, FL 33597. If attending in person, please remember to follow all safety and sanitation guidelines. If you are feeling unwell, please consider attending the meeting virtually or by phone.

All meeting materials, including the presentation, will be available on the project website at www.cflroads.com/project/435471-2 prior to the meeting.

Public participation is solicited without regard to race, color, national origin, age, sex, religion, disability, or family status. Persons wishing to express their concerns relative to FDOT compliance with Title VI may do so by contacting Jennifer Smith, FDOT District Five Title VI Coordinator, at Jennifer.Smith2@dot.state.fl.us.

A copy of the agenda may be obtained by contacting: Not Applicable

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 7 days before the workshop/meeting by contacting: FDOT Manager Eric Trull at (407)569-8993 or by email at Eric@Valerin-group.com. If you are hearing or speech impaired, please contact us by using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice). If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: FDOT Manager Jude Jean-Francois by phone at (386)943-5487, by email at Jude.Jean-Francois@dot.state.fl.us, or U.S. mail at Florida Department of Transportation, 719 South Woodland Boulevard, M.S. 542, DeLand, FL 32720. Information about this project is also available online at www.cflroads.com. Simply type 435471-2 in the search box, click “go” and then select the project. We encourage you to participate in the South Sumter Connector Trail public meeting.

Section VII

Notice of Petitions and Dispositions Regarding Declaratory Statements

NONE

Section VIII

Notice of Petitions and Dispositions Regarding the Validity of Rules

Notice of Petition for Administrative Determination has been filed with the Division of Administrative Hearings on the following rules:

NONE

Notice of Disposition of Petition for Administrative Determination has been filed with the Division of Administrative Hearings on the following rules:

NONE

Section IX

Notice of Petitions and Dispositions Regarding Non-rule Policy Challenges

NONE

**Section X
Announcements and Objection Reports of the Joint Administrative Procedures Committee**

NONE

**Section XI
Notices Regarding Bids, Proposals and Purchasing**

Florida Sheriffs Association

Notice Of Bid Request Proposal: Florida Sheriffs Association FSA22-TRS22.0 Tires & Related Services

CALENDAR FOR BID # FSA22-TRS22.0 TIRES & RELATED SERVICES

BID CALENDAR ITEM	DATES
Bid Announcements (Florida Administrative Register & FSA Website)	9/15/2021 & 10/8/2021
Voluntary Workshops For Vendors - FSA Contract Overview & Bid Specification Reviews	12/1/2021
Fleet Advisory Committee Preliminary FSA Contract & Bid Specification Reviews	10/29/2021
Voluntary Workshop With Interested Bidders - Tire Specifications & FSA Contract Overview	12/1/2021
Mandatory ZOOM Conference Call With Interested Bidders - Pre Qualifications / Q&A *	12/15/2021
Voluntary FSA Bid System Training	1/5/2022
Bid System Open	1/14/2022
Bid Q&A & Requests For Clarifications From Vendors Due To FSA	1/19/2022
FSA Response To Bid Q&A & Requests For Clarifications From Vendors	1/21/2022
Vendor Tire Bid Sealed Submissions Due	1/28/2022
Public Bid Opening	1/31/2022
FSA & Fleet Advisory Committee Review Of Vendor Sealed Bid Responses	2/1/2022 - 2/4/2022
Initial Preliminary Bid Award Announcements From Bid Tabulations	2/7/2022 - 2/11/2022

Intent To Award	2/14/2022
Final Bid Award Announcement	3/29/2022
Effective Date Of New Contract	4/1/2022

* FSA intends to complete the mandatory pre-bid meeting via ZOOM. Instructions for the ZOOM meeting will be provided to interested bidders prior to 12/15/2021. Details for the Workshop, Mandatory Pre-Bid Meeting, and Public Bid Openings will be posted on FSA’s website and e-mailed to interested bidders.

For the most up to date information on these events, please refer to <https://www.flsheriffs.org/law-enforcement-programs/cooperative-purchasing-program/bid-announcements>

Section XII Miscellaneous

DEPARTMENT OF STATE

Index of Administrative Rules Filed with the Secretary of State Pursuant to subparagraph 120.55(1)(b)6. – 7., F.S., the below list of rules were filed in the Office of the Secretary of State between 3:00 p.m., Thursday, September 9, 2021 and 3:00 p.m., Wednesday, September 15, 2021.

Rule No.	File Date	Effective Date
5E-2.014	9/10/2021	9/30/2021
5E-2.015	9/10/2021	9/30/2021
5E-2.033	9/10/2021	9/30/2021
6M-4.630	9/13/2021	10/3/2021
6M-4.720	9/13/2021	10/3/2021
20-49.001	9/14/2021	10/4/2021
20-49.002	9/14/2021	10/4/2021
20-49.003	9/14/2021	10/4/2021
20-49.004	9/14/2021	10/4/2021
20-49.005	9/14/2021	10/4/2021
20-49.0051	9/14/2021	10/4/2021
20-49.006	9/14/2021	10/4/2021
20-49.0061	9/14/2021	10/4/2021
20-49.007	9/14/2021	10/4/2021

20-49.0071	9/14/2021	10/4/2021
20-49.008	9/14/2021	10/4/2021
20-49.009	9/14/2021	10/4/2021
20-64.001	9/13/2021	10/3/2021
20-94.001	9/14/2021	10/4/2021
20-94.002	9/14/2021	10/4/2021
20-94.003	9/14/2021	10/4/2021
20-94.004	9/14/2021	10/4/2021
20-94.005	9/14/2021	10/4/2021
20-94.006	9/14/2021	10/4/2021
20-94.007	9/14/2021	10/4/2021
20-96.001	9/13/2021	10/3/2021
20-96.002	9/13/2021	10/3/2021
20-96.003	9/13/2021	10/3/2021
20-96.004	9/13/2021	10/3/2021
20-96.005	9/13/2021	10/3/2021
20-96.006	9/13/2021	10/3/2021
20-97.001	9/13/2021	10/3/2021
20-97.002	9/13/2021	10/3/2021
20-97.003	9/13/2021	10/3/2021
20-97.006	9/13/2021	10/3/2021
20-97.009	9/13/2021	10/3/2021
20-97.010	9/13/2021	10/3/2021
20-98.001	9/13/2021	10/3/2021
20-98.002	9/13/2021	10/3/2021
20-98.003	9/13/2021	10/3/2021
20-98.004	9/13/2021	10/3/2021
20-98.005	9/13/2021	10/3/2021
20-98.006	9/13/2021	10/3/2021
20-109.001	9/13/2021	10/3/2021
20-109.002	9/13/2021	10/3/2021
20-109.003	9/13/2021	10/3/2021

20-109.004	9/13/2021	10/3/2021
20-109.005	9/13/2021	10/3/2021
20-109.006	9/13/2021	10/3/2021
20-109.007	9/13/2021	10/3/2021
20-110.001	9/13/2021	10/3/2021
20-110.002	9/13/2021	10/3/2021
20-110.003	9/13/2021	10/3/2021
20-110.004	9/13/2021	10/3/2021
20-110.005	9/13/2021	10/3/2021
20-111.001	9/10/2021	9/30/2021
20-111.002	9/10/2021	9/30/2021
20-111.003	9/10/2021	9/30/2021
20-111.004	9/10/2021	9/30/2021
20-111.005	9/10/2021	9/30/2021
20-111.006	9/10/2021	9/30/2021
20-111.007	9/10/2021	9/30/2021
20-111.008	9/10/2021	9/30/2021
20-111.009	9/10/2021	9/30/2021
20-111.010	9/10/2021	9/30/2021
20-112.001	9/10/2021	9/30/2021
20-112.002	9/10/2021	9/30/2021
20-112.003	9/10/2021	9/30/2021
20-112.004	9/10/2021	9/30/2021
20-112.005	9/10/2021	9/30/2021
20-112.006	9/10/2021	9/30/2021
20-113.001	9/10/2021	9/30/2021
20-113.002	9/10/2021	9/30/2021
20-113.003	9/10/2021	9/30/2021
20-113.004	9/10/2021	9/30/2021
20-114.001	9/10/2021	9/30/2021
20-114.002	9/10/2021	9/30/2021
20-114.003	9/10/2021	9/30/2021

20-114.004	9/10/2021	9/30/2021
20-114.005	9/10/2021	9/30/2021
59A-35.110	9/14/2021	10/4/2021
59G-4.002	9/9/2021	9/29/2021
62-604.100	9/14/2021	10/4/2021
62-604.130	9/14/2021	10/4/2021
62-604.200	9/14/2021	10/4/2021
62-604.300	9/14/2021	10/4/2021
62-604.400	9/14/2021	10/4/2021
62-604.500	9/14/2021	10/4/2021
62-604.550	9/14/2021	10/4/2021
62-604.600	9/14/2021	10/4/2021
62-604.700	9/14/2021	10/4/2021
64DER21-14	9/9/2021	9/9/2021
LIST OF RULES AWAITING LEGISLATIVE APPROVAL SECTIONS 120.541(3), 373.139(7) AND/OR 373.1391(6), FLORIDA STATUTES		
Rule No.	File Date	Effective Date
60FF1-5.009	7/21/2016	**/**/****
60P-1.003	11/5/2019	**/**/****
60P-2.002	11/5/2019	**/**/****
60P-2.003	11/5/2019	**/**/****
64B8-10.003	12/9/2015	**/**/****

WATER MANAGEMENT DISTRICTS

St. Johns River Water Management District

Notice of Adoption of 2021 – 2022 Regulatory Plan

On September 14, 2020, the Governing Board of the St. Johns River Water Management District adopted its 2021 – 2022 Regulatory Plan, as required by Section 120.74, F.S. The District’s 2021 – 2022 Regulatory Plan, which identifies and describes each rule the agency proposes to adopt or amend in the next 12 months, is available at the following link: <http://www.sjrwmd.com/regulatory-plan/>.

For more information on this Regulatory Plan, please contact: Tom Mayton, Deputy General Counsel, St. Johns River Water Management District, Office of General Counsel, 4049 Reid

Street, Palatka, Florida 32177, (386)326-4108 or
tmayton@sjrwmd.com.

Section XIII
Index to Rules Filed During Preceding
Week

NOTE: The above section will be published on Tuesday beginning October 2, 2012, unless Monday is a holiday, then it will be published on Wednesday of that week.
