

\$100	\$100	36,000.00	280
\$500	\$500	403,200.00	25
\$2,000	\$2,000	840,000.00	12

(9) The estimated overall odds of winning some prize in Instant Game Number 665 are 1 in 3.84. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(10) For reorders of Instant Game Number 665, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(11) By purchasing a LUCKY 7's lottery ticket the player agrees to comply with and abide by all prize payment rules of the Florida Lottery.

(12) Payment of prizes for LUCKY 7's lottery tickets shall be made in accordance with rules of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Specific Authority 24.105(9)(a), (b),(c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 7-14-06.

THIS EMERGENCY RULE TAKES EFFECT IMMEDIATELY UPON BEING FILED WITH THE DEPARTMENT OF STATE.
EFFECTIVE DATE: July 14, 2006

DEPARTMENT OF ENVIRONMENTAL PROTECTION
Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

**BOARD OF TRUSTEES OF THE INTERNAL
IMPROVEMENT TRUST FUND**

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN that the South Florida Water Management District (SFWMD) Governing Board issued an Order Granting Waiver under Section 120.542, Fla. Stat. (SFWMD 2006-098-DAO-ROW), on July 12, 2006, to Alberta Billie. The petition for waiver was received by the SFWMD on April 17, 2006. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 32, No. 18, on May 5, 2006. No public comment was received. This Order provides a waiver for the proposed construction of a general store and other improvements located 40' from the top of the bank within the north right of way of L-29, located approximately 980' east of District Water Control Structure S-12A; S15/T54S/R35E, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4), and 40E-6.221(8), and (9), Fla. Admin. Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District Permit Applications within the South Florida Water Management District, incorporated by reference in subsection 40E-6.091(1), Fla. Admin. Code, which governs the placement of permanent and/or semi-permanent above-ground structures, generally prohibits commercial uses, advertising signs and requires the applicant to own the land adjacent to the District's right of way within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the SFWMD's ability to perform necessary construction, alteration, operation and maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Alberta Billie from suffering a violation of the principles of fairness.

A copy of the Order can be obtained from: Kathie Ruff, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, telephone (561)682-6320 or by e-mail kruff@sfwmd.gov.

NOTICE IS HEREBY GIVEN that the South Florida Water Management District (SFWMD) Governing Board issued an Order Granting Waiver under Section 120.542, Fla. Stat. (SFWMD 2006-099-DAO-ROW), on July 12, 2006, to Enrique Cusco and W. Maria G. Zerpa. The petition for waiver was received by the SFWMD on May 25, 2006. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 32, No. 23, on June 9, 2006. No public comment was received. This Order provides a waiver for an existing and proposed sand cement rip-rap retaining wall and an existing fence encroaching approximately 10' (to the top of the canal bank) to remain within the south right of way of C-2 at the rear of 8217 S. W. 84th Terrace; S34/T54S/R40E, Miami-Dade County. Specifically, the Order grants a waiver from subsection 40E-6.011(4), and (6), Fla. Admin. Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the

District Permit Applications within the South Florida Water Management District, incorporated by reference in subsection 40E-6.091(1), Fla. Admin. Code, which governs the placement of semi-permanent/permanent above-ground facilities within 40' of the top of canal bank within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the SFWMD's ability to perform necessary construction, alteration, operation and maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Enrique Cusco and W. Marie G. Zerpa from suffering a violation of the principles of fairness.

A copy of the Order can be obtained from: Kathie Ruff, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, telephone (561)682-6320 or by e-mail kruff@sfwmd.gov.

NOTICE IS HEREBY GIVEN that the South Florida Water Management District (SFWMD) Governing Board issued an Order Granting Waiver under Section 120.542, Fla. Stat. (SFWMD 2006-100-DAO-ROW), on July 12, 2006, to Gary and Melanie Richer. The petition for waiver was received by the SFWMD on May 31, 2006. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 32, No. 24, on June 16, 2006. No public comment was received. This Order provides a waiver for an existing seawall and pile-supported docking facility to remain within the north right of way of the C-14 Canal at the rear of 1300 S. E. 3rd Terrace; S1/T49S/R42E, Broward County. Specifically, the Order grants a waiver from paragraph 40E-6.221(2)(j), Fla. Admin. Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District Permit Applications within the South Florida Water Management District, incorporated by reference in subsection 40E-6.091(1), Fla. Admin. Code, which governs the minimum low member elevation of pile-supported docking facilities within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the SFWMD's ability to perform necessary construction, alteration, operation and maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Gary and Melanie Richer from suffering a substantial hardship.

A copy of the Order can be obtained from: Kathie Ruff, South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406-4680, telephone (561)682-6320 or by e-mail kruff@sfwmd.gov.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

The Bureau of Elevator Safety hereby gives notice that it Issued an Order Granting Emergency Variance Request on June 14, 2006 in response to a petition filed on June 12, 2006, by Lee Rigby of Vertical Assessment Associates regarding Embassy Suites Hotel in Estero, Florida (VW 2006-155) and advertised in Vol. 32, No. 25 of the F.A.W. The petition sought a waiver from Rule 2.7.4.1, A.S.M.E. A17.1, 2000 Edition, as adopted by the 2004 Florida Building Code and requested to have less than the required 84 inch clearance in the machine room. The petition was granted as the clearance provided was 82 inches and the owner agreed to post sufficient warnings of the reduced clearance.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on June 23, 2006, it issued an Order Granting Variance Requests in response to a petition filed on March 31, 2006 and advertised in the F.A.W. Vol. 32, No. 20, by Patricia Serley of Otis Elevator regarding Lost Key Golf & Beach Club San Anton Condominium in Pensacola (VW 2006-124). The petition sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petitions were granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on June 23, 2006, it issued four Orders Granting Variance Requests in response to petitions filed on April 21, 2006 and advertised in the F.A.W. Vol. 32, No. 20, by Jennifer Livingston of Otis Elevator regarding Resort at Singer Island, in Singer Island (VW 2006-102 through 107). The petitions sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petitions were granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on June 23, 2006, it issued three Orders Granting Variance Requests in response to a petition filed on April 20, 2006 and advertised in the F.A.W. Vol. 32, No. 20, by Jennifer Livingston of Otis Elevator regarding The Whitney Condominiums, in West Palm Beach (VW 2006-099 through 101). The petitions sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petitions were granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on June 23, 2006, it issued an Order Granting Variance Requests in response to a petition filed on April 21, 2006 and advertised in the F.A.W. Vol. 32, No. 20, by LeLaine Koutebera of Otis Elevator regarding W Plaza Condominium Project in St Petersburg (VW 2006-108). The petition sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petition was granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on June 23, 2006, it issued two Orders Granting Variance Requests in response to a petition filed on April 24, 2006 and advertised in the F.A.W. Vol. 32, No. 20, by Robert Gerdt of Otis Elevator regarding Jacaranda Trace in Venice (VW 2006-109 and 110). The petitions sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petitions were granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on June 23, 2006, it issued an Order Granting Variance Requests in response to a petition filed on April 4, 2006 and advertised in

the F.A.W. Vol. 32, No. 20, by Rick Dayton of Otis Elevator regarding Lake Buena Vista Resort, Phase III Building 3 in Orlando (VW 2006-087). The petition sought waivers from Rules 2.1.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code. The petitioner requested to not have a machine room and to use coated steel belts in lieu of steel cables suspending the car. The petition was granted as it was demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that it Issued an Order Granting Emergency Variance Request on June 23, 2006 in response to a petition filed on May 30, 2006, by Lee Rigby of Vertical Assessment Associates regarding Dunes IV in Naples, Florida (VW 2006-149) and advertised in Vol. 32, No. 24 of the F.A.W. The petition sought a waiver from Rule 2.7.4.1, A.S.M.E. A17.1, 2000 Edition, as adopted by the 2004 Florida Building Code and requested to have less than the required 84 inch clearance in the machine room. The petition was granted as the clearance provided was 80 inches and the owner agreed to post sufficient warnings of the reduced clearance.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

NOTICE IS HEREBY GIVEN that on June 15, 2006, the Bureau of Elevator Safety received a Petition for Variance from 5.7.12.2, A.S.M.E. 17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, limiting the size and capacity of a lift to 13ft² and 1000 lbs. The petition was received from Paul Shea of Alimak Hek Inc. on behalf of LaFarge Gypsum Plant located in Palaka, Florida (Petition VW 2006-168).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on June 28, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rule 2.7.4, A.S.M.E. 17.1, 1996 edition with 1997 Addenda, as adopted by Chapter 3001.2, 2004 Florida Building Code, requiring 82 inches clearance in the machine

room. The petition was received from Lee Rigby of Vertical Assessments, for the following location: Grand Phoenician Dunes VI in Naples, Florida (Petition VW 2006-175).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on July 17, 2006, the Bureau of Elevator Safety received a Petition for Emergency Variance from paragraph 61C-5.001(7)(b), Florida Administrative Code, Sections 3003.1.5 and 3003.7.1, 2001 Florida Building Code, Section 7.4.1.6, NFPA 101, 2000 Edition and Sections 2.7.3.1, 2.11.6.2, 25.11.10.2, and 2.27.3.2.1, A.S.M.E. 17.1, 2000 Edition, as adopted by Chapter 3001.2, 2001 Florida Building Code, requiring permanent, safe and convenient access to machine rooms and overhead machinery spaces, access to at least one exit from elevator lobbies that does not require use of a key, tool, special knowledge or effort, access to machine spaces without going through tenant spaces, prohibiting locking out access to the top terminal landing, bottom terminal landing, the designated alternate landing or any landing when phase II is effective, a minimum of 10 foot-candles at landing sills when an elevator is in service and fire alarm initiating devices at each floor served by the elevator, in the machine room and in the hoist way when required by NFPA 72.

The petition was received from: Sarah Maman of Fire, Life Safety, and Security Institute, Inc. on behalf of Vivante, located in Punta Gorda, Florida (Petition VW 2006-188).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on July 17, 2006, the Bureau of Elevator Safety received a Petition for Variance from Rules 2.1.1.2, 2.1.1.3, 2.7.6, 2.20.1, and 2.20.9, A.S.M.E. 17.1, 2000 edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, which require a machine room, steel ropes and non welded terminations, from Tim Hawthorne of Otis Elevator Company. The Petition is requesting a variance to allow the installation of Gen2™ elevator systems in the following locations: SunTrust Colonnade and Wellesley Condominium – Phase II, located in Orlando, FL (Petition VW 2006-187).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

The Construction Industry Licensing Board hereby gives notice that it has received a Petition for Waiver or Variance, which was filed on July 7, 2006, by Craig Steven Fessler (Petitioner). Petitioner is seeking a waiver or variance of Rule 61G4-16.009, Florida Administrative Code, with regards to a limit of 325 days in which to pass all portions of the Construction License Exam. Comments on this petition should be filed with Construction Industry Licensing Board, Northwood Centre, 1940 North Monroe Street, Tallahassee, Florida 32399-0750, within 14 days of publication of this Notice.

The Board will consider the Petition at its meeting, to be held on August 11, 2006, in Tampa, Florida.

For a copy of the Petition, contact: G. W. Harrell, Executive Director, Construction Industry Licensing Board, at the above address.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN that on July 13, 2006 the Department of Environmental Protection, Southwest District, received a petition for a reduction in permitting fees for the Mosaic Fertilizer, LLC, phosphate mines' Class V underground injection control wells, under subparagraph 62-4.050(4)(m)11. and 12., F.A.C. Public comment on this petition must be received by the person listed below no later than 14 days from the date of this notice. Petition file number is OGC No.: 06-1482.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Judy Richtar, DEP Southwest District, 13051 N. Telecom Pkwy., Temple Terrace, FL 33637-0926, (813)632-7600.

DEPARTMENT OF HEALTH

The Board of Dentistry hereby gives notice of the issuance of an Order regarding the Petition for Variance for Jeronimo Guzman, D.M.D. The Notice of Petition for Variance was published in Vol. 32, No. 20, of the May 20, 2006, Florida Administrative Weekly. The Board considered the Petition at a duly-noticed public meeting held on June 23, 2006.

The Board's Order, filed on July 11, 2006, grants the Petition for Variance or Waiver, finding that Petitioner complied with Section 120.542(2), Florida Statutes, as he demonstrated that the purpose of the underlying statute, Section 466.006, Florida Statutes, will be achieved or has been achieved by other means as evidenced by his dental degree from the Universidad Tecnologica de Mexico, completed a three (3) month externship in Oral and Maxillofacial Surgery at the University of Texas Health Sciences Center in San Antonio, Texas, completed a sixteen (16) month internship in Oral and Maxillofacial Surgery at the University of Puerto Rico School of Dentistry, and is on the verge of graduating from the University of Puerto Rico School of Dentistry with a Postdoctoral Certificate in Oral and Maxillofacial Surgery on June 30, 2006. Petitioner complied with Section 120.542(2), Florida Statutes, because he demonstrated that strict application of subsection 64B5-2.0146(2), Florida Administrative Code, would create a substantial hardship by having a significant economic impact on Petitioner because he will not be able to be employed as a dentist and will be required to continue to pay tuition to participate in additional supplemental education programs, despite possessing almost six (6) additional years of supplemental dental education in the United States.

A copy of the Board's Order may be obtained by contacting: Sue Foster, Executive Director, Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399- 3258.

The Board of Dentistry hereby gives notice of the issuance of an Order regarding the Petition for Variance for Andres J. Torres, D.D.S. The Notice of Petition for Variance was published in Vol. 32, No. 22, of the June 2, 2006, Florida Administrative Weekly. The Board considered the Petition at a duly-noticed public meeting held on June 23, 2006.

The Board's Order, filed on July 11, 2006, grants the Petition for Variance or Waiver, finding that Petitioner complied with Section 120.542(2), Florida Statutes as he demonstrated that the purpose of the underlying statute, Section 466.006, Florida Statutes, will be achieved or has been achieved by other means as evidenced by his dental degree from the Pontifical Xaverian Univeristy of Bogota, Colombia, his Master of Science of Dentistry Degree from Indiana Univeristy, his completion of a one (1) year fellowship in implant dentistry at the Loma Linda University Dental School, and his licenses to practice dentistry in Arizona and California. Petitioner complied with Section 120.542(2), Florida Statutes, because he demonstrated that strict application of subsection 64B5-2.0146(2), Florida Administrative Code, would create a substantial hardship by having a significant economic impact on Petitioner because he will not be able to be employed as a dentist and will be required to continue to pay tuition to participate in additional supplemental education programs, despite possessing a Master

of Science of Dentistry Degree from Indiana University and completing one (1) year fellowship in implant dentistry at the Loma Linda University Dental School.

A copy of the Board's Order may be obtained by contacting: Sue Foster, Executive Director, Board of Dentistry, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399- 3258.

The Board of Osteopathic Medicine hereby gives notice that it has received a Petition for Variance or Waiver filed on May 23, 2006 on behalf of William Raue, an out of state of Florida Doctor of Osteopathy. Pursuant to Chapter 28-104, F.A.C., and Section 120.542, F.S., petitioner seeks a waiver of those rule provisions that relate to the Osteopathic components of the Florida Board of Osteopathic Medicine State Exam. Specifically, the Petitioner requests that the Osteopathic components that are required in his Florida Board of Osteopathic Medicine State Exam be waived due to those components having been fulfilled by Petitioner in his state exams 40 years ago in the states of Kentucky and Missouri and those states having failed to properly keep the records of Petitioner's exam 40 years ago.

Copies of the petition may be obtained by writing: Pamela King, Executive Director, Board of Osteopathic Medicine/MQA, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3256.

The Board of Pharmacy hereby gives notice of the issuance of an Order regarding the Petition for Waiver or Variance, which was filed on April 13, 2006 by Bichoy Gabra, Ph.D. The Notice of Petition for Waiver or Variance was published in Vol. 32, No. 20, of the May 19, 2006, Florida Administrative Weekly. The Petitioner was seeking a waiver of Rule 64B16-26.2031, F.A.C. entitled "Licensure by Examination; Foreign Pharmacy Graduates and the requirement of completion of 2080 internship/work experience hours pursuant to Section 465.007, Florida Statutes. The Board considered the instant Petition at a duly-noticed public meeting, held June 8, 2006, in Ft. Lauderdale, Florida.

The Board's Order, filed on June 23, 2006, denied the petition finding that the Board does not have the authority to waive a statutory requirement for applicants by examination to complete a board-approved internship program. The Board further finds that Petitioner has not established that applying the requirements of the aforementioned Rule to his circumstances would violate principles of fairness and impose substantial hardship.

A copy of the Board's Order may be obtained by contacting: Rebecca Poston, R.Ph., Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254.