			NUMBER OF WINNERS IN 56 POOLS OF
		ODDS OF	180,000 TICKETS
GAME PLAY:	WIN:	<u>1 IN:</u>	PER POOL:
TICKET	\$1 TICKET	10.00	1,008,000
<u>\$1</u>	<u>\$1</u>	12.00	840,000
<u>\$2</u>	<u>\$2</u>	30.00	336,000
<u>\$1 x 5</u>	<u>\$5</u>	<u>50.00</u>	201,600
<u>\$5 x 2</u>	<u>\$10</u>	150.00	<u>67,200</u>
<u>\$5 x 3</u>	<u>\$15</u>	300.00	33,600
<u>\$25</u>	<u>\$25</u>	300.00	33,600
<u>\$10 x 5</u>	<u>\$50</u>	3,600.00	<u>2,800</u>
$(\$5 \times 2) + (\$20 \times 2)$	<u>\$50</u>	3,600.00	<u>2,800</u>
<u>\$50</u>	<u>\$50</u>	3,600.00	<u>2,800</u>
<u>\$20 x 5</u>	<u>\$100</u>	15,000.00	<u>672</u>
<u>\$50 x 2</u>	<u>\$100</u>	15,000.00	<u>672</u>
<u>\$100</u>	<u>\$100</u>	15,000.00	<u>672</u>
<u>\$100 x 5</u>	<u>\$500</u>	180,000.00	<u>56</u>
<u>\$250 x 2</u>	<u>\$500</u>	180,000.00	<u>56</u>
<u>\$500</u>	<u>\$500</u>	180,000.00	<u>56</u>
<u>\$2,100</u>	\$2,100	840,000.00	<u>12</u>

- (9) The estimated overall odds of winning some prize in Instant Game Number 679 are 1 in 3.98. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.
- (10) For reorders of Instant Game Number 679, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.
- (11) By purchasing a 7-11-21 lottery ticket the player agrees to comply with and abide by all prize payment rules of the Florida Lottery.
- (12) Payment of prizes for 7-11-21 lottery tickets shall be made in accordance with rules of the Florida Lottery governing payment of prizes. A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Specific Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History-New 2-2-07.

THIS **EMERGENCY RULE TAKES EFFECT** IMMEDIATELY UPON BEING FILED WITH THE DEPARTMENT OF STATE.

EFFECTIVE DATE: February 2, 2007

#### DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to http://www.dep.state.fl.us/ under the link or button titled "Official Notices."

## Section V Petitions and Dispositions Regarding Rule Variance or Waiver

### BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to http://www.dep.state.fl.us/ under the link or button titled "Official Notices."

#### WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN that on January 16, 2007, the South Florida Water Management District (District), received a petition for waiver from Eduardo Valdez, Artemisa Fence, Application No. 07-0110-2, for utilization of Works or Lands of the District known as C-100A Canal, Miami-Dade County, for placement of proposed fence located 15' from top of bank along the west right of way of C-100A Canal; Section 23, Township 55 South, Range 40 East. The Petition seeks relief from subsection 40E-6.011(4), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground encroachments within 40 feet from top of bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting Kathie Ruff at (561)682-6320 or e-mail at kruff@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC 1413, West Palm Beach, FL 33406, Attn: Kathie Ruff, Office of Counsel.

NOTICE IS HEREBY GIVEN that on February 2, 2007 South Florida Water Management District (District) received a petition for waiver from Florida Power & Light Company, Application No. 07-0202-1 for utilization of Works or Lands of the District known as the L-18 Canal (North New River), Palm Beach County, requesting authorization to install 2 aerial powerline crossings with poles, one crossing located approximately 3.5 miles and one 5.9 miles north of L-5, Section 22, Township 47S, Range 38E. The petition seeks relief from subsections 40E-6.011(4) and (6), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above ground structures within 40 feet of the top of the canal bank within Works or Lands of the District. A copy of the petition may be obtained from Kathie Ruff at (561)682-6320 or e-mail at kruff@ sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC 1413, West Palm Beach, FL 33406, Attn: Kathie Ruff, Office of Counsel.

# DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

The Bureau of Elevator Safety hereby gives notice that on 1/11/07, it Issued an Order Granting Variance Request in response to a petition filed 10/19/2006 and advertised in the issue Vol. 33, No. 1, F.A.C., by Steve Powell of KONE, Inc. regarding Denning Apartments in Winter Park, FL (VW 2006-270). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202

The Bureau of Elevator Safety hereby gives notice that on 1/11/07, it Issued an Order Granting Variance Request in response to a petition filed 10/19/2006 and advertised in the issue Vol. 33, No. 1, F.A.C., by Steve Powell of KONE, Inc. regarding Veranda Park Bld. 4 in Orlando, FL (VW 2006-271). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the

petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/11/07, it Issued an Order Granting Variance Request in response to a petition filed 10/19/2006 and advertised in the issue Vol. 33, No. 1, F.A.W., by Steve Powell of KONE, Inc. regarding Palms 32 in Kissimmee, FL (VW 2006-272). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/11/07, it Issued an Order Granting Variance Request in response to a petition filed 10/19/2006 and advertised in the issue Vol. 33, No. 1, F.A.W., by Steve Powell of KONE, Inc. regarding Isle of Bali-Building 1400 in Winter Garden, FL (VW 2006-273). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/11/07, it Issued an Order Granting Variance Request in response to a petition filed 10/19/2006 and advertised in the issue Vol. 33, No. 1, F.A.W., by Steve Powell of KONE, Inc. regarding Pointe Orlando in Orlando, FL (VW 2006-275). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the

petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/11/07, it Issued an Order Granting Variance Request in response to a petition filed 10/19/2006 and advertised in the issue Vol. 33, No. 1, F.A.W., by Steve Powell of KONE, Inc. regarding Pointe Orlando Towers in Orlando, FL (VW 2006-276). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 12/4/06, it Issued an Order Granting Variance Request in response to a petition filed 10/24/2006 and advertised in the issue Vol. 32, No. 49, F.A.W., by Steve Powell of KONE, Inc. regarding BCBE Corporate Office Building in Naples, FL (VW 2006-277). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/29/07, it Issued an Order Granting Variance Request in response to a petition filed 10/23/2006 and advertised in the issue Vol. 32, No. 45, F.A.W., by Steve Powell of KONE, Inc. regarding Lee County Justice Center Expansion, Phase VI Tower in Fort Myers, FL (VW 2006-278). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator

System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/29/07, it Issued an Order Granting Variance Request in response to a petition filed 11/16/2006 and advertised in the issue Vol. 32, No. 49, F.A.W., by Steve Powell of KONE, Inc. regarding St. Petersburg College in St. Petersburg, FL (VW 2006-301). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/29/07, it Issued an Order Granting Variance Request in response to a petition filed 11/21/2006 and advertised in the issue Vol. 33, No. 1, F.A.W., by Steve Powell of KONE, Inc. regarding La Serena in Pensacola, FL (VW 2006-302). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of safety.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/5/07, it Issued an Order Granting Emergency Variance Request in response to a petition filed 12/7/2006 and advertised in the issue Vol. 33, No. 1, F.A.W., by Jerauld W. Carron III of Palm Beach Lifts. regarding Quality Fruit Packers, Vero Beach, FL (VW 2006-312). The variance granted a waiver from Rule 2.7.1 of ASME A18.1, 2001 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to have a wheelchair lift travel 14 ft. The petition was granted as the latest code allows travel distances of up to 14 ft.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/29/07, it Issued an Order Granting Variance Request in response to a petition filed 12/1/2006 and advertised in the issue Vol. 33, No. 1, F.A.W., by Steve Powell of KONE, Inc. regarding Breakers Sound in Jupiter, FL (VW 2006-317). The variance granted a waiver from Rules 2.1.3.1.2(b)(1), 2.7.6 and 2.15.9.2, of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a machine room and to install a Monospace© Elevator System in the above project and the petition was granted as the petitioner demonstrated that this new technology provided an equivalent or greater level of

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

The Bureau of Elevator Safety hereby gives notice that on 1/16/07, it Issued an Order Denying Emergency Variance Request in response to a petition filed 12/21/2006 and advertised in the issue Vol. 33, No. 1, F.A.W., by Joe Roberson, President, Colony Point Association, regarding Colony Point Condominiums, License Numbers 10485 & 10806 (VW 2006-321). The variance denied a waiver from Rule 2.27.3.2.1 of ASME A17.1, 2000 Edition, as adopted by Chapter 3001.2, Florida Building Code. The petitioner had requested to not have a fire alarm initiating devices in lobbies of each landing. The petition was denied as the petitioner failed to demonstrate why meeting the code would cause a hardship and what alternative means of meeting the intent of the code.

A copy of the Order can be obtained from: Agency Clerk, Department of Business and Professional Regulation, 1940 North Monroe Street, Tallahassee, Florida 32399-2202.

NOTICE IS HEREBY GIVEN that on January 10, 2007, the Bureau of Elevator Safety received a Petition for Emergency Variance from 2.7.3.2.1, A.S.M.E. 17.1, 2000 Edition, as adopted by Chapter 3001.2, 2004 Florida Building Code, requesting to temporarily access the machine room via a ladder or hatch. The petition was received from T.J. Khan, Owner on behalf of Center for Surgical Excellence located in Venice, Florida (Petition VW 2007-014).

A copy of the Petition can be obtained from: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013. The Bureau of Elevator Safety will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m.

NOTICE IS HEREBY GIVEN that on January 9, 2007, the Division of Hotels and Restaurants received a Petition for Emergency Variance for paragraph 61C-1.004(1)(d), Florida Administrative Code, from Haagen Dazs located in Orlando. The above referenced F.A.C. states that sewage shall be disposed of in a public sewerage system or other approved sewerage system in accordance with the provisions of Chapter 64E-6 or 62-601 F.A.C. Petitioner is requesting a variance to not have hard plumbing in their kiosk and use alternative methods for sewage disposal.

This variance request was approved January 30, 2007, and is contingent upon Petitioner using a three (3) gallon or greater potable water tank and utilizing a wastewater holding tank that is at least 15% larger than the potable water holding tank. Water and wastewater holding tanks are to be emptied at least twice a day. Petitioner must adhere strictly to the following operating procedures: supply for potable water tank must be from an approved source with written documentation provided and sanitize the fresh water and wastewater tanks at least once every 24 hours. Petitioner must store the in-use utensils on a clean, sanitized dry surface, and those utensils are to be washed, rinsed, and sanitized. Handwashing procedures are to be strictly adhered to as specified in the Federal Food and Drug Administration 2001 Food Code Section 2-301.14. If the menu changes or expands in any manner, the Petitioner must notify the Division in writing and this variance request will be re-evaluated. All provisos shall be complied with prior to final licensing. Any violation of the variance is the equivalent of a violation of the rule and may result in a recession of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261. Florida Statutes.

NOTICE IS HEREBY GIVEN that on January 10, 2007, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for subsection 61C-4.010(7), Florida Administrative Code, from Jet of Miami located in Miami. The above referenced F.A.C. states...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated.....The Petitioner requests to use bathroom facilities located on the other eleven floors of the building and not have their own bathroom facilities.

This variance request was approved January 30, 2007, and is contingent upon the Petitioner notifying guests to the location of the public bathroom facilities by directional signage, ensuring the public bathrooms are functional, has hot and cold running water at all times, provided with soap and an approved method to dry hands, kept in a clean and sanitary manner, and available during all hours of operation. If the petitioner decides to have seating in the future it shall not exceed ten (10) which includes inside and outside seating. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

NOTICE IS HEREBY GIVEN that on January 16, 2007, the Division of Hotels and Restaurants received a Petition for an Emergency Variance for subsection 61C-4.010(1) and 61C-4.010(6), Florida Administrative Code, from Manny's Food Service of Orlando. The above referenced F.A.C. addresses food supplies, food protection, and physical facilities-except as specifically provided in this rule, public food service establishments shall be subject to the provisions of chapter three and chapter six of the FDA Food Code. They are requesting to do open air food service on a Mobile Food Dispensing Vehicle.

This variance request was approved January 30, 2007, and MFDV is contingent upon the Petitioner's use of open-air steam table properly covered and air curtain operating properly according to manufacturer's specifications and Section 6-202-15(D) (2), 2001 FDA Food Code, as to expel possible contaminants and vermin. Approval is also contingent upon Petitioner conducting all re-heating for hot holding at approved commissaries to the proper temperature per Section 3-403.11, 2001 FDA Food Code; and potentially hazardous food is held at proper temperatures according to Section 3-501.16, 2001 FDA Food Code.

The Petitioner shall strictly adhere to subsection 61C-4.0161(1)(c), Florida Administrative Code, and report to the commissary at least once daily when operating. All warewashing is to be conducted at the commissary and strict adherence to employee health guidelines as specified in the Section 2-201, 2001 FDA Food Code, are to be followed. Petitioner shall also use a potable water tank and utilize a wastewater holding tank that is at least 15% larger than the potable water holding tank; and sloped to a drain that is 1 inch in inner diameter or greater, equipped with a shut-off valve. Petitioner must receive potable water from an approved source with written documentation provided and sanitize the fresh water and wastewater tanks at least once every 24 hours.

Copies of the variance and operating procedures are to be present on the MFDV at all times of operation and shall be adhered to as approved by the Division. This variance is not transferable under any conditions. All provisos must be complied prior to final approval and licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

### DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to http://www.dep.state.fl.us/ under the link or button titled "Official Notices."

#### DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN that on February 6, 2007, the Board of Osteopathic Medicine, received a petition for Waiver or Variance filed by Dr. Joann M. Schulte on February 6, 2007. The Petitioner seeks a variance or waiver from subsection 64B15-12.001(3), F.A.C., with regard to successful completion of Part I, II and III of the National Board of Osteopathic Medical Examiners' examination or successful completion of Part I, II of the above referenced examination and the Comprehensive Osteopathic Medical Variable-Purpose Examination (COMVEX).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Pamela King, Executive Director, Board of Osteopathic Medicine, 4052 Bald Cypress Way, Bin #C06, Tallahassee, FL 32399-3256, within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN that on February 2, 2007, the Department of Health received a Petition for Variance from subparagraph 64E-16.007(2)(a)2., Florida Administrative Code, from Gary Gilliam, on behalf of ECOLOTEC. That rule prescribes a startup procedure to be conducted on a biomedical waste treatment unit prior to placing the unit into service. The Petitioner requests a variance from the rule to allow the Petitioner to vary from the rule requirement for specific placement of biological indicators in the treatment unit as prescribed in subparagraph 64E-16.007(2)(a)2., Florida Administrative Code. ECOLOTEC proposes to use internal temperature monitoring and an alternative placement of biological indictors to verify the treatment unit provides a satisfactory level of treatment.

Comments on this Petition should be filed with: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin A02, Tallahassee, Florida 32399-1703, within 14 days of publication of this notice. A copy of the petition may be obtained from Gina Vallone-Hood, Bureau of Community Environmental Health, 4052 Bald Cypress Way, Bin A08, Tallahassee, Florida 32399-1710 or by calling (850)245-4277, extension 4273.

NOTICE IS HEREBY GIVEN that on January 12, 2007, the Department of Health has issued an order.

An amended order granting variance with stipulations was issued to petitioner, National Swimming Pool Foundation, for certification of a public pool service technician training course offered with a mix of classroom and internet-based hours. The

original petition received on July 17, 2006 was supplemented with requested information on August 29, 2006, and the variance was granted September 8, 2006. A petition for administrative hearing about this variance was settled on January 12, 2007.

A copy of the Order may be obtained by contacting DOH-Bureau of Water Programs, Tallahassee, telephone (850)245-4240.

NOTICE IS HEREBY GIVEN that on January 30, 2007, the Department of Health, received a petition for Steve Branz, P.E., representing Bord na Mona Environmental Products U.S. Inc., requesting a waiver pursuant to Section 120.542, Florida Statutes. Specifically, the petitioner seeks a waiver from subsections 64E-6.005(4), Location and Installation and 64E-6.014(1), (2), (5)(b), (d), (f), and (j), Construction Standards for Drainfield Systems, Florida Administrative Code, which requires a drainfield absorption bed to have 12 inches of aggregate, an effluent distribution network, no impermeable covering and an absorption surface within 30 inches of finished grade.

Comments on this petition should be filed with: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin A02, Tallahassee, Florida 32399-1734. A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Health, Office of the General Counsel, 4052 Bald Cypress Way, Bin A02, Tallahassee, Florida 32399-1734.

# DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN that on February 1, 2007, the Department of Children and Family Services, received a petition for Waiver of Rule 65C-15.017, F.A.C. The Petition was received by the Agency Clerk on February 1, 2007, from Lutheran Social Services and R. Wayne Riley, assigned Case No. 07-002W. Rule 65C-15.017, F.A.C., governs the educational and work experience requirements of Persons operating or employed by a license child-placing agency.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Office of the Agency Clerk, Department of Children and Family Services, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

## Section VI Notices of Meetings, Workshops and Public Hearings

#### DEPARTMENT OF STATE

The **Friends of Mission San Luis, Inc.** announces a public meeting to which all persons are invited.

DATE AND TIME: Monday, March 5, 2007, 12:00 Noon PLACE: Mission San Luis, Education Bldg., 2020 W. Mission Road, Tallahassee, FL

GENERAL SUBJECT MATTER TO BE CONSIDERED: Business to be discussed will include fundraising and endowment activities and other board business.

If you have questions or would like a copy of the agenda, please feel free to contact Ms. Elyse Cornelison, (850)487-1666.

The **Division of Library and Information Services** announces a meeting of directors of large public libraries in Florida

DATE AND TIME: February 28, 2007, 10:00 a.m. – 3:00 p.m. (Eastern Time)

PLACE: R. A. Gray Building, 500 S. Bronough Street, Tallahassee, FL 32399-0250

GENERAL SUBJECT MATTER TO BE CONSIDERED: Services and programs common to large public libraries in Florida.

For more information, you may contact: Loretta L. Flowers, R. A. Gray Building, 500 S. Bronough Street, Tallahassee, FL 32399-0250, lflowers@dos.state.fl.us, (850)245-6622, 205.6622 (Suncom).

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this meeting is asked to advise the agency at least 5 days before the meeting by contacting: Loretta L. Flowers, R. A. Gray Building, 500 S. Bronough Street, Tallahassee, FL 32399-0250, lflowers@dos.state.fl.us, (850)245-6636, 205-6636 (Suncom). If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

#### DEPARTMENT OF LEGAL AFFAIRS

The **Department of Legal Affairs**, Council on the Social Status of Black Men and Boys announces a public meeting to which all persons are invited.

DATE AND TIME: February 28, 2007, 1:00 p.m. – 4:00 p.m. PLACE: Senate Office Building, Room 110, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: This is the initial meeting of this Council, created by Section 16.615, Florida Statutes. The Council shall make a systematic study of the conditions affecting black men and boys, including, but not limited to, homicide rates, arrest and incarceration rate, poverty, violence, drug abuse, death rates, disparate annual income levels, school performance in all grade levels including postsecondary levels, and health issues. A copy of the agenda may be obtained by contacting Rick Nuss, Chief, Bureau of Criminal Justice Programs at (850)414-3300.