

Specific Authority 395.4025, 395.405 FS. Law Implemented 395.401, 395.4015, 395.402, 395.4025, 395.404, 395.4045, 395.405 FS. History—New 8-3-88, Amended 12-10-92, 12-10-95, Formerly 10D-66.113, Amended 2-20-00, 6-9-05,_____.

FISH AND WILDLIFE CONSERVATION COMMISSION

Freshwater Fish and Wildlife

RULE NOS.:	RULE TITLES:
68A-27.003	Designation of Endangered Species; Prohibitions; Permits
68A-27.004	Designation of Threatened Species; Prohibitions; Permits

NOTICE OF WITHDRAWAL

Notice is hereby given that the above rule, as noticed in Vol. 33, No. 44, November 2, 2007 issue of the Florida Administrative Weekly has been withdrawn.

DEPARTMENT OF FINANCIAL SERVICES

Division of State Fire Marshal

RULE NOS.:	RULE TITLES:
69A-58.004	Firesafety Inspections
69A-58.0081	Means of Egress
69A-58.0082	Relocatable Buildings

NOTICE OF WITHDRAWAL

Notice is hereby given that the above rule, as noticed in Vol. 33, No. 51, December 21, 2007 issue of the Florida Administrative Weekly has been withdrawn.

DEPARTMENT OF FINANCIAL SERVICES

Division of Consumer Services

RULE NO.:	RULE TITLE:
69J-7.004	Participating Contractors

NOTICE OF CORRECTION

Notice is hereby given that the following correction has been made to the proposed rule development in Vol. 34, No. 2, January 11, 2008 issue of the Florida Administrative Weekly.

Notice is hereby given that the workshop on the above reference rule will be held on Wednesday, January 30, 2008, 10:00 a.m. in the Larson Building, Room 142, 200 East Gaines Street, Tallahassee, Florida

FINANCIAL SERVICES COMMISSION

OIR – Insurance Regulation

RULE NO.:	RULE TITLE:
69O-170.0155	Forms

NOTICE OF CHANGE

Notice is hereby given that the following changes have been made to the proposed rule in accordance with subparagraph 120.54(3)(d)1., F.S., published in Vol. 33, No. 47, November 21, 2007 issue of the Florida Administrative Weekly.

Notice is hereby given that the following changes have been made to the proposed, in accordance with subparagraph 120.54(3)(d)1., F.S., published in Vol. 33, No. 47, on November 21, 2007, of the *Florida Administrative Weekly*. These changes are being made to address concerns expressed Form OIR-B1-1809 “Health Care Provider Certification of Eligibility” has been revised based on comments received at the hearing. A copy of the revised form is available by contacting Michael Milnes at michael.milnes@fldfs.com. The remainder of the reads as previously published.

**Section IV
Emergency Rules**

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

**Section V
Petitions and Dispositions Regarding Rule Variance or Waiver**

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on December 27, 2007, the St. Johns River Water Management District, received a petition for variance from Roche Land Development Group, Inc., in relation to Environmental Resource Permit Application 4-009-104378-2 for a proposed modification to a permit for single-family residential subdivision in Brevard County, three lots of which are waterfront. The subdivision is located 1500 feet south of SR 528 on Merritt Island. Pursuant to Section 373.414(17), F.S., the petitioner is seeking a variance from paragraph 40C-4.302(1)(c), F.A.C., and Sections 10.1.1(c), 12.1.1(d) and 12.2.5(c) of the Applicant’s Handbook:

Management and Storage of Surface Waters. These rules are designed to protect Class II or Class III waters which are classified as approved, restricted, conditionally approved or conditionally restricted for shellfish harvesting and require permit applicants to comply with the additional criteria when the proposed work is located in such waters. The petitioner seeks the variance to construct a single dock with three boat slips, approximately 271 linear feet (235+/- L.F over water and 36+/- L.F over land) as an adjunct to the three waterfront lots in the single-family residential subdivision. The work is proposed to occur directly in the Indian River, which in this area is a Class II water.

Comments on this petition should be filed with: Robert Nawrocki, District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, within 14 days of publication of this notice. The petition has been assigned File of Record Number 2008-08. A copy of the Petition for Variance or Waiver may be obtained by contacting: Vance Kidder, Assistant General Counsel, St. Johns River Water Management District at the foregoing address or at (386)329-4199.

NOTICE IS HEREBY GIVEN THAT on December 20, 2007, the South Florida Water Management District (District), received a petition for waiver from Florida Department of Transportation, Application No. 07-1220-1M, for utilization of Works or Lands of the District known as the C-6 Canal, Miami-Dade County for the proposed replacement of the Krome Avenue Bridge crossing C-6 Canal. The petition seeks relief from subsections 40E-6.011(4), (6), and paragraph 40E-6221(2)(j), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of the canal bank and governs the minimum low member elevation (vertical clearance) of pile-supported structures within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Triola at (561)682-6268 or e-mail at jtriola@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn: Juli Triola, Office of Counsel.

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN THAT on December 28, 2007, the Agency for Health Care Administration has issued an order.

The Final Order is Denying Emergency Petition for Variance from or Waiver of paragraph 59C-1.018(3)(b), F.A.C., Termination of Certificate of Need.

The Order concerned the Petition for Waiver or Variance, filed on November 29, 2007, by Hillsborough Extended Care, LLC. The Notice of Petition for Waiver or Variance was published on pp. 6047-6048 of Vol. 33, No. 51, of the December 21, 2007, F.A.W. Petitioner requested a variance from or waiver of paragraph 59C-1.018(3)(b), F.A.C., entitled "Termination of Certificate of Need" which states that a Certificate of Need will terminate eighteen (18) months from the date of issuance, and requires that requests for extensions be filed no less than 15 calendar days before the Certificate of Need expiration date. The petition sought a variance from or waiver of the 15 day prior notice requirement of this rule.

The Agency denied this late extension request in correspondence dated October 23, 2007, and issued a Final Order on the Emergency Petition on December 28, 2007. The basis for the Agency's denial of the petition is the failure of the petitioner to establish that the requirements for a variance or waiver under Section 120.542(2), F.S., had been met.

A copy of the Order may be obtained by contacting: Lorraine M. Novak, Assistant General Counsel, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308, novakl@ahca.myflorida.com, (850)922-5873.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on November 26, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsection 61C-4.010(7), Florida Administrative Code, from Westshore Pizza XXXIV located in Belleair Bluffs. The above referenced F.A.C. states...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated.....The proposed establishment has one bathroom facility for patrons and they are requesting a variance to have a seating capacity of twenty-two (22).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 19, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for paragraph 61C-1.004(1)(d), Florida Administrative Code, from Bob's Train located in Sarasota. The above referenced Florida Administrative Code specifically addresses the proper disposal of sewage. The Petitioner is requesting to have the waste tanks pumped-out opposed to having permanent sewage connections.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 20, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsection 61C-4.010(7), Florida Administrative Code, from Cold Stone Creamery located in Winter Park. The above referenced F.A.C. states ...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated.... The proposed establishment has one bathroom facility for patrons and they are requesting a variance to have a seating capacity of eighteen (18).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 24, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsection 61C-4.010(7), Florida Administrative Code, from Shelby's Coffee Shoppe located in Neptune Beach. The above referenced F.A.C. states that all bathrooms shall be of easy and convenient access to both patrons and employees...They are requesting a variance to share bathroom facilities with an adjacent establishment.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

NOTICE WAS HEREBY GIVEN that on December 11, 2007, for a Routine Variance for subsection 61C-4.010(7), Florida Administrative Code, from Bravisimo Restaurant located in Orlando. The above referenced F.A.C. states that all bathrooms shall be of easy and convenient access to both patrons and employees... They are requesting a variance to share bathroom facilities with an adjacent establishment.

This variance request was approved and is contingent upon the Petitioner ensuring the bathrooms located in the adjacent establishment, New York Pizza is functional, has hot and cold running water at all times, provided with soap and an approved method to dry hands, kept in a clean and sanitary manner, and available during all hours of operation. The Petitioner shall also ensure directional signage is installed within/or outside the establishment clearly stating the location of the bathrooms. Petitioner will have 20 seats which includes inside and outside seating and all provisos shall be met prior to licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

NOTICE WAS HEREBY GIVEN that on December 13, 2007 an Emergency Variance for subsections 61C-4.010(1) and 61C-4.010(6), Florida Administrative Code, from Caribbean Essence located in Orlando. The above referenced F.A.C. addresses food supplies, food protection, and physical facilities-except as specifically provided in this rule, public food service establishments shall be subject to the provisions of chapter three and chapter six of the FDA Food Code. They are requesting to do open air food service on a Mobile Food Dispensing Vehicle.

This variance request was approved and is contingent upon the Petitioner's use of open-air steam table properly covered and air curtain operating properly according to manufacturer's specifications and Section 6-202-15(D)(2), 2001 FDA Food Code, as to expel possible contaminants and vermin. Approval is also contingent upon Petitioner conducting all re-heating for hot holding at approved commissaries to the proper temperature per Section 3-403.11, 2001 FDA Food Code; and potentially hazardous food is held at proper temperatures according to Section 3-501.16, 2001 FDA Food Code.

The Petitioner shall strictly adhere to subsection 61C-4.0161(2)(c), Florida Administrative Code, and report to the commissary at least once daily when operating. All warewashing is to be conducted at the commissary and strict adherence to employee health guidelines as specified in the Section 2-201, 2001 FDA Food Code, are to be followed. Petitioner shall also use a potable water tank and utilize a wastewater holding tank that is at least 15% larger than the potable water holding tank; and sloped to a drain that is 1 inch in inner diameter or greater, equipped with a shut-off valve. Petitioner must receive potable water from an approved source with written documentation provided and sanitize the fresh water and wastewater tanks at least once every 24 hours.

Copies of the variance and operating procedures are to be present on the MFDV at all times of operation and shall be adhered to as approved by the Division. This variance is not transferable under any conditions. All provisos must be complied prior to final approval and licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

NOTICE WAS HEREBY GIVEN that on December 10, 2007, an Emergency Variance for subsection 61C-4.010(7), Florida Administrative Code, from China Fun located in Pace. The above referenced F.A.C. states...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated.....The proposed establishment has one bathroom facility for patrons and they are requesting a variance to have a seating capacity of twenty-four (24).

This variance request was approved and is contingent upon the Petitioner ensuring the public bathroom is functional, has running water at all times, provided with soap and an approved method to dry hands, and kept in a clean and sanitary manner. Seating shall not exceed (24) which includes inside and outside seating. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

NOTICE WAS HEREBY GIVEN that on December 14, 2007, a Routine Variance for subsection 61C-4.010(7), Florida Administrative Code, from El Caballo Blanco Cafeteria located in Miami. The above referenced F.A.C. states...each public food service establishment shall maintain a minimum of one public bathroom for each sex, properly designated.....The proposed establishment has one bathroom facility for patrons and they are requesting a variance to have a seating capacity of twenty (20).

This variance request was approved and is contingent upon the Petitioner ensuring the public bathroom is functional, has hot and cold running water at all times, provided with soap and an approved method to dry hands, and kept in a clean and sanitary manner. Seating shall not exceed (20) which includes inside and outside seating. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

NOTICE WAS HEREBY GIVEN that on December 14, 2007, for a Routine Variance Request for subsection 61C-4.010(7), Florida Administrative Code, from Lin's Cutting Board located in Orlando. The above referenced Florida Administrative Code states that each food service establishment must maintain a minimum of one public bathroom for each sex, properly designated....They are requesting a variance to use public restrooms that are beyond 300 feet in distance.

This variance request was approved and is contingent upon the Petitioner ensuring the bathrooms located greater than 300 feet is functional, has running water at all times, provided with soap and an approved method to dry hands, kept in a clean and sanitary manner, and available during all hours of operation. The Petitioner shall also ensure directional signage is installed within/or outside the establishment clearly stating the location of the bathrooms. Petitioner will have no more than 20 seats which includes inside and outside seating. All provisos shall be met prior to licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

NOTICE WAS HEREBY GIVEN that on December 11, 2007, for an Emergency Variance for subsection 61C-4.010(7), Florida Administrative Code, from Oceanway Crab House located in Jacksonville. The above referenced F.A.C. states that all bathrooms shall be of easy and convenient access to both patrons and employees...They are requesting a variance to share bathroom facilities with an adjacent establishment.

This variance request was approved and is contingent upon the Petitioner ensuring the bathrooms located in the adjacent establishment, Signs of all Kinds is functional, has running water at all times, provided with soap and an approved method to dry hands, kept in a clean and sanitary manner, and available during all hours of operation. The Petitioner shall also ensure directional signage is installed within/or outside the establishment clearly stating the location of the bathrooms. Petitioner will have no seating and all provisos shall be met prior to licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a

rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

NOTICE WAS HEREBY GIVEN that on December 14, 2007, an Emergency Variance for subsections 61C-4.010(1) and 61C-4.010(6), Florida Administrative Code, from Paise Catering located in Orlando. The above referenced F.A.C. addresses food supplies, food protection, and physical facilities-except as specifically provided in this rule, public food service establishments shall be subject to the provisions of chapter three and chapter six of the FDA Food Code. They are requesting to do open air food service on a Mobile Food Dispensing Vehicle.

This variance request was approved and is contingent upon the Petitioner's use of open-air steam table properly covered and air curtain operating properly according to manufacturer's specifications and Section 6-202-15(D)(2), 2001 FDA Food Code, as to expel possible contaminants and vermin. Approval is also contingent upon Petitioner conducting all re-heating for hot holding at approved commissaries to the proper temperature per Section 3-403.11, 2001 FDA Food Code; and potentially hazardous food is held at proper temperatures according to Section 3-501.16, 2001 FDA Food Code.

The Petitioner shall strictly adhere to subsection 61C-4.0161(2)(c), Florida Administrative Code, and report to the commissary at least once daily when operating. All warewashing is to be conducted at the commissary and strict adherence to employee health guidelines as specified in the Section 2-201, 2001 FDA Food Code, are to be followed. Petitioner shall also use a potable water tank and utilize a wastewater holding tank that is at least 15% larger than the potable water holding tank; and sloped to a drain that is 1 inch in inner diameter or greater, equipped with a shut-off valve. Petitioner must receive potable water from an approved source with written documentation provided and sanitize the fresh water and wastewater tanks at least once every 24 hours.

Copies of the variance and operating procedures are to be present on the MFDV at all times of operation and shall be adhered to as approved by the Division. This variance is not transferable under any conditions. All provisos must be complied prior to final approval and licensing. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance, and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Xenia.Bailey@dbpr.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Board of Accountancy, received a petition for Kent Bailey, seeking a variance from subsection 61H1-33.006(2), Florida Administrative Code, and the requirement that required continuing professional education hours have been completed in the 24 months immediately proceeding the date of an application for reactivation.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607, or by telephone at (352)333-2505. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on December 26, 2007, the Board of Accountancy, received a petition for Alan E. Klineberg, seeking a variance or waiver of paragraph 61H1-33.003(1)(a), Florida Administrative Code, which requires that in any given reestablishment period, at least 80 hours of continuing education credits must be earned.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607, or by telephone at (352)333-2505. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on December 27, 2007, the Board of Accountancy, received a petition for Lawrence Ronald Freeman, seeking a variance or waiver of paragraph 61H1-33.003(1)(b), Florida Administrative Code, which requires that the licensee submit additional hours of continuing education if they do not timely meet the initial requirements for continuing professional education within their reestablishment period.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607, or by telephone at (352)333-2505. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on January 4, 2008, the Board of Medicine received a petition filed on behalf of Ricardo E. Huete, M.D., seeking a waiver or variance from subsection 64B8-2.001(2), F.A.C., with regard to the requirement for the passing score on the FLEX examination to be obtained in one administration of the examination. Comments on this petition should be filed with the Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

For a copy of the petition, contact: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

NOTICE IS HEREBY GIVEN THAT on January 3, 2008, the Board of Pharmacy, received a petition for Alvin Appiah Pobe, seeking a variance or waiver of Rule 64B16-26.2031, Florida Administrative Code, which requires that an applicant for licensure be certified by the Foreign Pharmacy Graduate Examination Commission to have passed the Foreign Pharmacy Graduate Equivalency Examination, the Test of English as a Foreign Language, and the Test of Spoken English.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rebecca Poston, Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254. Comments on the petition should be filed with the Board of Pharmacy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on January 8, 2008, the Board of Pharmacy, received a petition for Kalpeshkumar N. Patel, seeking a variance or waiver of Rule 64B16-26.2031, Florida Administrative Code, which requires that an applicant for licensure be certified by the Foreign Pharmacy Graduate Examination Commission to have passed the Foreign Pharmacy Graduate Equivalency Examination, the Test of English as a Foreign Language, and the Test of Spoken English.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rebecca Poston, Executive Director, Board of Pharmacy, 4052 Bald Cypress Way, Bin #C04, Tallahassee, Florida 32399-3254, or telephone (850)245-4292. Comments on the petition should be filed with the Board of Pharmacy within 14 days of publication of this notice.

FINANCIAL SERVICES COMMISSION

NOTICE IS HEREBY GIVEN THAT on December 21, 2007, the Office of Insurance Regulation, received a petition for a waiver from the requirements of Rule 69O-125.003, F.A.C., relating to travel to Iraq and Afghanistan, due to the ongoing fight against terrorist factions in those two countries.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Bob Prentiss, Assistant General Counsel, Office of Insurance Regulation at bob.prentiss@fldfs.com.

Section VI Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **Friends of the Museums of Florida History, Inc.** announces a public meeting to which all persons are invited.

DATE AND TIME: Friday, January 25, 2008, 9:00 a.m. – 12:00 Noon

PLACE: TBA. Contact Elyse Cornelison at the Museum of Florida History at (850)245-6400 for further information

GENERAL SUBJECT MATTER TO BE CONSIDERED: General Business Meeting.

A copy of the agenda may be obtained by contacting: Elyse Cornelison at the Museum of Florida History at (850)245-6400.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: Elyse Cornelison at the Museum of Florida History at (850)245-6400. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Elyse Cornelison at the Museum of Florida History at (850)245-6400.

DEPARTMENT OF LEGAL AFFAIRS

The **Florida Elections Commission** announces a public meeting to which all persons are invited.

DATES AND TIME: Tuesday, February 12, 2008; Wednesday, February 13, 2008, 8:30 a.m. – 6:00 p.m.

PLACE: Senate Office Building, 404 South Monroe Street, Room 401, Tallahassee, FL