

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF TRANSPORTATION

NOTICE IS HEREBY GIVEN THAT on September 21, 2009, the Department of Transportation, received a petition for variance to allow Morris-Depew Associates Inc's., employee's 25 years of landscape industry experience to satisfy the qualification requirement for landscape architecture, in lieu of the Department's requirement of a minimum 5 year post-registration experience in landscape architecture projects. A copy of the Petition for Variance or Waiver may be obtained by contacting: Deanna R. Hurt, Assistant General Counsel and Clerk of Agency Proceedings, Florida Department of Transportation, Office of the General Counsel, 605 Suwannee Street, Mail Station 58, Tallahassee, Florida 32399.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN that on September 16, 2009, the St. Johns River Water Management District, received a petition for variance from Property Contract Managers, pursuant to Section 120.542, Florida Statutes. Petitioner is seeking a variance from Rule 12.4.5(d) of the Applicant's Handbook: Management and Storage of Surface Waters (November 5, 2008) (A.H.), for Environmental Resource Permit (ERP) Application 4-061-111295-1. The permit applicant is proposing to build a 5 building (32 unit) townhome development with associated parking and a surface water management system known as (The Preserve at Oak Lake), in Indian River County. Rule 12.4.5(d), A.H., prohibits the withdrawal of mitigation bank credits if at any time the mitigation banker is not in material compliance with the terms of the mitigation bank permit. The applicant is proposing as mitigation the use of mitigation bank credits that are currently "frozen" due to the bank's material non-compliance with its mitigation bank permit. Comments on this petition should be filed with Sandy Bertram, Acting District Clerk, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, within 14 days of publication of this notice. The petition has been assigned F.O.R. Number 2009-85.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Karen Coffman, Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177, or by telephone at (386)329-4288.

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN that on September 24, 2009, the The Agency for Health Care Administration, received a petition for Variance or Waiver from Rule 59G-13.083, Florida Administrative Code, from M.J. by and through A.J. and R.J. ("Petition"). Rule 59G-13.083, Florida Administrative Code, entitled Developmental Disabilities Waiver Services, governs all developmental disabilities waiver services providers enrolled in the Florida Medicaid program, and incorporates by reference the Florida Medicaid Developmental Disabilities Waiver Services Coverage and Limitations Handbook, July 2007 ("Handbook"). M.J. seeks a permanent variance or waiver from the portion of the Handbook regarding the service limitation that classifies Companion Services as a Meaningful Day Activity.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Richard Shoop, Agency Clerk, Agency for Health Care Administration, 2727 Mahan Drive, Building 3, Mail Station 3, Tallahassee, Florida 32308. Written comments on the Petition may be submitted to the Agency Clerk at the address above within five (5) days after publication of this notice.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on September 16, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsection 61C-4.010(5), Florida Administrative Code and Paragraph 4-301.12(A), 2001 FDA Food Code from Big Top of Tampa I, II & III located in Thonotosassa, FL. The above referenced F.A.C. addresses the requirement that each establishment have facilities for washing, rinsing and sanitizing dishes and utensils. They are requesting to utilize the dishwashing facilities located within another licensed establishment under the same ownership.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on September 4, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a petition for a Routine Variance for subsections 61C-4.010(6), (7), Florida Administrative Code, from Twisted Bliss located in Orlando, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers. They are requesting to utilize bathrooms located within another licensed food service establishment.

The variance request was published in Vol. 35, No. 35, September 4, 2009, contingent upon the Petitioner ensuring the bathrooms located within Caboose Restaurant, 1827 N. Orange Avenue, are maintained in a clean and sanitary manner and are provided with hot and cold running water under pressure, soap, approved hand drying devices, and available during all hours of operation. The Petitioner shall also ensure directional signage is installed within or outside the establishment clearly stating the location of the bathrooms. If the ownership of Caboose Restaurant changes, an updated signed agreement for use of the bathroom facilities is required immediately. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN that on September 18, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency variance from Rule 3.4.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires an emergency top hatch from Pat Scott on behalf of Howard Johnson Inn in Orlando, License Number 17737 and 17738 (VW2009-489).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 18, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase I and II and restriction of doors from Don Taliaferro on behalf of Island Reef, in Fort Myers Beach, License Number 10704 (VW2009-492).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 18, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Don Taliaferro on behalf of Santa Maria Resort Condominium Association, Inc. in Fort Myers Beach, License Number 35167 (VW2009-491).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 17, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for temporary variance from Rule 3.11.1, 2.3.1, 3.11.3, 2.27.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2, three-way Firefighter operation switch, access to the pit, emergency signaling devices and restriction of doors from Ann Burt on behalf of Oceanside Executive Center (d/b/a/ Burt Building) License Number 23218 & 23219 (VW2009-473).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 14, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Monique Fisher on behalf of Fisher Tower in Sarasota License Number 34235 (VW2009-474).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 15, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from unspecified rules in Chapter 61C-5, F.A.C., requiring a digital upgrade to the elevators located at Old Port Cove Condominium Association Five in North Palm Beach. The petition was received from Steven L. Cohen. (VW2009-475)

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 15, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for temporary variance from unspecified sections of A17.3, 1996 as adopted by Chapter 3001.2 as

adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires keyed stop switches and fire service upgrades from Lynann Ballard on behalf of Monaco Beach Club (VW2009-476).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 14, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Catherine M. Davidson on behalf of Siemens Energy Inc. in Orlando License Number 32677-32678 (VW2009-477).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 14, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 111.5, A17.1 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires does not exist from Tom Floyd on behalf of LifeStream Behavioral Center, Inc. in Leesburg License Number 714 & 5803 (VW2009-479).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 14, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for variance from Section 399.105(4), Florida Statutes, which requires owners to correct violations within 30 days after an Order to Correct has been issued. The petition was received from Sara M. Wayson on behalf of the Franklin Exchange Office Building License Numbers 2869, 2870 & 6713 (VW2009-480).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 14, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Jim Gentry on behalf of Lake Ella Manor in Tallahassee License Number 36525 & 36526 (VW2009-481).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 14, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3 and 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 and restriction of doors from Joy McKenna on behalf of Kennedy Center Office Building License Numbers 28323 & 28324 (VW2009-482).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 17, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Marsha Crewe on behalf of Burlington Tower in St. Petersburg License Number 33594 & 33595 (VW2009-483).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 17, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for petition for a temporary variance from Rule 2.7.4, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires restricted door openings from Brenda Miller on behalf of Sarasota County East Wing Jail in Sarasota License Numbers 38758 & 38759 (VW2009-484).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Randy Unwin on behalf of Bahia del Mar III Condominium Association, Inc. in St. Petersburg License Number 34318, 34319, 36250 & 36251 (VW2009-485).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 21, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Randy Unwin on behalf of Sand Pebble Pointe III Condominium Association, Inc. in Port Richey License Number 39386, 37913 & 39368 (VW2009-486).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 18, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a petition for a variance from Rule 2.14.1.4, ASME A17.1, 2005 edition as adopted by Chapter 3001.2, Florida Building Code as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which requires cars with two compartments have the compartments one on top of the other. The request was received from Lee Rigby on behalf of Marion County Judicial Center Expansion in Ocala License Numbers 96307 & 96308 (VW2009-487).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on September 18, 2009, the Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for a temporary variance from Rule 3.11.3, A17.3, 1996 as adopted by Chapter 3001.2 as adopted by paragraph 61C-5.001(1)(a), F.A.C., which requires Fire Fighter Service Phase 1 and 2 from Bill Prout on behalf of Beach House in Indian Shores License Number 32175 (VW2009-488).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

OTICE IS HEREBY GIVEN that on September 16, 2009, the Department of Environmental Protection's Northwest District Office, received a petition for a variance under Section

120.542, Florida Statutes, from the requirements of paragraph 62-610.462(3)(b), Florida Administrative Code (F.A.C.). The petitioner, Patrick C. Flynn, Regional Director, Sandy Creek Utilities Services, Inc., for the Sandy Creek Ranch Wastewater Treatment Plant, seeks relief from the minimum wastewater treatment plant staffing required by paragraph 62-610.462(3)(b), F.A.C. The petitioner is requesting that the wastewater treatment plant be staffed 3 hours per day, 5 days per week and one visit on each weekend day by a Class C operator; paragraph 62-610.462(3)(b), F.A.C., requires minimum staffing 6 hours per day, 7 days per week by a Class C operator. The petition has been assigned OGC File No. 09-3593 and PA File No.: FLA010019-008-DWF/VO; Public comment must be received by the person below no later than 14 days from the date of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allan Karrer; Department of Environmental Protection, Domestic Wastewater Section; Northwest District, 160 Governmental Center, Pensacola, Florida 32502; (allan.karrer@dep.state.fl.us); telephone (850)595-8380.

NOTICE IS HEREBY GIVEN that on September 11, 2009, the Department of Environmental Protection has issued an order.

The order, OGC Case No.: 09-3118, to Target Corporation granted a petition for waiver that was filed on July 1, 2009, from subsections 62-550.102(2) and (3), F.A.C. The rule identifies the criteria for being regulated as a public water system. The waiver allows Target to bill two other businesses for drinking water each uses from their water lines that are interconnected with the Target store, without having Target regulated as a public water system. The store is located on Waters Avenue in Hillsborough County. Target demonstrated that it would suffer a substantial hardship it were to be regulated as a public water system, and that the purposes of the underlying statute, protection of the drinking water, would still be met with the waiver. Notice of receipt of the petition was published in the Florida Administrative Weekly on July 24, 2009, and no public comment was received.

A copy of the Order may be obtained by contacting: Van Hoofnagle, Department of Environmental Protection, MS 3520, 2600 Blair Stone Rd., Tallahassee, FL 32399-2400; telephone (850)245-8631.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN that on September 18, 2009, the Board of Clinical Laboratory Personnel, received a petition for Tammy A. Spell. Petitioner is seeking a variance or waiver of paragraph 64B3-5.002(1)(a), Florida Administrative Code, which requires for licensure as a supervisor, the licensee must have a bachelors degree with 24 semester hours of academic science including 8 semester hours of biological sciences and 8 semester hours of chemical sciences.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joe Baker, Jr., Executive Director, Board of Clinical Laboratory Personnel, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257. Comments on the petition should be filed with the Board of Clinical Laboratory Personnel within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN that on September 25, 2009, the Board of Dentistry, received a petition for variance or waiver of paragraph 64B5-2.013(1)(c), F.A.C., with regard to the requirement that a candidate must successfully complete all three examinations as provided for in Section 466.006, F.S., within a thirteen month period in order to qualify for licensure. If the candidate fails to successfully complete all three examinations within that time period, then the candidate must retake all three of the examinations.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, at the above address or telephone (850)245-4474.

NOTICE IS HEREBY GIVEN that on September 25, 2009, the Board of Dentistry, received a petition for variance or waiver of Rule 64B5-2.021, F.A.C., with regard to the requirement that any applicant who has failed to pass the clinical examination in three attempts shall not be eligible for reexamination until he or she completes a one year general practice residency.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, at the above address or telephone (850)245-4474.

NOTICE IS HEREBY GIVEN that on September 22, 2009, the Board of Medicine, received a petition for waiver or variance filed by Carlos Miranda, M.D., from subsection 64B8-4.009(5), F.A.C., with regard to the requirement for submission of documentation of medical education directly from Petitioner's medical school. Comments on this petition should be filed with the Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

NOTICE IS HEREBY GIVEN THAT on September 24, 2009, the Board of Optometry, received a petition for Waiver or Variance filed by, Mona Patel, O.D., from Rule 64B13-4.001, F.A.C., pertaining to the examination requirement. Comments on this petition should be filed with the Board of Optometry, 4052 Bald Cypress Way, Bin #C02, Tallahassee, Florida 32399-3052, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joe Baker, Jr., Executive Director, Board of Optometry, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on September 23, 2009, the Florida Housing Finance Corporation, received a petition for Waiver/Variance of paragraph 67-48.004(14)(b), F.A.C. The petition is seeking to waive the restrictions of paragraph 67-48.004(14)(b), F.A.C., in order to change the Developers identity after the application deadline.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website at: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

Section VI Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

- State Board of Administration
- Division of Bond Finance
- Financial Services Commission:
- Office of Insurance Regulation
- Office of Financial Regulation
- Agency for Enterprise Information Technology
- Department of Veterans' Affairs
- Department of Highway Safety and Motor Vehicles
- Department of Law Enforcement
- Department of Revenue
- Administration Commission
- Florida Land and Water Adjudicatory Commission
- Board of Trustees of the Internal Improvement Trust Fund
- Department of Environmental Protection

DATE AND TIME: October 27, 2009, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida