

Form), effective 08/09, as incorporated by reference. A copy of Form DFS-F2-SI-23 (Qualified Servicing Entity Annual Report Form), effective 08/09, is available at the:

Department of Financial Services
Division of Workers' Compensation
Bureau of Monitoring and Audit/Self-Insurance
200 East Gaines Street
Tallahassee, FL 32399-4224

(12) through (13) No change.

The remainder of the rule reads as previously published.

Section IV Emergency Rules

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

ADMINISTRATION COMMISSION

NOTICE IS HEREBY GIVEN THAT on November 2, 2009, the Administration Commission, received a petition for variance from or waiver of the 20% ROGO allocation reduction in Rule 28-20.110, F.A.C., filed by the Board of County Commissioners of Monroe County, Florida. The Monroe County Board of County Commissioners are seeking a temporary variance and/or waiver from that portion of Rule 28-20.110, F.A.C., which provides for a minimum reduction of 20% in new residential building permit allocations should the Administration Commission find that the County has not made

"substantial progress" towards its Work Program tasks. The Monroe County Board of County Commissioners request a temporary variance and/or waiver for a period of one year.

Any interested person or other agency may submit written comments on the petition to: Barbara Leighty, Clerk, Administration Commission, Office of the Governor, Room 1801, The Capitol, Tallahassee, Florida 32399-0001, (850)487-1884. Comments must be received by the Clerk within 14 days after this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Barbara Leighty, Office of the Governor, Room 1801, The Capitol, Tallahassee, Florida 32399-0001, (850)487-1884.

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN THAT on October 30, 2009, the Agency for Health Care Administration has issued an order.

Final Order Denying Emergency Petition for Variance or Waiver from Rule 59G-13.083, Florida Administrative Code, and Determining that the Petition is not an Emergency.

September 24, 2009, the Agency for Health Care Administration, received an Emergency Petition for Variance or Waiver from Rule 59G-13.083, Florida Administrative Code, from M.J. by and through A.J. and R.J. ("Petition"). Rule 59G-13.083, Florida Administrative Code, entitled Developmental Disabilities Waiver Services, governs all developmental disabilities waiver services providers enrolled in the Florida Medicaid program, and incorporates by reference the Florida Medicaid Developmental Disabilities Waiver Services Coverage and Limitations Handbook, July 2007 ("Handbook"). M.J. seeks a permanent variance or waiver from the portion of the Handbook regarding the service limitation that classifies Companion Services as a Meaningful Day Activity. The Notice of the Petition was published in the Florida Administrative Weekly on October 9, 2009.

On October 30, 2009, AHCA issued a Final Order denying the Petition. AHCA's findings were two-fold. First, the situation presented in the Petition was not an emergency. Second, the Petition failed to provide facts that constitute competent, substantial evidence, pursuant to Section 120.542(8), Florida Statutes, to support a variance or waiver of Rule 59G-13.083, Florida Administrative Code.

A copy of the Final Order may be obtained by writing: Richard Shoop, Agency Clerk, Agency for Health Care Administration, 2727 Mahan Drive, Building 3, Mail Station 3, Tallahassee, Florida 32308.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on November 4, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety

has received an order. That order granted a variance to Ned Willis, Kennedy Square Investors, St. Petersburg, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until April 2, 2010 (VW 2009-258).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Courtney L. Collins, Centre Court Condo Assoc., Inc., Ft. Myers, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-283 & 437).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Michael McLaughlin of Midtown Center Office Park 1200 Building of Jacksonville, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 31, 2010 (VW 2009-369).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009 the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Michael McLaughlin, 1100 Building, Jacksonville, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 31, 2010 (VW 2009-370).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Colleen Ansell of Downtown Patient Bldg. LLC of Orlando to not comply with Rules 2.20.1, 2.20.9 and 2.24.2, ASME A17.1, 2004 edition to allow the installation of an Otis Gen2TM elevator system (VW 2009-387).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Gary Glass, The Inn on the Beach, Longboat Key, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until November 1, 2012 (VW 2009-394).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Sandra Ballestra, One Tampa Center, Tampa, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until December 31, 2010 (VW 2009-404).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Snyder, Constellation Condo Assoc., St. Pete Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 31, 2011 (VW 2009-406).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to John Coleman, The Terraces, Naples, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 30, 2010 (VW 2009-416).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Hugh

Whitehouse of Jupiter Cove of Jupiter to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until June 30, 2010 (VW 2009-417).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Rob Magrath, Horizon's Building, West Palm Beach, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until March 2, 2011 (VW 2009-421 & 442).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Keith Rogers, City of Tampa, Tampa, FL, to not comply with Rules 3.11.3 and 3.11.1, ASME A17.3, 1996 edition until August 13, 2012 (VW 2009-422).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Theodore M. Baranowski, Halifax Health Medical Center, Daytona Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 31, 2012 (VW 2009-440).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Thomas L. Klepacki of Harbor View Manor Condominium of Clearwater to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until July 31, 2012 (VW 2009-447).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Karen J. Cochran, Islander Condominium Association, Clearwater, FL, to not comply with Rules 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until October 31, 2012 (VW 2009-449).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Paul Levine, Transflorida Centre, Boca Raton, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 31, 2012 (VW 2009-459 and 651).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Fairway Pines at Sun N' Lake, Sebring, FL, to not comply with Rules 3.11.3 and 3.11.1, ASME A17.3, 1996 edition until October 1, 2011 (VW 2009-569).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Darrel Self, Shipp's Landing, Marco Island, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until June 1, 2011 (VW 2009-585).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, 5728 Major Center Blvd., Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-598).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Panama Club, Marco Island, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2012 (VW 2009-600).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Rachel Sardenga, Sand Lake IV Building, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until October 1, 2010 (VW 2009-612).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Jim Veigle, Regions Bank Building, Winter Park, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until March 1, 2011 (VW 2009-616).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Kay Vega of Armenia Professional Center of Clearwater to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2011 (VW 2009-633).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Michael

Valore, Hillcrest Building, Orlando, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2010 (VW 2009-636).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 4, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Veronica Franco, Comeau Building, West Palm Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 15, 2010 (VW 2009-655).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 16, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, SK Fairgreen LLC of Orlando, and location of the Serial Number 44663, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Mona Adams, Office Manager (VW 2009-669).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Keys Energy Services, Key West, FL, and location of the Serial Number 44746, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Randall Roberts, Facilities Supervisor (VW 2009-670).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida

Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Envision Credit Union, Tallahassee, FL, and location of the Serial Number 3563, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Anthony Maldonado, Facilities Operations Specialist (VW 2009-671).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Mariner's Boathouse & Beach Resort Condo. Assoc., Inc., Ft. Myers Beach, FL, and location of the Serial Number 33751, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Hazel E. King, General Manager (VW 2009-672).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Eastpointe Building, Tampa, FL, and location of the Serial Numbers 40354 and 38824, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Patricia Del Villar, Senior Property Manager (VW 2009-673).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, City Center of St. Petersburg, St. Petersburg, FL, and location of the Serial Numbers 34431-37 and 35674-75, requests the variance for an extension of time to

complete repairs and for economic/ financial hardship. The petition was received from John H. Murray, Vice President (VW 2009-674).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Lakeview Center of Tampa, and location of the Serial Numbers 35144-46, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Patricia Del Villar, Senior Property Manager (VW 2009-675).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Anthony Building, West Palm Beach, FL, and location of the Serial Number 674, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Paul Komie, Agent (VW 2009-676).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Gulfstream, Lake Worth, FL, and location of the Serial Number 16580, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Paul Komie, Agent (VW 2009-677).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 23, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Canton Building of Winter Park, and location of the Serial Numbers 21831-32, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sherrie Hallock, Vice President (VW 2009-678).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 26, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Sections 2.7.4 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The Madrid Club of Naples, and location of the Serial Numbers 23080-81, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Vanessa Mundy (VW 2009-679).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 26, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Sections 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, 1900/2000 NW Corporate Blvd., Boca Raton, FL, and location of the Serial Numbers 38118-19 and 28199, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Anne Hutter, Assistant Property Manager (VW 2009-680).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 26, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received

a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Inlet Harbor Club, Boynton Beach, FL, and location of unspecified Serial Number(s), requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from John P. Caparosa, President (VW 2009-681).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 26, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Wiggins Pass West Condo. Assoc., Naples, FL, and location of the Serial Number 35731, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from BJ Savard-Boyer, Treasurer (VW 2009-682).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 26, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Seville Condo #14, Clearwater, FL, and location of the Serial Number 10661, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Sherri L. Fogel, President (VW 2009-683).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 26, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, The 600 Center, Bradenton, FL, and location of the Serial Numbers 33602-03, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from James U. Wade (VW 2009-684).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 27, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, RLLP of Cape Coral, and location of the Serial Number 41211, requests the variance for an extension of time to complete repairs and for economic/ financial hardship. The petition was received from Bill B. Berke, Manager (VW 2009-685).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 27, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Amerilife Tower, Clearwater, FL, and location of the Serial Numbers 22377-79, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Michael Dean (VW 2009-686).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 27, 2009, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Seminole Isle Bldg.s D, E and F, Seminole, FL, and location of the Serial Numbers 88631-32, 90004-05, 90599 and 90601, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Loey Antonucci, Manager (VW 2009-687).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 6, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition on October 16, 2009 for an Emergency Variance for Section 509.221(1)(b), F.S., paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code from 7th Floor Concierge Lounge, Coral Springs, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers and employees. They are requesting to utilize the public bathrooms located on a different level (1st Floor) of the lodging.

The variance request was published in Vol. 35, No. 43, October 30, 2009, and is contingent upon the Petitioner ensuring the public bathrooms located on the 1st floor of the lodging are maintained in a clean and sanitary manner and are provided with hot and cold running water under pressure, soap, approved hand drying devices, employee hand washing signage and are available during all hours of operation. The Petitioner shall also ensure directional signage is installed within and outside the establishment clearly stating the location of the bathrooms. If the circumstances governing access to the public bathrooms change, this variance approval will be revisited. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on October 30, 2009, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition on September 16, 2009, for a Routine Variance for subsection 61C-4.010(5), Florida Administrative Code and Paragraph 4-301.12(A), 2001 FDA Food Code from Big Top of Tampa I, II & III, Thonotosassa, FL. The above referenced F.A.C. addresses the requirement that each establishment have facilities for washing, rinsing and sanitizing dishes and utensils. They are requesting to utilize the dishwashing facilities located within another licensed establishment under the same ownership.

The variance request was published in Vol. 35, No. 40, October 9, 2009, and is contingent upon the Petitioner ensuring the three-compartment sink located within Big Top of Tampa is maintained in a clean and sanitary manner and provided with hot and cold running water under pressure and available during all hours of operation. If the owner of Big Top of Tampa

changes, an updated signed agreement for use of the three-compartment sink is required immediately. Any violation of the variance is the equivalent of a violation of the Rule and may result in a rescission of the variance and subject the Petitioner to disciplinary sanctions as enumerated in Section 509.261, Florida Statutes.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on October 26, 2009, the Department of Environmental Protection, received a petition for variance from provisions in subsection 62-521.200(7), and paragraph 62-521.400(1)(f), F.A.C., on behalf of the City of Lake Worth for its water treatment plant located at 301 College Street, to allow construction of a deep underground injection control well within 500 feet of three drinking water supply wells. The rules require at least a 500-foot setback between a new injection well and a public drinking water supply well. The injection well is used for disposal of reverse osmosis concentrate resulting from the treatment of the water from the supply wells to produce drinking water for the City.

Any interested person may submit written comments on this petition within 14 days from the date of publication of this notice to the person listed below.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Cynthia Christen, OGC, MS #35, 3900 Commonwealth Blvd., Tallahassee, FL 32399-3000, cynthia.christen@dep.state.fl.us, (850)245-2230.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on March 27, 2009, the Board of Nursing, received a petition for waiver or variance filed by Bryan Millares, from Rule 64B9-2.008, F.A.C., with regard to the clinical component of the educational requirement of Rule 64B9-2.008, F.A.C. Comments on this petition should be filed with: Board of Nursing, 4052 Bald Cypress Way, Bin #C02, Tallahassee, Florida 32399-3052, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rick Garcia, Executive Director, Board of Nursing, at the above address, or telephone (850)245-4620.

NOTICE IS HEREBY GIVEN THAT on October 15, 2009, the Board of Nursing, received a petition for waiver or variance filed by Tina A. Rayfield, from Rule 64B9-2.008, F.A.C., with regard to the clinical component of the educational requirement of Rule 64B9-2.008, F.A.C. Comments on this petition should be filed with the Board of Nursing, 4052 Bald Cypress Way, Bin #C02, Tallahassee, Florida 32399-3052, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rick Garcia, Executive Director, Board of Nursing, at the above address, or telephone (850)245-4620.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on October 22, 2009, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Adoption By Shepherd Care and Terri Maikkula, assigned Case No. 09-036W. subsection 65C-15.017(3), F.A.C., require agency staff responsible for performing casework services shall have a bachelor's or master's degree in social work or related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

Section VI Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

State Board of Administration
Division of Bond Finance
Financial Services Commission:
Office of Insurance Regulation
Office of Financial Regulation
Agency for Enterprise Information Technology
Department of Veterans' Affairs
Department of Highway Safety and Motor Vehicles
Department of Law Enforcement
Department of Revenue
Administration Commission
Florida Land and Water Adjudicatory Commission
Board of Trustees of the Internal Improvement Trust Fund
Department of Environmental Protection

DATE AND TIME: December 8, 2009, 9:00 a.m.