

fourth sentence of the first paragraph has been changed to read “This form shall be filed with the Division at least 21 days BEFORE the new location is ready for inspection to allow the Division to schedule the inspection.” The revised forms can be found on the Division’s website at www.myfloridacfo.com/FuneralCemetery/.

FINANCIAL SERVICES COMMISSION

Financial Services Commission

RULE NOS.:	RULE TITLES:
69M-236.002	Definitions
69M-236.004	Limitations and Exclusions

NOTICE OF CHANGE

Notice is hereby given that the following changes have been made to the proposed rule in accordance with subparagraph 120.54(3)(d)1., F.S., published in Vol. 35, No. 47, November 25, 2009 issue of the Florida Administrative Weekly.

These changes were made in response to comments received at the hearing held on the proposed rules on February 9, 2010.

Subsection (5) of Proposed Rule 69M-236.002, F.A.C., has been deleted. This subsection contained a definition for “qualifying premium.”

The words “average number” have been deleted from Subsection (7) of Proposed Rule 69M-236.004, F.A.C., and replaced by the word “median” and the words “by all personal residential property insurers” have been added. The words “qualifying premium” have been deleted from Subsections (8) and (10) of Proposed Rule 69M-236.004, F.A.C., and replaced in subsection (8) by the words “direct written personal residential premium in this state during the experience period, excluding the latest year” and in subsection (10) by the words “direct written personal residential premium in this state.”

As changed, the proposed rules will read:

69M-236.002 Definitions.

(1) “Complaint” means any written communication that expresses dissatisfaction with a specific personal residential property insurer subject to regulation under Florida’s insurance laws. An oral communication which is subsequently converted to a written form meets the definition of a complaint for this purpose.

(2) “Division” means the Division of Consumer Services of the Department of Financial Services.

(3) “Experience period” means the latest five calendar years for the purpose of evaluating complaints and the latest five calendar-accident years for the purpose of evaluating time to pay claims.

(4) “Personal residential property insurer” means an insurer that writes personal residential property insurance such as homeowner’s, mobile home owner’s, dwelling, tenant’s, condominium unit owner’s, cooperative unit owner’s and similar policies and includes an insurer that, in addition to writing personal residential property insurance policies, also

writes commercial residential property insurance policies such as condominium association, cooperative association, apartment building and similar policies.

69M-236.004 Limitations and Exclusions.

(7) For calendar-accident years in which a company had fewer than 50 paid claims as of the end of the latest calendar year, such claims are assumed to have been paid in the median number of months for payment by all personal residential property insurers.

(8) Insurers with less than \$30 million in direct written personal residential premium in this state during the experience period, excluding the latest year, are graded on each of the four factors but are given an overall grade of “I” for “insufficient complaint history” due to a lack of actuarial credibility.

(10) Insurers with less than \$100,000 in direct written personal residential premium in this state in the latest calendar year will not be graded.

The remainder of the rule reads as previously published.

**Section IV
Emergency Rules**

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

**Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver**

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled “Official Notices.”

PUBLIC SERVICE COMMISSION

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Florida Public Service Commission received an amended petition for variance of Rule 25-4.0185, Florida Administrative Code.

Docket No.: 090550-TL – Petition for variance from Rules 25-4.0185 and 25-4.073, F.A.C., by Verizon Florida LLC. Verizon amended its petition to expand its request for variance to include Rules 25-4.066 and 25-4.070, F.A.C. Rules 25-4.066 and 25-4.070, F.A.C. require a local exchange company to report its installation and repair data. A previous notice was published on January 22, 2010, addressing Verizon's petition for waiver for Rules 25-4.0185 and 25-4.073, F.A.C. Comments on the petition should be filed with the Commission's Office of Commission Clerk, within 14 days of publication of this notice. For additional information, please contact: Lee Eng Tan, Office of the General Counsel, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, (850)413-6189.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850.

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on February 11, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-023-DAO-ROW was issued to Palm Beach County Water Utility Department (Application No.: 09-1210-2M). The petition for waiver was received by the SFWMD on December 10, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 52, on December 31, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow construction of an above-ground canal water pump station (48' from the top of the canal bank) within the northerly right of way of the Hillsboro Canal located approximately 1000' west of SR 7; Section 36, Township 47 South, Range 41 East, Palm Beach County. Specifically, the Order grants a waiver from paragraphs 40E-6.221(2)(a) and (j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the present or future construction, alteration, or operation or maintenance of the works or land of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and

routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from a suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on February 11, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No. 2010-024-DAO-ROW was issued to Miami-Dade County, Office of Public Transportation (Application No.: 09-0708-3M). The petition for waiver was received by the SFWMD on October 8, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 43, on October 30, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow four existing culvert connections, 3-24" and 1-30", at all 4 bridge quadrants of the County's Busway Extension Bridges to Florida City crossing the C-103N Canal; Section 33, Township 56 South, Range 39 East, Miami-Dade County. Specifically, the Order grants a waiver from paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the maximum invert elevation of culvert connections within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from a suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on February 11, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-025-DAO-ROW was issued to Miami-Dade County Public Works Department (Application No.: 09-1201-1). The petition for waiver was received by the SFWMD on December 1, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 51, on December 24, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow for the installation of approximately 1000 feet of guardrail, 6 feet inside the

northerly right of way of the C-1W Canal (approximately 39' from top of bank) adjacent to S. W. 212th Street between S. W. 119th Avenue to S. W. 117th Court; Section 12, Township 56 South, Range 39 East, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of the canal bank Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from a suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on February 11, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-026-DAO-ROW was issued to Miami-Dade Water and Sewer Department (Application No.: 09-0115-1). The petition for waiver was received by the SFWMD on March 18, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 13, on April 3, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow for the installation of a buried parallel run, 42" reclaimed water main transmission line within the C-1 Canal right of way beginning at Old Cutler Road to S. W. 97th Avenue (approximately 1.5 miles) and within the C-1W Canal right of way from S. W. 127th Avenue to the Homestead Extension of the Florida Turnpike (approximately 2.25 miles); Sections 12, 7, 8, 17 and 20, Township 56 South, Ranges 39 and 40 East, Miami-Dade County. Specifically, the Order grants a waiver from subsection 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which prohibits the placement of parallel run transmission lines within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and

routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from a suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on February 11, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-027-DAO-ROW was issued to Miami-Dade County Public Works Department (Application No.: 09-1217-1M). The petition for waiver was received by the SFWMD on December 17, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 2, on January 15, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow for the construction of an above-ground water level recorder located approximately 25' from the top of the canal bank within the northerly right of way of the C-4 Canal easterly of S. W. 120th Avenue; Section 1, Township 54 South, Range 39 East, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of the canal bank Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from a suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on February 11, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-028-DAO-ROW was issued to Miami-Dade County Parks and Recreation Department (Application No.: 09-0311-6M). The petition for waiver was received by the SFWMD on September 3, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 37, on September 18, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow for

the proposed addition of a fishing platform with walkway and appurtenances within the north right of way of C-1 as part of the County's Biscayne Trail located approximately 200' downstream of District Water Control Structure S-21; Section 22, Township 56 South, Range 40 East, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of the canal bank Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule was based upon principles of fairness.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on February 11, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-029-DAO-ROW was issued to Miami-Dade County, Office of Public Transportation (Application No.: 09-0708-2M). The petition for waiver was received by the SFWMD on October 8, 2009. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 35, No. 43, on October 30, 2009. No public comment was received. This Order provides a waiver of the District's criteria to allow two existing, previously authorized 24" culvert connections through the northeast and southeast right of way of C-103 in conjunction with the County's Busway Extension Bridges to Florida City; Section 5, Township 57 South, Range 39 East, Miami-Dade County. Specifically, the Order grants a waiver from subsection 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the maximum invert elevation of culvert connections within Works or Lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from a suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN THAT on February 2, 2010, the Agency for Health Care Administration, received a petition for variance from of subsection 59A-1.005(35), Florida Administrative Code, from the Musculoskeletal Transplant Foundation. The petition requests a variance of rule provisions requiring HTLV testing for donor tissue. The specific provision on which the waiver is sought is subparagraph 59A-1.005(35)(a)2., Florida Administrative Code. The Petitioner in its request seeks a permanent variance from the rule due to substantial hardship.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Shaddrick A. Haston, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to provide the information requested by the Department, as submitted by Jeanne Ratliff of Plant City Towers and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-386).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to provide the information requested by the Department, as submitted by Virginia Wistner, Regency Condo Assoc. and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-497).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the

department is not authorized to grant variance from Florida Statute, as submitted by Lou Wolfenson, Admiralty House and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-500).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to provide the information requested by the Department, as submitted by David Ricereto, Martinique South Condo and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-512).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to provide the information requested by the Department, as submitted by David Ricereto, Ironwood Third Condo and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-513).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to provide the information requested by the Department, as submitted by Lisa Herrera, Visual Health @ Jupiter Eye Center and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-517).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden provide the information requested by the Department, as submitted by Patrick Boone of Waters Edge

Condo Assoc., Inc. and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-591).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order.

That the order is denied as the petitioner has not met its burden to provide the information requested by the Department, as submitted by David Haysmer, MSLPC South Congress Holdings, Inc. and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-613).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Patricia Serley, Walgreens, Milton, FL, to not comply with Rule 2.2.2.5, ASME A17.1, 2004 edition (VW 2009-625).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to meet the intent of the code within a reasonable period of time, as submitted by Wayne Turk, Cove Harbor I Condo Assoc., Inc. and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-626 & VW 2010-044).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to provide the information requested by the Department, as submitted by Randall Roberts, Keys Energy Services and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-670).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden to provide the information requested by the Department, as submitted by Loey Antonucci, Seminole Isle Bldg. D E & F and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-687).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Steven C. Lebrun, Bermuda High South, Delray Beach, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition (VW 2009-718 & 740).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to John Wagner, Boca Raton Plaza Hotel and Suites, Boca Raton, FL, to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until January 1, 2011 (VW 2009-737).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the department is not authorized to grant variance from Florida Statute, as submitted by Michael Young, Windermere Business Center Condo Assoc. and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-738).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Madelyn Wood, Vista De Oro Condo, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 1, 2013 (VW 2009-739).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Paul Mullen, Bahia Del Mar II, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 1, 2013 (VW 2009-741).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Paul Mullen, Bahia Del Mar II, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 1, 2013 (VW 2009-742).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Barry S. Stark, 2790 N. Federal Hwy., Boca Raton, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 1, 2012 (VW 2009-743).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Judy Preefer, Raymond Office Plaza, West Palm Beach, FL, to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until February 1, 2013 (VW 2009-745).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Snyder, Sun Towers, Sun City Center, FL, to not comply with Rule 3.11.3, 2.7.4, 3.10.4(t), 3.11.1(a)(2) and 3.3.2, ASME A17.3, 1996 edition until February 1, 2013 (VW 2009-746).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Snyder, Townview Condo Assoc., St. Petersburg, FL, to not comply with Rule 3.11.3, 3.3.2, 2.7.4 and 3.9.1, ASME A17.3, 1996 edition until February 1, 2013 (VW 2009-747).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the petitioner has not met its burden by indicating how the intent of the code would be met, as submitted by Karen J. Cochran, Diamond Isle Condo, Inc. and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2009-753).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Allison Waldman, Jamestown Condo Assoc., Inc., West Palm Beach, FL, to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until February 1, 2015 (VW 2009-754).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety

has received an order. That order granted a variance to Julian Chechatka, Catamaran I, Inc., Ft. Pierce, FL, to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until January 1, 2012 (VW 2009-756).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lessy Texier, Park West Condo Assoc., Winter Park, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until August 1, 2012 (VW 2009-758).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Stone, Treasure Sands Condo, Treasure Island, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until February 1, 2015 (VW 2009-759).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Tarun Patel, Clarion Hotel, Ft. Myers, FL, to not comply with Rule 2.7.4, ASME A17.3, 1996 edition until January 1, 2012 (VW 2009-772).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Jacqueline Wuestman, Bellamar House Condo, Greenacres, FL, to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until February 1, 2015 (VW 2009-773).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to William Snyder, Town Shores Condo Chatham House, Gulfport, FL, to not comply with Rule 3.9.1, 3.10.3, 3.10.4(t), 3.11.1(a)(2), 3.3.2 and 4.7.8, ASME A17.3, 1996 edition until October 1, 2011 (VW 2009-836).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That the order is denied as the property is located in the City of Miami, which has contracted with the Department to act as the regulatory authority within that jurisdiction, as submitted by Robert 'Chip' Duncan of Hyatt Regency and, as specified in Section 120.542, Florida Statutes, titled Petition for Variances and Waivers (VW 2010-016).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Westcott Station, Tallahassee, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until January 1, 2013 (VW 2010-021).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Mario J. Perry, Courthouse Square, St. Petersburg, FL, to not comply with Rule 3.11.3, ASME A17.3, 1996 edition until December 31, 2011 (VW 2010-023).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Rebecca

J. Finn, 1601 Ocean Dr., South, Jacksonville Beach, FL, to not comply with Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition until June 30, 2012 (VW 2010-024).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, SFCC Auditorium, Avon Park, FL, to not comply with Rule 2.24.2.1 and 2.20.4, ASME A17.1, 2005 edition (VW 2010-033).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has received an order. That order granted a variance to Lee Rigby, Village at Secret Lake, Kissimmee, FL, to not comply with Rule 2.2.2.5, ASME A17.1, 2004 edition (VW 2010-036).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on January 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Twelve, Bradenton, FL, and location of the Serial Number 32622, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Stacia Scofero (VW 2010-045).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on January 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, 3.10.4(t) and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Ironwood Fifteenth, Bradenton, FL, and location of the Serial Number 35098, requests the variance for

an extension of time to complete repairs and for economic/financial hardship. The petition was received from Thomas Cook (VW 2010-046).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on January 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Sunrise, The Palm Beaches, Lake Worth, FL, and location of the Serial Number 32198 and 32545, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Fred Grotke (VW 2010-047).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on January 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for permanent variance from A17.3, Section 3.10.4(t), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Comfort Inn, Bonita Springs, FL, and location of the Serial Number 42347, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Patrick Murphy (VW 2010-048).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on January 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Lakeside Point Apartment No. 11, Lake Worth, FL, and location of the Serial Number 4605-06, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from James Carreau, President (VW 2010-049).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on January 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Shorehouse Condo, Bay Pines, and location of the Serial Number 32926, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from LKC Property Management (VW 2010-050).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on January 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a permanent variance from A17.3, Section 3.11.3, 3.11.1(a)(2), 3.4.5(d) and 3.10.4(t), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Hippodrome Theatre, Gainesville, FL, and location of the Serial Number 4783, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from W. Matthew Alday (VW 2010-051).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a permanent variance from A17.1, Section 2.20.1, 2.20.9 and 2.24.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Royal Floridian, Ormond Beach, FL, requests the variance for the installation of a Gen2 Elevator System. The petition was received from Allen W. Johnson (VW 2010-052).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 1, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Bank of America Professional Center, New Port Richey, FL, and location of the Serial Number 34635, requests the variance for an extension of

time to complete repairs and for economic/financial hardship. The petition was received from Holly Steffens, CFO (VW 2010-053).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Casa Grande, Vanderbilt Beach, FL, and location of the Serial Number 33210 requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Agent (VW 2010-054).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, YWCA, Tampa Bay, FL, and location of the Serial Number 8704, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Patricia Basha (VW 2010-055). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for an emergency temporary variance from A17.3, Section 3.11.3, 3.10.4(u) and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Villa Dora Condo, Mt. Dora, FL, and location of the Serial Number 12264-65 requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Lee Rigby, Agent (VW 2010-056).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Siemens Energy, Inc. of Orlando, and location of the Serial Number 32677-78, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Scott Schlissel (VW 2010-057).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Sun Dome, Inc., Tampa, FL, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Chris Paras (VW 2010-058).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Hilton Orlando/Altamonte Springs, Altamonte Springs, FL, and location of the Serial Number 37043-47, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Frank Cirrincione (VW 2010-059).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 4, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a permanent variance from A17.1, Section 2.20.1, 2.20.9 and 2.24.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, FLH Celebration Health Patient Tower,

Kissimmee, FL, requests the variance for the installation of a Gen2 Elevator System. The petition was received from Colleen Ansell (VW 2010-060).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.1, Section 2.2.4.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Wilderness Country Club, Naples, FL, and location of the Serial Number 24828, requests the variance due to the inability to install a ladder due to travel cable. The petition was received from David Spencer (VW 2010-061).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Lake Worth Towers, Lake Worth, FL, and location of the Serial Number 4579 and 4549, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from Robert Spear (VW 2010-062).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 5, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for a temporary variance from A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), F.A.C. The petitioner, Belleair Towers, Clearwater, FL, and location of the Serial Number 36332-33, requests the variance for an extension of time to complete repairs and for economic/financial hardship. The petition was received from William Snyder, Agent (VW 2010-063).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on February 15, 2010, the The Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for Section 509.221(1)(b), Florida Statutes, paragraph 61C-1.004(2)(a) and subsections 61C-4.010(6), (7), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code from Christopher Pier II located in Fernandina Beach. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom on the same level be provided for use by customers and employees. They are requesting to utilize the public bathrooms located on a different level within the establishment for use by both customers and employees.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on February 15, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for subsections 61C-4.010(6), (7), Florida Administrative Code, from Moscato's, St. Petersburg, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers. They are requesting to utilize bathrooms located within another business for customer use only.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for subparagraph 61C-1.002(5)(a)2., Florida Administrative Code, from Rogen Dean Stadium-Hot Dog #1, Jupiter, FL. The above referenced F.A.C. addresses the requirement that a mobile food dispensing vehicle be self-propelled or otherwise movable. They are requesting to mount the mobile food dispensing vehicle on casters rather than an axle.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on February 18, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for subparagraph 61C-1.002(5)(a)2., Florida Administrative Code, from Rogen

Dean Stadium-Island Grill, Jupiter, FL. The above referenced F.A.C. addresses the requirement that a mobile food dispensing vehicle be self-propelled or otherwise movable. They are requesting to mount the mobile food dispensing vehicle on casters rather than an axle.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on February 8, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received an Emergency Variance request on January 27, 2010 for Section 509.221(1)(b), Florida Statutes, paragraph 61C-1.004(2)(a) and subsections 61C-4.010(6), (7), 61C-4.010(6), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code from Yogurbella, Naples, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom on the same level be installed within the establishment for use by customers. They are requesting to utilize public bathrooms located on another level less than 300 feet away for customers.

The variance request was published in Vol. 36, No. 6, 2/12/10 and approval is contingent upon the Petitioner ensuring the public bathrooms located on the 2nd Floor of The Mercato Mall are maintained in a clean and sanitary manner and are provided with cold running water under pressure, soap, approved hand drying devices, and are available during all hours of operation. The Petitioner shall also ensure directional signage is installed within and outside the establishment clearly stating the location of the bathrooms. If the circumstances governing access to the public bathrooms change, this variance approval will be revisited.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on February 8, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for an Emergency Variance on January 25, 2010 for Paragraph 4-301.12(A), 2001 FDA Food Code, subsection 61C-4.010(5), Florida Administrative Code, Section 509.221(1)(b), Florida Statutes, subsection 61C-1.004(1), paragraph 61C-1.004(1)(d), Florida Administrative Code, and Paragraph 5-202.11(A), 2001 FDA Food Code from Yogen Frusz, Miami, FL. The above referenced F.A.C. addresses the requirement that each establishment have facilities for washing, rinsing and sanitizing dishes and utensils; discharge sewage into an approved collection system with an approved plumbing

system. They are requesting to utilize the dishwashing facilities located within another licensed establishment at the same location and under the same ownership and install potable and waste water holding tanks.

The variance request was published in Vol. 36, No. 6, 2/12/10 and approval is contingent upon the petitioner ensuring the dishwashing facility located within Kendall Village Stadium 16 are maintained in a clean and sanitary manner and provided with hot and cold running water under pressure and available during all hours of operation. The Petitioner shall also ensure the waste water holding tanks are emptied at a frequency as to not create a sanitary nuisance; and the potable water provided must come from an approved source and be protected from contamination during handling. If the ownership of Kendall Village Stadium 16 changes, an updated signed agreement for use of the dishwashing facility is required immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on January 26, 2010, the Board of Accountancy, received a petition for Kelaine Escarmant, seeking a variance or waiver of paragraph 61H1-28.0052(1)(b), Florida Administrative Code, that requires candidates to pass all four test sections of the CPA Examination within a rolling eighteen-month period, which begins on the NASBA grade release date for the first test section(s) passed.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on February 22, 2010, the Board of Medicine has issued an order.

The Petition for Waiver and/or Variance was filed on behalf of Narendra Kini, M.D., on December 29, 2009, seeking a waiver or variance from subsection 64B8-4.009(5), F.A.C., with regard to the requirement for official transcripts from Petitioner's medical school. The Notice was published in Vol. 36, No. 2, of the Florida Administrative Weekly, on January 15, 2010. The Credentials Committee, at its meeting held on

February 4, 2010, recommended that Petitioner's request for waiver or variance be granted. The Board, at its meeting held on February 6, 2010, accepted the Committee's recommendation and voted to grant the Petition for Waiver finding that the Petitioner demonstrated a substantial hardship, met the purpose of the underlying statute, and that application of the rule would violate the principles of fairness.

A copy of the Order may be obtained by contacting: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053.

NOTICE IS HEREBY GIVEN THAT on February 22, 2010, the Board of Medicine has issued an order.

The Petition for Waiver and/or Variance was filed on behalf of Samantha Lindsay, M.D., on December 15, 2009, seeking a waiver or variance from Rule 64B8-4.018, F.A.C., with regard to the requirement that each applicant for a Florida medical license who is an international medical graduate successfully complete core clerkships in medicine, surgery, obstetrics-gynecology and pediatrics at a hospital affiliated with a medical school accredited by the Liaison Committee on Medical Education or at a hospital which had a residency program accredited by the Accreditation Council for Graduate Medical Education. The Notice was published in Vol. 35, No. 51, of the Florida Administrative Weekly, on December 24, 2009. The Credentials Committee, at its meeting held on February 4, 2010, recommended that Petitioner's request for waiver or variance be granted. The Board, at its meeting held on February 6, 2010, accepted the Committee's recommendation and voted to grant the Petition for Waiver finding that the Petitioner demonstrated a substantial hardship, met the purpose of the underlying statute, and that application of the rule would violate the principles of fairness.

A copy of the Order may be obtained by contacting: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on February 8, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-13.030(2), Florida Administrative Code, from Kids in Distress and Veronica Dowdell, assigned Case No. 10-011W. Subsection 65C-13.030(2), F.A.C. states there should be no more than five children in a licensed home, including the family's own children.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on February 9, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(2), Florida Administrative Code, from Kids Central Inc., and Roslyn Pollins, assigned Case No. 10-012W. Subsection 65C-15.017(2), F.A.C. requires staff of a licensed child-placing agency responsible for supervising casework services possess a bachelor's or master's degree in social work or related field of study from a college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on April 24, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: Dixie Court Associates, LTD

DATE PETITION WAS FILED: April 8, 2009

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT:

Paragraph 67-48.004(1)(a), Florida Administrative Code

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, April 13, 2009, Vol. 35, No. 13

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: April 24, 2009

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing's website at www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on April 24, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: Heron Pond Apartments II, LTD

DATE PETITION WAS FILED: March 12, 2009.

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Paragraph 67-48.0072(4)(c), Florida Administrative Code.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, March 27, 2009, Vol. 35, No. 12.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: April 24, 2009.

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing’s website at www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on April 24, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: Johnson Lakes Escambia Limited Partnership, a Florida limited partnership.

DATE PETITION WAS FILED: March 24, 2009.

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Paragraphs 67-48.004(1)(a) and 67-48.027(2)(m), Florida Administrative Code.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, April 3, 2009, Vol. 35, No. 13.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: April 24, 2009.

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing’s website at www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on December 4, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: Malabar Cove, LLLP

DATE PETITION WAS FILED: October 22, 2009.

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Subsection 67-48.010(8), Florida Administrative Code.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, November 6, 2009, Vol. 35, No. 44.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: December 4, 2009.

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing’s website at www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on April 24, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: Pana Villa Redevelopment, LTD.

DATE PETITION WAS FILED: March 24, 2009.

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, 4/3/09, Vol. 35, No. 13.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: Petition was withdrawn/Order Closing File was signed 4/24/09.

THE GENERAL BASIS FOR THE DECISION: Petition was withdrawn.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing’s website at www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on December 4, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: Rolling Acres Club, LLLP

DATE PETITION WAS FILED: October 22, 2009.

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Subsection 67-48.010(8), Florida Administrative Code.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, November 6, 2009, Vol. 35, No. 44.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: December 4, 2009.

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing’s website at www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on December 4, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: Rolling Acres Club II, LLLP

DATE PETITION WAS FILED: October 22, 2009.

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Subsection 67-48.010(8), Florida Administrative Code.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, November 6, 2009, Vol. 35, No. 44.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: December 4, 2009.

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing's website at www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on April 24, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: SP Highlands, LP

DATE PETITION WAS FILED: November 12, 2008.

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Subsection 67-48.002(88)(2007), Florida Administrative Code.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, November 21, 2008, Vol. 34, No. 47.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: Petition was withdrawn/Order closing file was signed: April 24, 2009.

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The Petition was withdrawn.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing's website at www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on April 24, 2009, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: Sleepy Hollow Apartments, LTD

DATE PETITION WAS FILED: February 24, 2009.

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Subsection 67-48.010(3), Florida Administrative Code.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, March 6, 2009, Vol. 35, No. 9.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: April 24, 2009.

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or e-mail: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing's website at www.floridahousing.org.

DEPARTMENT OF FINANCIAL SERVICES

NOTICE IS HEREBY GIVEN THAT on February 22, 2010, the Department of Financial Services has issued an order.

The Order is regarding the Petition for Waiver or Variance, filed on January 13, 2010, by Shola Ayide Stephens. The Notice of Petition for Waiver or Variance was published in Vol. 36, No. 5 of the February 5, 2010 Florida Administrative Weekly. The Petitioner sought a waiver or variance from paragraphs 69B-211.042(3)(a), (4), (8)(a), (9)(a), (9)(b), (21)(n), (21)(qq) and subsection 69B-211.041(11), F.A.C., with regard to the restriction on the licensure of persons who have been found guilty of or have pled guilty or nolo contendere to a felony or a crime punishable by imprisonment of one (1) year or more. The Department's Order denied the petition and found that the Petitioner had not demonstrated that the purposes of the underlying statute could be achieved by other means and that the application of the aforementioned rules to his circumstances would violate principles of fairness or impose a substantial hardship.

A copy of the Order may be obtained by contacting: Robyn Blank Jackson, Assistant General Counsel, Department of Financial Services, 612 Larson Building, 200 East Gaines Street, Tallahassee, Florida 32399, (850)413-4269.

**Section VI
Notices of Meetings, Workshops and Public Hearings**

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

- State Board of Administration
- Financial Services Commission
- Department of Veterans' Affairs
- Department of Highway Safety and Motor Vehicles
- Department of Law Enforcement
- Department of Revenue
- Department of Education
- Administration Commission