

(14) Grand prizes are not transferable or assignable, and no substitutes for prizes are available, except by the Florida Lottery, which reserves the right, in its sole discretion, to substitute different prizes of comparable value should the grand prize become unavailable.

(15) The Florida Lottery, Scientific Games International, Inc., MDI Entertainment, LLC, What's Up, LLC, FremantleMedia North America Inc., and their respective parent companies, affiliates, subsidiaries, directors, officers, agents and employees assume no liability or responsibility for damages, losses, or injury resulting from this promotion or the acceptance or use of a prize and provide no warranty for any prizes won on The Price Is Right[®] Live! Experience Game. Any warranties and guarantees are those of the manufacturer only.

(16) All entries are subject to validation by the Florida Lottery and may be disqualified if eligibility requirements are not met.

(17) Except as specifically mentioned herein, all federal, state and/or local taxes or other fees on the prizes won in The Price is Right[®] Second Chance Drawing and during the Las Vegas trip will be the responsibility of the winner.

Federal income taxes are required to be withheld from a prize awarded to a nonresident alien claimant at the rate of thirty percent (30%) pursuant to applicable provisions of the Internal Revenue Code. Because there is no cash awarded in connection with the second prizes in the Second Chance Drawing from which to withhold taxes, a nonresident alien claimant who is selected as a winner of a second prize will be required to pay the withholding tax or forfeit the prize. The reporting and subsequent payment of any additional federal, state and/or local taxes shall be the responsibility of the nonresident alien winner.

(18) No cash option is available in lieu of The Price is Right[®] Second Chance Drawing prizes.

(19) If the winner of a grand prize in The Price is Right[®] Second Chance Drawings is identified as owing an outstanding debt to a state agency or child support collected through a court, the debt will be collected in accordance with Section 24.115, Florida Statutes. If the debt is an amount less than the cash portion of the prize, the non-cash portion of the prize and the cash portion of the prize less withholding taxes and the amount owed, shall be awarded. If the winner is identified as owing such a debt in an amount greater than the cash portion of the prize, the winner's entire cash portion of the prize will be applied toward the outstanding debt as provided in Section 24.115, Florida Statutes, and the winner will receive the remaining non-cash portion of the prize, if any.

(20) All prizes are subject to the provisions of Chapter 24, Florida Statutes, and rules promulgated thereunder.

(21) Players must be at least 18 years of age. Persons prohibited by Section 24.116, Florida Statutes, from purchasing a Florida Lottery ticket are not eligible to play.

(22) By entering The Price Is Right[®] Second Chance Drawing, a player gives his or her permission for the Florida Lottery to provide the player's address and telephone number to Scientific Games International for prize fulfillment purposes.

(23) By entering The Price Is Right[®] Second Chance Drawing, a player gives his or her permission for the Florida Lottery to photograph and/or videotape and record the prizewinner with or without prior notification and to use the name, photograph, videotape, and/or recording of the prizewinner for advertising or publicity purposes without additional compensation.

(24) The Price Is Right[®] second chance drawings shall be public, held in Tallahassee, Florida, and witnessed by an accountant employed by an independent certified public accounting firm. The results of each drawing will be available after the drawing on the Florida Lottery's Web site at flalottery.com.

(25) This offer is void where prohibited by law.

Rulemaking Authority 24.105(9), 24.109(1) FS. Law Implemented 24.105(9), 24.115(1) FS. History—New 6-4-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: June 4, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V

Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF COMMUNITY AFFAIRS

NOTICE IS HEREBY GIVEN THAT on May 26, 2010, the Department of Community Affairs, Florida Communities Trust has issued an order.

Petitioner, City of Crystal River, filed a Petition for Waiver seeking to waive subsection 9K-7.003(8), F.A.C., which prohibits Florida Forever funds from being utilized as a portion of the applicant's match funding. Petitioner stated that failure to waive this prohibition would create substantial hardship on Petitioner's ability to acquire this environmentally sensitive

property. On April 5, 2010, the Petition was heard by the FCT Governing Board and upon hearing the evidence presented, the waiver was granted.

A copy of the Order may be obtained by contacting: Paula P. Ford, Department of Community Affairs, 2555 Shumard Oak Boulevard, Tallahassee, FL 32399-2100.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on May 28, 2010, the St. Johns River Water Management District, received a petition for variance from Bryan D. Flynn, as agent for Florida Department of Environmental Protection Division of Recreation and Parks. Pursuant to Section 373.414(17), F.S., the Division of Recreation and Parks seeks a variance from paragraph 40C-4.302(1)(c), F.A.C., and the associated portions of the Applicant's Handbook: Management and Storage of Surface Waters, including Sections 10.1.1(c), 12.1.1(d), and 12.2.5(c), with respect to Environmental Resource Permit Application 40-009-75850-7, to convert an existing fishing pier to a dock for emergency vessel use only. The Division of Recreation and Parks proposes to construct directly in the Sebastian Inlet, which is classified by the Department of Agriculture and Consumer Services as conditionally restricted for shellfish harvesting. The petition has been assigned F.O.R. Number 2010-26. Comments on this petition should be filed with: Sandra Bertram, Acting District Clerk, St. Johns River Water Management District, P. O. Box 1429, Palatka, Florida 32178-1429, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Karen Coffman, Assistant General Counsel at the same address, or by telephone at (386)329-4288.

DEPARTMENT OF MANAGEMENT SERVICES

NOTICE IS HEREBY GIVEN THAT on June 9, 2010, the Agency for Workforce Innovation, received a petition for Temporary Waiver of paragraph 60BB-8.201(4)(a), F.A.C., which provides requirements for conducting parent orientation sessions for parents registering their children for the VPK program. The Petition was filed by the: Early Learning Coalition of Marion County, 3304 S. E. Lake Weir Ave., Suite 2, Ocala, FL 34471.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Stephanie Savestanan, Agency for Workforce Innovation, Office of Early Learning, 107 East Madison Street, MSC #140, Tallahassee, Florida 32399.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on May 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Alliance Elevator Consultants, Inc., c/o Galleria International, LLC, West Palm Beach, Florida. Petitioner seeks a variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations when travel is greater than 25'0". The Petitioner states that the elevators only exceed the allowable 25 foot distance by 32 inches and reconstruction would pose a significant economic/financial hardship. Additionally the elevator will soon be modernized taking into account future fire service codes.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Larry E. Collier Jr., Gainesville Downtown Inn Venture., d/b/a Holiday Inn University Center, Gainesville, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/Larry E. Collier Jr., Fortune Street Partners, LTD., d/b/a Howard Johnson/Holiday Inn City Center, Tampa, Florida. Petitioner seeks a variance to the requirements of A17.3 (1996), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator switch keys and lockboxes which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Larry E. Collier Jr., St. Petersburg/Clearwater Airport Associates, LLC., d/b/a Holiday Inn Select, Clearwater, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 2, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsection 61C-4.010(6), Florida Administrative Code; Paragraph 6-501.115(A), 2001 Food Code from Crab's, Gulf Breeze, FL. The above referenced F.A.C. addresses the requirements that live animals are not allowed on the premise of a public food service establishment except as specifically provided in rule. They are requesting to have a bird on the premise.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on May 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Carroll O. Crawford, Ocean Place, Delray Beach, Florida. Petitioner seeks a emergency variance to the requirements of A17.3, 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Safe Elevator Corporation – Chrissy Cronin, Spinnaker Point Condominiums, Stuart, Florida. Petitioner seeks a emergency variance to the requirements of A17.3, 2.7.4, 3.3.2, 3.10.6, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 18, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Florida Power & Light – Martin Power Plant, FPL – Martin Plant Unit 1&2 Boiler Structure, Indiantown, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that

requires upgrading the elevator for firefighters' emergency operations which is budgeted and a bid request sent out for elevator replacement.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 3, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for an Emergency Variance for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), (6), Florida Administrative Code, from Fredy's Lunch Truck, Orlando, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on May 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for a Routine Variance on May 12, 2010 for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), (6), Florida Administrative Code, from H & S Catering, Tallahassee, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

The Petition was published on Vol. 36, No. 21 on 5/28/10 and approval is contingent upon the Petitioner ensuring that each pan within the steam table is properly covered with an individual lid, the steam table is enclosed within a cabinet with tight-fitting doors and protected by an air curtain installed and operated according to manufacturer's specifications that protects against flying vermin or other environmental contaminants; all steam table foods must be properly reheated for hot holding at approved commissaries and held hot at the

proper minimum temperature per the parameters of the currently adopted FDA Food Code; and steam table food is to be dispensed by the operator with no customer self-service. The Petitioner shall also strictly adhere to the operating procedures and copies of the variance and operating procedures are to be present on the MFDV during all periods of operation.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on May 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for a Routine Variance on May 5, 2010 for Section 509.221(1)(b), Florida Statutes, paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code, subsection 61C-1.004(1), Florida Administrative Code and Section 5-203.13, 2001 FDA Food Code from The Hot Dawg Shack. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers and employees and at least one service sink is provided for the cleaning of mops or similar cleaning tools and the disposal of mop water. They are requesting to share the bathroom and mop sink with an adjacent licensed public food service establishment.

The petition posted in Vol. 36, No. 20 on 5/21/10 and approval was contingent upon the Petitioner ensuring the bathroom and mop sink facilities located within Vedu's Fish Shack are maintained in a clean and sanitary manner and provided with hot and cold running water under pressure and are available during all hours of operation. The Petitioner shall also ensure directional signage is installed in the establishment clearly stating the location of the bathrooms. If the owner of Vedu's Fish Shack changes, an updated signed agreement is required to be provided to the Division immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on June 2, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received an Emergency Variance petition on May 24, 2010 for subsections 61C-4.010(6), (7), Florida Administrative Code, from Hungry Howie's Pizza, Plantation, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom be provided for use by customers. They are requesting to utilize bathrooms located within another business.

The variance petition will be posted in Vol. 36, No. 23 on June 11, 2010 and approval is contingent upon the Petitioner ensuring the bathrooms located within Goofles Ice and Custards are maintained in a clean and sanitary manner and are provided with cold running water under pressure, soap, approved hand drying devices, and available during all hours of operation. The Petitioner shall also ensure directional signage is installed within or outside the establishment clearly stating the location of the bathrooms. If the ownership of Goofles Ice and Custards changes, an updated signed agreement for use of the bathroom facilities is required immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on May 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency variance from Patrick Jolly on behalf of The Manions at Vanderbilt Beach. Petitioner seeks a waiver/variance of the requirements of Sections 2.7.4 and 3.11.3, ASME A17.3, 1996, as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires restricted door openings and Fire Fighter Service Phase I & II. Petitioner states that additional time is needed to raise the funds, bid, contract and complete these extensive upgrades. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for emergency variance from: Kim Kazar on behalf of Capri Lagoons Club, Treasure Island, FL. Petitioner seeks a waiver/variance of the requirements of Section 3.11.3, ASME A17.3, 1996 edition as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires Fire Fighter Service Phase I and II. Petitioner states that additional time is needed to raise funds, bid the work and complete the extensive upgrades. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from James D. Kelley, Waterside Professional Building, Stuart, Florida. Petitioner seeks a emergency variance to the requirements of A17.3, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for a Routine Variance on May 10, 2010 for Subparagraph 3-305.11(A)(2), 2001 FDA Food Code, Paragraph 3-305.14, 2001 FDA Food Code, Paragraph 6-202.15, 2001 FDA Food Code, Paragraph 6-202.16, 2001 FDA Food Code, subsections 61C-4.010(1), (6), Florida Administrative Code, from Lunch Time Catering, Orlando, FL. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk potentially hazardous foods other than frankfurters from an open air mobile food dispensing vehicle.

The Petition was published in Vol. 36, No. 21 on 5/28/10 and approval is contingent upon the Petitioner ensuring that each pan within the steam table is properly covered with an individual lid, the steam table is enclosed within a cabinet with tight-fitting doors and protected by an air curtain installed and operated according to manufacturer's specifications that protects against flying vermin or other environmental contaminants; all steam table foods must be properly reheated for hot holding at approved commissaries and held hot at the proper minimum temperature per the parameters of the currently adopted FDA Food Code; and steam table food is to be dispensed by the operator with no customer self-service. The Petitioner shall also strictly adhere to the operating

procedures and copies of the variance and operating procedures are to be present on the MFDV during all periods of operation.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Lori Shelquist-Hardin, Mg Tower, LLC d/b/s Clearwater Garden Tower., Clearwater, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for received a petition for emergency variance from Lee Rigby on behalf of Marion Block Building, Ocala, FL. Petitioner seeks a waiver/variance of the requirements of Section 3.11.3, ASME A17.3, 1996 edition as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires Fire Fighter Service Phase I and II. Petitioner states that the elevator is only 10 inches past the 25 foot limit triggering this requirement. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 10, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for emergency variance from Becky Preidus on behalf of Emeritus of Clearwater in Clearwater. Petitioner seeks a waiver/variance of the requirements of Section 3.11.3, ASME A17.3, 1996 edition as adopted by paragraph

61C-5.001(1)(a), Florida Administrative Code, that requires Fire Fighter Service Phase I and II and restricted door openings. Petitioner states that additional time is needed to raise funds, bid the work and complete the extensive upgrades. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurant, received a petition for/from Julie Rhames, Culbreath Key Bayside Condominium Assoc., Inc., Tampa, Florida. Petitioner seeks a variance to the requirements of A17.1 (2005), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires not allowing security camera recording equipment in the machine room.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 7, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for emergency variance from Lee Rigby on behalf of Pineda Ocean Club, St. Patrick Shores, FL. Petitioner seeks a waiver/variance of the requirements of Sections 2.7.4 and 3.11.3, ASME A17.3, 1996 edition as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires Fire Fighter Service Phase I and II and restricted door openings. Petitioner states that additional time is needed to raise funds, bid the work and complete the extensive upgrades. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on June 20, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Anthony Sanders, Moffitt Cancer Center, Tampa, Florida. Petitioner seeks a emergency variance to the requirements of A17.1 (2005), paragraph 61C-5.001(7)(c), F.A.C., as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators for switch keys and lockboxes which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from Seminole Isle Condominium Association, Inc., Building D, E, and F, Seminole, Florida. Petitioner seeks a emergency variance to the requirements of A17.1 (2004), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 11, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety, received a petition for an emergency temporary variance from Seminole Isle Condominium Association in Seminole. Petitioner seeks a waiver/variance of the requirements of Rule 8.6.7.4, ASME A17.1, as adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires the pits to be kept free of water. Petitioner states that a contract has been signed to seal the pits but time is needed to schedule the work so as to not strand the elderly residents without verticla transportation. Any interested person may file comments within 14 days of the

publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from WRE, Inc., 1915 Building, Tampa, Florida. Petitioner seeks a emergency variance to the requirements of A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from John Willingham – Shands Healthcare – UF, Gainesville, Florida. Petitioner seeks a variance to the requirements of A17.3, 2.7.4; A17.1, 2.12.7.3; as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from John Willingham – Shands Healthcare – UF, Gainesville, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.3.3; A17.1, 1206.7 and 204.4; as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires

upgrading the elevator for door restrictors, firefighters' service, and toe guards which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/John Willingham – Shands Healthcare – UF, Gainesville, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.3.3; A17.1, 1206.7 and 204.4; as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors, firefighters' service, and toe guards which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 17, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for/from John Willingham – Shands Healthcare – UF, Gainesville, Florida. Petitioner seeks a variance to the requirements of A17.3, 3.3.3; A17.1, 1206.7 and 204.4; as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevator for door restrictors, firefighters' service, and toe guards which poses a significant economic/financial hardship.

Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-331).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on May 18, 2010, the Electrical Contractors' Licensing Board, received a petition for Kenneth D. Blakeney, seeking a variance or waiver of Rule 61G6-6.017, Florida Administrative Code, which requires for the purpose of certification, a passing examination score on any part of the examination shall be valid only for a period of two (2) years from the date of the examination.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juanita Chastain, Executive Director, Electrical Contractors' Licensing Board, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with: The Electrical Contractors' Licensing Board within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on June 1, 2010, the Electrical Contractors' Licensing Board has issued an order.

The Order is regarding the Petition for Waiver or Variance which was filed on January 5, 2010, by Britt Knight. The Notice of Petition for Variance/Waiver was published in Vol. 36, No. 4, of the January 29, 2010, Florida Administrative Weekly. Petitioner sought a waiver or variance from subsection 61G6-5.002(1), F.A.C., entitled Application for Certification by Examination; Reexamination, which requires that an applicant for certification by examination or by endorsement shall submit the complete application form together with all supporting data including information required to be submitted under Rules 61G6-5.003 and 61G6-5.004, F.A.C., if applicable. Petitioner also sought a variance or waiver of subsection 61G6-5.002(3), F.A.C., which requires that the initial Business Computer-Based Test portion may be taken from the professional testing service at any time after the applicant has been approved to sit for the initial paper and pencil Technical/Safety Examination. The Board considered the instant Petition at a duly-noticed public meeting, held March 19, 2010, in Cocoa Beach, Florida.

The Boards' Order denied the petition, finding Petitioner had failed to demonstrate that application of the rule to his circumstances would violate the principles of fairness and would impose a substantial hardship on him.

A copy of the Order may be obtained by contacting: Juanita Chastain, Executive Director, Electrical Contractors' Licensing Board, 1940 North Monroe Street, Tallahassee, Florida 32399-0750.

The Board of Professional Engineers hereby gives notice that it has received a petition for Declaratory Statement or in the alternative, Petition for Variance or Waiver of Rule 61G15-20.0015, F.A.C., filed on April 22, 2010, by Alan C. Grossman. The Petitioner seeks the Declaratory Statement as to his eligibility for licensure or in alternative a Variance from Rule 61G15-20.0015, F.A.C., when applicant has held a valid

professional engineers license in another state for 15 years and has 20 years of continuous professional-level engineering experience with a non-engineering degree.

Comments on this petition should be filed with: The Board of Professional Engineers, 2507 Callaway Road, Suite 200, Tallahassee, FL 32303-5268, within 14 days of publication of this notice.

For a copy of the petition, contact: Carrie Flynn, Executive Director, Board of Professional Engineers, at the above address or telephone (850)521-0500.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on April 27, 2010, the Bureau of Beaches and Coastal Systems, received a petition for allowing a silt content up to 9.7% for beach placement, pursuant to Section 120.542, Florida Statutes, and Chapter 28-104, F.A.C. The petition requests a variance from paragraph 62B-41.007(2)(j), F.A.C., which provides for a silt limitation of not more than 5% for beach placement. The petition was received from: Eric Summa, Environmental Director, Jacksonville District of the United States Army Corps of Engineers, regarding application #0295427-002-BV. The project is located at various locations along Miami-Dade County in the Atlantic Ocean, Class III waters, particularly those areas between DEP/DNR reference monuments R-37.75 and R-50.7 off Collins Ave near 62nd St. The offshore borrow area, SGC-extension is located in federal waters.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Dr. Merrie Beth Neely at merrie.neely@dep.state.fl.us or at the mailing address to follow. Any comments should be filed in writing with: The Department at 3900 Commonwealth Blvd., M.S. 300, Tallahassee, Florida 32399-3000, and should be submitted within 14 days of the date of this publication.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on May 25, 2010, the Board of Medicine, received a petition for waiver or variance filed on behalf of Majeed Kaun, M.D., from subsection 64B8-4.009(5), F.A.C., with regard to the requirement for submission of documentation of medical education directly from Petitioner's medical school. Comments on this petition should be filed with: The Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address or telephone (850)245-4131.

NOTICE IS HEREBY GIVEN THAT on May 24, 2010, the Board of Medicine, received a petition for waiver or variance filed by Maria Elena G. Rodriguez, M.D., from Rule 64B8-2.001, F.A.C., with regard to the requirement for the passing score on the FLEX examination to be obtained in one administration of the examination. Comments on this petition should be filed with: The Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address or telephone (850)245-4131.

NOTICE IS HEREBY GIVEN THAT on June 3, 2010, the Board of Nursing, received a petition for waiver or variance filed on behalf of Michel Pierre Bouchard, from Rule 64B9-3.014, F.A.C., with regard to the requirement for the number of hours for certain courses in psychiatric theory and clinical medical nursing. Comments on this petition should be filed with: The Board of Nursing, 4052 Bald Cypress Way, Bin #C02, Tallahassee, Florida 32399-3252, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joe Baker, Jr., Executive Director, Board of Nursing, at the above address or telephone (850)245-4620.

NOTICE IS HEREBY GIVEN THAT on May 27, 2010, the Department of Health, Bureau of Radiation Control, received a petition for Digirad Imaging Solutions, Inc. The petitioner is seeking a variance of Rule 64E-5.614, F.A.C., which requires a medical use licensee authorized to administer radiopharmaceuticals shall possess a dose calibrator and use it to measure the amount of activity administered to each patient or human research subject. The petitioner is also seeking a variance of Rule 64E-5.616, F.A.C., which requires a medical use licensee to determine by assay or direct measurement within 30 minutes before each radiopharmaceutical dosage and record the activity of each dosage before medical use.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Paul E. Vause, Jr., Environmental Administrator, Bureau of Radiation Control, Radioactive Materials Program, Bin #C21, 4052 Bald Cypress Way, Tallahassee, FL 32399-1741, (850)245-4545. Comments on this petition should be filed with the Bureau of Radiation Control within 14 days of this notice.

NOTICE IS HEREBY GIVEN THAT on June 1, 2010, the Florida Department of Health, Division of Emergency Medical Operations, Bureau of Emergency Medical Services, received

a petition for emergency variance of paragraphs 64J-1.0201(4)(a), (d) and (e), Florida Administrative Code, from Fortis Institute FKA Florida Career Institute.

Nature of Rule: Sets forth the minimum qualifications for Adjunct Instructors at Florida-approved EMS Training Programs. To be eligible for approval as an EMS Training Program, applicants must provide documentation that each instructor has met the standards for their position as listed in the school's Application for Approval of an Emergency Medical Services Training Program, DH Form 1698, December 2008.

The petitioner is requesting a temporary variance of the above-described rule until January 1, 2013 for any newly hired instructors to meet the Instructor Core Curriculum or exemption requirements.

All comments regarding this emergency petition must be received in writing by June 23, 2010.

A copy of the Petition for Variance or Waiver may be obtained by contacting: John Bixler, Chief, Bureau of Emergency Medical Services, 4052 Bald Cypress Way, Bin #C-18, Tallahassee, Florida 32399-1738, (850)245-4055, Fax: (850)488-9408, john_bixler@doh.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on June 1, 2010, the Florida Department of Health, Division of Emergency Medical Operations, Bureau of Emergency Medical Services, received a petition for variance of paragraph 64J-1.0201(3)(a), Florida Administrative Code, from Manatee Technical Institute.

Nature of Rule: Sets forth the minimum qualifications for Program Directors at Florida-approved EMS Training Programs. To be eligible for approval as an EMS Training Program, applicants must provide documentation that each instructor has met the standards for their position as listed in the school's Application for Approval of an Emergency Medical Services Training Program, DH Form 1698, December 2008.

The petitioner is requesting a temporary variance of the above-described rule until September 30, 2010 for any newly hired instructors to meet the Instructor Core Curriculum or exemption requirements.

All comments regarding this petition must be received in writing by July 2, 2010.

A copy of the Petition for Variance or Waiver may be obtained by contacting: John Bixler, Chief, Bureau of Emergency Medical Services, 4052 Bald Cypress Way, Bin #C-18, Tallahassee, Florida 32399-1738, (850)245-4055, Fax: (850)488-9408, john_bixler@doh.state.fl.us.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on April 2, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Gulf Coast Community Care and Felton Gorman, assigned Case No.: 10-025W. Subsection 65C-15.017(3), F.A.C., requires staff responsible for supervision shall have a bachelor's or master's degree in social work or a related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on May 13, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-14.055(1), Florida Administrative Code, from New Haven Dominion, Inc. and Velvet George, assigned Case No.: 10-033W. Subsection 65C-14.055(1), F.A.C., requires the Executive Director who is responsible for the general management and administration of the agency is required to have a bachelor's degree in social work or a related area of study from an accredited college or university and three years of experience in management supervision.

A copy of the Petition for Variance or Waiver may be obtained by contacting: The Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on April 2, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Gulf Coast Community Care and Tracy Foster, assigned Case No.: 10-034W. Subsection 65C-15.017(3), F.A.C., requires staff responsible for supervision shall have a bachelor's or master's degree in social work or a related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on April 2, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Gulf Coast Community Care and Gloria Doyle-Neloms, assigned Case No.: 10-035W. Subsection 65C-15.017(3), F.A.C., requires staff responsible for supervision shall have a bachelor's or master's degree in social work or a related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd. Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on April 2, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Gulf Coast Community Care and Frances Chisler, assigned Case No.: 10-036W. Subsection 65C-15.017(3), F.A.C., requires staff responsible for supervision shall have a bachelor's or master's degree in social work or a related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on April 2, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-15.017(3), Florida Administrative Code, from Gulf Coast Community Care and Susan Watson, assigned Case No.: 10-037W. Subsection 65C-15.017(3), F.A.C., requires staff responsible for supervision shall have a bachelor's or master's degree in social work or a related area of study from an accredited college or university.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Faginal Jones at (850)921-8132.

Section VI

Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **Friends of the Museums of Florida History, Inc.** announces a public meeting to which all persons are invited.

DATE AND TIME: Thursday, June 17, 2010, 9:00 a.m. – 11:00 a.m.

PLACE: R. A. Gray Building, 500 S. Bronough St., Tallahassee, FL 32399

GENERAL SUBJECT MATTER TO BE CONSIDERED: General Business Meeting.

A copy of the agenda may be obtained by contacting: Elyse Cornelison, Museum of Florida History at (850)245-6413.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 7 days before the workshop/meeting by contacting: Elyse Cornelison, Museum of Florida History at

(850)245-6413. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Elyse Cornelison, Museum of Florida History at (850)245-6413.

The **Division of Historical Resources**, Bureau of Historic Preservation, The Friends of Florida Main Street announces a public meeting to which all persons are invited.

DATE AND TIME: Friday, June 25, 2010, 10:00 a.m.

PLACE: Kissimmee City Hall, 101 Church Street, Kissimmee, Florida 34741

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Friends of Florida Main Street Board will meet to conduct the regular business of the organization.

A copy of the agenda may be obtained by contacting: Joan Jefferson, Florida Main Street Coordinator, Department of State, R. A. Gray Building, 500 South Bronough Street, Tallahassee, Florida 32399-0250, 1(800)847-7278.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: Joan Jefferson at jsjefferson@dos.state.fl.us or 1(800)847-7278. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Joan Jefferson at jsjefferson@dos.state.fl.us or 1(800)847-7278.

DEPARTMENT OF EDUCATION

The **Division of Vocational Rehabilitation**, Bureau of Rehabilitation and Reemployment Services announces a public meeting to which all persons are invited.

DATE AND TIME: June 16, 2010, 8:30 a.m. – 12:30 p.m.

PLACE: Betty Easley Conference Center at 4075 Esplanade Way, Tallahassee, FL

DATE AND TIME: June 18, 2010, 8:30 a.m. – 12:30 p.m.

PLACE: Hurston Building (South) Conference Room A&B, 400 W Robinson St., Orlando, FL

DATE AND TIME: June 22, 2010, 8:30 a.m. – 12:30 p.m.