

(\$5 x 4) + (\$10 x 8) (TD)	\$100	2,000.00	1,620
\$10 x 10	\$100	2,400.00	1,350
\$20 x 5	\$100	2,400.00	1,350
\$50 (GOALPOST)	\$100	2,000.00	1,620
\$100	\$100	2,400.00	1,350
(\$10 x 8) + (\$20 x 2) + (\$40 x 2) (TD)	\$200	12,000.00	270
(\$5 x 4) + (\$20 x 6) + (\$30 x 2) (TD)	\$200	12,000.00	270
\$20 x 10	\$200	12,000.00	270
\$100	\$200	12,000.00	270
(GOALPOST)	\$200	12,000.00	270
\$200	\$200	12,000.00	270
(\$40 x 10) + (\$50 x 2) (TD)	\$500	12,000.00	270
(\$30 x 5) + (\$50 x 7) (TD)	\$500	12,000.00	270
\$50 x 10	\$500	12,000.00	270
\$100+\$200	\$500	12,000.00	270
(GOALPOST)	\$500	12,000.00	270
\$500	\$500	12,000.00	270
(\$50 x 8) + (\$100 x 2) + (\$200 x 2) (TD)	\$1,000	120,000.00	27
(\$20 x 5) + (\$50 x 2) + (\$100 x 2) + (\$200 x 3) (TD)	\$1,000	120,000.00	27
\$100 x 10	\$1,000	120,000.00	27
\$500	\$1,000	120,000.00	27
(GOALPOST)	\$1,000	120,000.00	27
\$1,000	\$1,000	120,000.00	27
\$500 x 10	\$5,000	120,000.00	27
\$500	\$5,000	120,000.00	27
(GOALPOST)+	\$5,000	120,000.00	27
(\$1,000 x 4)	\$5,000	120,000.00	27
\$5,000	\$5,000	120,000.00	27
\$100,000	\$100,000	648,000.00	5

(10) The estimated overall odds of winning some prize in Instant Game Number 1072 are 1 in 4.01. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(11) For reorders of Instant Game Number 1072, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(12) Payment of prizes for TAMPA BAY BUCCANEERS lottery tickets shall be made in accordance with the rule of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 7-27-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.
EFFECTIVE DATE: July 27, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver

DEPARTMENT OF LAW ENFORCEMENT

NOTICE IS HEREBY GIVEN THAT on July 22, 2010, the Criminal Justice Standards and Training Commission, received a petition for permanent wavier of subparagraphs 11B-20.0014(3)(d)5. and 6., F.A.C., by St. Johns River Community College on behalf of Instructor Jonathan Daniel Kinney. The rule requires that breath test operator instructors: 1. Successfully complete a Breath Test internship supervised by a certified Breath Test Instructor and document on the Instructor Competency Checklist form CJSTC-81; and, 2. Be evaluated by his or her students. Student evaluations shall be reviewed with the instructor applicant by a training center director, agency administrator, or an instructor designated by the training center director or agency administrator, and shall be documented on form CJSTC-81, which shall be maintained in the instructor's file at the training school or agency. Petitioner asserts that Instructor Kinney had not completed these aspects of breath test operator instructor training prior to instructing a breath test operator refresher course for the Petitioner. Petitioner asserts that the oversight was unintentional and has been corrected. Petitioner asserts that the application of the rule creates a substantial hardship and violates the principles of fairness in this case.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, Post Office Box 1489, Tallahassee, FL 32302, (850)410-7676.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

PUBLIC SERVICE COMMISSION

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Florida Public Service Commission, received a petition for waiver of Rules 25-4.0185 and 25-4.073, Florida Administrative Code. Docket No.: 100288-TL – Petition of Quincy Telephone Company d/b/a TDS Telecom/Quincy, Smart City Telecommunications LLC d/b/a Smart City Telecom, GTC, Inc. d/b/a Fairpoint Communications, Northeast Florida Telephone Company d/b/a NEFCOM, ITS Telecommunications Systems, Inc., and Frontier Communications of the South, LLC, for waiver of requirements of Rules 25-4.0185, 25-4.066, 25-4.070, 25-4.073 and subsection 25-4.110(6), Florida Administrative Code, relating to service quality, or in the alternative the waiver of Rule 25-4.073, Florida Administrative Code, relating to answer time requirements, or Rule 25-4.0185, Florida Administrative Code, relating to periodic service quality reporting requirements. These rules relate to quality of service requirements for basic residential customers. This is an amended petition to the petition filed May 13, 2010. The petitioners no longer seek a waiver of Rules 25-4.066, 25-4.070 or subsection 25-4.110(6), Florida Administrative Code. Comments on the amended petition should be filed with the Commission's Office of Commission Clerk, within 14 days of publication of this notice. For additional information, please contact: Rosanne Gervasi, Office of the General Counsel, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, (850)413-6224.

A copy of the Petition for Variance or Waiver may be obtained by contacting: The Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850.

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on July 13, 2010, the Suwannee River Water Management has issued an order.

This Order (10-0008) granted variance under Section 120.542, F.S., to Advent Christian Village, Inc., P. O. Box 4329, Dowling Park, Florida 32064, for modifying existing parking lot layout and provide additional stormwater treatment by utilizing pervious concrete. The petition for variance was received by SRWMD on April 30, 2010. Notice of receipt of petition requesting variance was published in F.A.W., Vol. 36, No. 19, May 14, 2010. No public comment has been received. This Order provides a variance from SRWMD criteria for subsection 40B-4.3030(9), F.A.C., as to the zero-rise certification requirement and paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirement, within Township 3 South, Range 11 East, Section 5, Suwannee County. SRWMD granted the petition because the petitioners have demonstrated that the purpose of the statute underlying the rule will be met and that a substantial hardship would be created if the petitioners were required to comply with this rule.

A copy of the Order may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN that on July 13, 2010, the Suwannee River Water Management District has issued an order.

This Order (10-0009) denies variance under Section 120.542, F.S., to Cheryl & Michael Mahan, for C. Mahan District Floodway Project (ERP09-0090). A petition for variance was received on April 9, 2010. Notice of receipt of petition requesting variance was published in F.A.W. in Vol. 36, No. 19, May 14, 2010. No public comment was received. This Order denies variance of SRWMD's criteria for paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirements within Township 7 South, Range 14 East, Section 4, Suwannee County. SRWMD denied the petition because the petitioner did not demonstrate that underlying statute will be or has been achieved by other means. A Petition for Hearing was filed with SRWMD on July 12, 2010, by Cheryl & Michael Mahan.

A copy of the Order may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN THAT on July 23, 2010, the St. Johns River Water Management District's Governing Board has issued an order.

The District granted a variance under Section 120.542, F.S. (SJRWMD FOR #2009-85), to Jack Gregory (Petitioner) regarding a project known as "The Preserve at Oak Lake." The Petition for Variance was received by SJRWMD on September 16, 2009. Notice of receipt of the petition requesting the variance was published in the Florida Administrative Weekly, Vol. 35, No. 40 on October 9, 2009. No public comment was received. This order provides a variance from Section 12.4.5(d) of the Applicant's Handbook: Management and Storage of Surface Waters (February 16, 2010). This rule prohibits the withdrawal of mitigation bank credits if at any time the mitigation banker is not in material compliance with the terms of the mitigation bank permit. Generally, the Order sets forth the basis of the District's decision to grant the variance as follows: 1) requiring Petitioner to comply with these rules would violate principles of fairness, and 2) environmental benefits associated with the mitigation bank credits that Petitioner seeks to use have already been achieved, consistent with the purpose of Chapter 373, Florida Statutes.

A copy of the Order may be obtained by contacting: Karen C. Coffman, Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, (386)329-4288.

NOTICE IS HEREBY GIVEN THAT on July 23, 2010, the St. Johns River Water Management District's Governing Board has issued an order.

The District granted a variance under Section 120.542, F.S. (SJRWMD FOR #2010-85), to Jack Gregory (Petitioner) regarding a project known as "The Preserve at Oak Lake." The Petition for Variance was received by SJRWMD on September 16, 2009. Notice of receipt of the petition requesting the variance was published in the Florida Administrative Weekly, Vol. 35, No. 40 on October 9, 2009. No public comment was received. This order provides a variance from Section 12.4.5(d) of the Applicant's Handbook: Management and Storage of Surface Waters (February 16, 2010). This rule prohibits the withdrawal of mitigation bank credits if at any time the mitigation banker is not in material compliance with the terms of the mitigation bank permit. Generally, the Order sets forth the basis of the District's decision to grant the variance as follows: 1) requiring Petitioner to comply with these rules would violate principles of fairness, and 2) environmental benefits associated with the mitigation bank credits that Petitioner seeks to use have already been achieved, consistent with the purpose of Chapter 373, Florida Statutes.

A copy of the Order may be obtained by contacting: Karen C. Coffman, Assistant General Counsel, Office of General Counsel, St. Johns River Water Management District, 4049 Reid Street, Palatka, Florida 32177-2529, (386)329-4288.

NOTICE IS HEREBY GIVEN THAT on July 15, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-139-DAO-ROW was issued to Lykes Brothers, Inc. (Application No.: 10-0323-1). The petition for waiver was received by the SFWMD on March 23, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 13, on April 2, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow 4 existing reservoir levee connections to remain and the construction of 4 proposed reservoir levee connections within the rights of way of C-41A as part of their surface water management system as authorized by District ERP Permit No. 28-00146-S; Sections 7, 18, 22 and 23, Township 37 South, Range 32 East, Highlands County. Specifically, the Order grants a waiver from paragraphs 40E-6.221(2)(a) and (j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the use of District works

and lands for impoundment purposes. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on July 15, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-140-DAO-ROW was issued to Collier county Board of Commissioners (Application No.: 09-1104-1). The petition for waiver was received by the SFWMD on April 8, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 16, on April 23, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow for the proposed removal and replacement of the existing White Boulevard over the Golden Gate Main Canal; Section 18, Township 49 South, Range 27 East, Collier County. Specifically, the Order grants a waiver from paragraphs 40E-6.221(2)(a) and (j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the low member elevation of pile-supported facilities within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on July 15, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-141-DAO-ROW was issued to Collier county Board of Commissioners (Application No.: 10-0104-1). The petition for waiver was received by the SFWMD on April 8, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida

Administrative Weekly, Vol. 36, No. 16, on April 23, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow for the proposed construction of a pile-supported vehicular bridge crossing the Golden Gate Main Canal, 23rd Street Southwest; Section 7, Township 49 South, Range 27 East, Collier County. Specifically, the Order grants a waiver from paragraphs 40E-6.221(2)(a) and (j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the low member elevation of pile-supported facilities within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on July 15, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-142-DAO-ROW was issued to U.S. Geological Survey (Application No.: 10-0330-1). The petition for waiver was received by the SFWMD on May 7, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 20, on May 21, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow for a proposed monitoring well within the north right of way of the C-2 Canal; Section 32, Township 54 South, Range 40 East, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), and paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and semi-permanent above-ground encroachments within 40 feet from the top of bank within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship and would violate principles of fairness.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on July 15, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-143-DAO-ROW was issued to U.S. Geological Survey (Application No.: 10-0330-2). The petition for waiver was received by the SFWMD on May 7, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 20, on May 21, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow for a proposed monitoring well within the north right of way of the C-2 Canal; Section 32, Township 54 South, Range 40 East, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), and paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and semi-permanent above-ground encroachments within 40 feet from the top of bank within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on July 15, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-144-DAO-ROW was issued to U.S. Geological Survey (Application No.: 10-0330-3). The petition for waiver was received by the SFWMD on May 7, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 20, on May 21, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow for a proposed monitoring well within the north right of way of the C-2 Canal; Section 32, Township 54 South, Range 40 East, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), and paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the

District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and semi-permanent above-ground encroachments within 40 feet from the top of bank within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on July 15, 2010, the South Florida Water Management District (District) Governing Board has issued an order.

SFWMD Order No.: 2010-145-DAO-ROW was issued to U.S. Geological Survey (Application No.: 10-0330-4). The petition for waiver was received by the SFWMD on May 7, 2010. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 36, No. 20, on May 21, 2010. No public comment was received. This Order provides a waiver of the District's criteria to allow for a proposed monitoring well within the north right of way of the C-2 Canal; Section 32, Township 54 South, Range 40 East, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4) and (6), and paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and semi-permanent above-ground encroachments within 40 feet from the top of bank within works of lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver, as follows: 1) the facilities will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule would prevent Petitioner from suffering a substantial hardship.

A copy of the Order may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, FL 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

NOTICE IS HEREBY GIVEN THAT on July 20, 2010, the South Florida Water Management District ("District"), received a petition for waiver from the Lee County, Application No.: 10-0209-4, for utilization of Works or Lands of the District known as the C-43 Canal for an existing floating

dock with canoe launch, and proposed shoreline stabilization consisting of rip-rap and native vegetation within the C-43 north right of way adjacent to Caloosahatchee Regional Park; Section 19, Township 43 South, Range 27 East, Lee County. The petition seeks relief from paragraph 40E-6.221(2)(j), Florida Administrative Code, which prohibits the placement of floating docks upstream of water control structures, and subsections 40E-6.011(4) and (6), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of canal bank within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail: jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at the: South Florida Water Management District, 3301 Gun Club Road, MSC #1414, West Palm Beach, FL 33406, Attention: Juli Russell, Office of Counsel.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Boca Raton Community Hospital. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.13.5 and 2.12.6, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a) and Rule 61C-5.0051, Florida Administrative Code, that requires a reopening device for power-operated car doors or gates, hoistway door unlocking devices and emergency stop switches which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-249).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Silver Sands of Bonita Beach Condo Assoc., filed April 19, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph

61C-5.001(1)(a), Florida Administrative Code, until March 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-260).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from The Links Condos Phase II, filed April 21, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.11.1, 3.3.2 and 4.5, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-267).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Boca Corporate Center, filed April 22, 2010, and advertised in Vol. 36, No. 20, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.1 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 31, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-269).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition

for Variance from Building VIII, filed August 14, 2012, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, 3.4.5(b) and (d), ASME A17.3, 1996 edition and from Rule 101.5(a) and 110.10(b), ASME A17.1, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 14, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-273).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Casa Santa Marta, filed April 30, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until January 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-288).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Royal Celebration Inn, filed June 21, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until February 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-424).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Fire Station #1, filed June 21, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 and 3.10.4(t), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 13, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-425).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Morris Manor, filed June 22, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.3.2 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until June 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-430).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from USF – Visual and Performing Arts, filed June 22, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5,

ASME A17.1a, 2004 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-431).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from The Riverfront Professional Center, filed June 22, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-432).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Silver Beach Club, filed June 23, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.11.1(a)(2), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-435).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Inverness Condo II, filed June 24, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 8.6.5.8, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-439).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Edgewater High School, filed June 24, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-440).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Osceola Elementary School N, filed June 24, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-441).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 2314 Medical Office Building. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.4.1.5 and 2.15.9.2, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a guard plate with a straight vertical plate and no part of the car striking any part of the pit which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-468).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Bayport Plaza. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-469).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Poe Parking Garage. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 3.10.4(t) and of ASME A17.1, Section 303.4(a), as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, keyed stop switch and shut-off valve which poses a significant economic/financial hardship. Any interested person

may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-470).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Del Mar Office Park. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-471).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 16, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Lake Colony Apartments III. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-475).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Long Key Townhouse. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-476).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from South Beach I. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-477).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 6, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for a Routine Variance for subsection 61C-1.004(1), Florida Administrative Code, and Paragraph 5-202.11(A), 2001 FDA Food Code from Florida Mutts, Springhill, FL. The above referenced F.A.C. addresses the requirement that each establishment have an approved plumbing system installed to transport wastewater. They are requesting to utilize holding tanks to provide potable water and to collect wastewater.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Rutland House, filed July 6, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until June 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-257).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Flagler Yacht Club, filed April 27, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until April 27, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-278).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Steamboat Bend East Condo Assoc., Inc., filed April 28, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until October 1, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-282).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Orlando Cloisters, filed April 29, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996

edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until September 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-283).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Flori De Leon Assoc., filed April 29, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition, from Rule 8.11.2.1.1(o), ASME A17.1, 2000 edition, and from Chapter 3002.3, 2007 Florida Building Code, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until October 31, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-284).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Flori De Leon Apts., filed April 29, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition and from Rule 8.11.2.1.1(o), ASME A17.1, 2000 edition and Chapter 3002.3, 2007 Florida Building Code, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until October 31, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-285).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Flori De Leon Apts., Inc., filed April 29, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition and from Rule 8.11.2.1.1(o) and 2.7.3.4, ASME A17.1, 2000 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until April 29, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-286).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Scan Design Building, filed April 30, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-289 and VW 2010-290).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Jupiter Center, filed May 5, 2010, and advertised in Vol. 36, No. 21, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the

Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until April 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-294).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Heron Harbour Condo, filed May 5, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until November 30, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-311).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Boca Bayou, filed May 5, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 13, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-312).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Shell Point Village Rehab Addition, filed May 7, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.14.1.7.1, ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-313).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Regency West Condo I, filed May 10, 2010, and advertised in Vol. 36, No. 25, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-318).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from S.H. Condo, filed June 23, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until January 1, 2015, because the Petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-434).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Jacquelin Bridals II, filed June 24, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.20.4 and 2.24.2.1, ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-438).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Seven Lakes, filed June 25, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.4.3(d), ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until June 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-442).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Palm Bay Villas Condo, filed June 25, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the

petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-443).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Tampa Theatre Building, filed June 28, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, because the Petitioner has not demonstrated that the purpose of the statute underlying the rule will be met or that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-445).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Lakeview Center and Eastpointe Bldg., filed June 30, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until August 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-448).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Atlantis Condo Assoc., Inc., filed July 6, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.3.2 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-456).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from 850 Trafalgar Assoc., filed July 6, 2010, and advertised in Vol. 36, No. 29, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until June 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-458).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Sand Dollar Villas Assoc., filed July 8, 2010, and advertised in Vol. 36, No. 30, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, ASME A17.3, 1996

edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-462). A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Treasure Bay Apts., filed July 8, 2010, and advertised in Vol. 36, No. 30, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4, 3.10.4(q), 3.10.3, 3.3.5 and 3.3.2, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, until July 1, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-463).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 19, 2010, the Board of Accountancy, received a petition for Laura Diane Ballenger, seeking a variance or waiver of paragraph 61H1-27.0041(1)(b), Florida Administrative Code, which lists the requirements for work experience supervision as the subject of the applicant, during employment, to oversight, guidance and evaluation by a supervisor who had the right to control and direct the applicant as to the result to be accomplished by the work and also as to the means by which the result was to be accomplished. Petitioner is also seeking a variance or waiver of subsection 61H1-27.0041(2), F.A.C., which requires that one year of work experience shall be held and understood to mean the rendition of services such as are customarily performed by full-time, regularly employed staff employees of a certified public accountant during the normal workweek as required by the employing certified public accountant, commencing after the completion of the educational requirements set forth in subsection 61H1-27.002(3), F.A.C.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida

32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on July 21, 2010, the Board of Accountancy, received a petition for Natalia Esteban, seeking a variance or waiver of paragraph 61H1-28.0052(1)(b), Florida Administrative Code, that requires candidates to pass all four test sections of the CPA Examination within a rolling eighteen-month period, which begins on the NASBA grade release date for the first test section(s) passed.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on July 21, 2010, the Florida Department of Environmental Protection (Department) has issued an order.

On April 20, 2010, the Department received a petition for variance or waiver under Section 120.542, F.S., from Donald Culbertson to obtain a variance or waiver of Sections 120.542, 120.569, 120.57, 120.160(2), 373.414(1), 373.414(8), 380.23, 403.9323(2), 403.9325(4), 403.9328(2), 403.9328(2)(a) and 704.06, Florida Statutes, and Section 307 of the Federal Coastal Zone Management Act, as those provisions apply to the trimming of mangroves. Notice of receipt of this petition was published in the Florida Administrative Weekly on May 14, 2010. No public comment was received. On July 14, 2010, Donald Culbertson withdrew his petition for variance or waiver, and an order closing file was issued on July 21, 2010.

A copy of the Order may be obtained by contacting: Stacey D. Cowley or Ronald W. Hoenstine III, Department of Environmental Protection, Office of General Counsel, 3900 Commonwealth Boulevard, MS #35, Tallahassee, Florida 32399-3000.

NOTICE IS HEREBY GIVEN THAT on July 21, 2010, the Bureau of Beaches & Coastal Systems, received a petition for a waiver, pursuant to Section 120.542, Florida Statutes and Chapter 28-104, F.A.C., from Rule 62B-33.005, F.A.C., which provides general permit criteria. The petition was received from Douglas Mann, Coastal Planning & Engineering, on

behalf of Bruce Leeds regarding PB-988. The property is located at 4205 S. Oceans Blvd., Highland Beach, (Palm Beach County) FL.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Rosaline Beckham at (850)488-7815 or by e-mail: rosaline.beckham@dep.state.fl.us. Any comments should be filed in writing with: The Department at 3900 Commonwealth Blvd., MS #300, Tallahassee, Florida 32399-3000, and should be submitted within 14 days of the date of this publication.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on July 26, 2010, the Board of Chiropractic Medicine, received a petition for David A. Kubicek, seeking a variance or waiver of subsection 64B2-11.001(2), Florida Administrative Code, which requires that applicants for licensure take and pass the examinations developed and administered by the National Board of Chiropractic Examiners (hereafter NBCE) which consist of Parts I, II, and III of the written examination, and beginning July 1, 2009, the Physiotherapy examination and Part IV, the practical examination.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Bruce Deterding, Executive Director, Board of Chiropractic Medicine/MQA, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257. Comments on this petition should be filed with the Board of Chiropractic Medicine within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on July 22, 2010, the Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, received a petition for Andres Torrens, LCSW, seeking a variance or waiver of paragraph 64B4-31.007(1)(c), F.A.C., which requires that during the period for which the applicant claims supervision, he/she is licensed as a clinical social worker or marriage and family therapist in Florida or in the state in which the supervision took place and can demonstrate a three semester or four quarter hour graduate level course in three of the following six content areas: counseling theories, counseling practice, assessment, career counseling, substance abuse, or legal, ethical, and professional standards from a clinical counseling program in an institution fully accredited by an accrediting body recognized by the Council for Higher Education Accreditation and/or the U.S. Department of Education.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Sue Foster, Executive Director, Board of Clinical Social Work, Marriage and Family Therapy and Mental Health Counseling, 4052 Bald Cypress Way, Bin #C08, Tallahassee, Florida 32399-3258.

Comments on this petition should be filed with the Board within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Department of Health has issued an order.

Petitioner’s Name: Arnaldo F. Falcon

Date Petition Filed: April 22, 2010

Rule No.: 64B24-2.004(1)(b), F.A.C.

Nature of the rule for which variance or waiver is sought: The rule requires that a foreign educational credentialing agency use original documentation to conduct an evaluation of an applicant’s education as it pertains to the independent practice of midwifery.

Date Petition Published in the Florida Administrative Weekly: May 7, 2010.

General Basis for Agency Decision: The Department determined to deny Petitioner’s request that the foreign educational credentialing agency not be required to use original documentation because Petitioner has not established a substantial hardship or that the underlying purposes of the statute would be achieved by granting the request.

A copy of the Order may be obtained by contacting: Anthony Jusevitch, Executive Director, Council of Licensed Midwifery, Department of Health, 4052 Bald Cypress Way, Bin #C06, Tallahassee, Florida 32399-3285.

Section VI

Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited:

- State Board of Administration
- Division of Bond Finance
- Financial Services Commission:
 - Office of Insurance Regulation
 - Office of Financial Regulation
- Agency for Enterprise Information Technology
- Department of Veterans’ Affairs
- Department of Highway Safety and Motor Vehicles
- Department of Law Enforcement
- Department of Revenue
- Administration Commission
- Florida Land and Water Adjudicatory Commission
- Board of Trustees of the Internal Improvement Trust Fund
- Department of Environmental Protection

DATE AND TIME: August 26, 2010, 9:00 a.m.

PLACE: Cabinet Meeting Room, Lower Level, The Capitol, Tallahassee, Florida