

(10) The estimated odds of winning, value, and number of prizes in Instant Game Number 1068 are as follows:

GAME PLAY	WIN	ESTIMATED ODDS OF 1 IN	NUMBER OF WINNERS IN 50 POOLS OF 240,000 TICKETS PER POOL
\$1	\$1	10.71	1,120,000
\$1 x 2	\$2	30.00	400,000
\$2	\$2	30.00	400,000
\$1 x 4 (ACE)	\$4	150.00	80,000
(\$1 x 2) + \$2	\$4	300.00	40,000
\$2 x 2	\$4	150.00	80,000
\$4	\$4	150.00	80,000
\$1 + (\$2 x 2)	\$5	750.00	16,000
(\$1 x 3) + \$2 (ACE)	\$5	750.00	16,000
\$2 + \$3	\$5	750.00	16,000
\$1 + \$4	\$5	750.00	16,000
\$5	\$5	750.00	16,000
(\$1 x 2) + (\$4 x 2) (ACE)	\$10	500.00	24,000
(\$2 x 3) + \$4 (ACE)	\$10	500.00	24,000
(\$2 x 2) + (\$3 x 2)	\$10	500.00	24,000
\$5 x 2	\$10	500.00	24,000
\$10	\$10	500.00	24,000
\$5 + \$15	\$20	1,500.00	8,000
\$5 x 4 (ACE)	\$20	1,500.00	8,000
(\$5 x 2) + \$10	\$20	1,500.00	8,000
\$10 x 2	\$20	1,500.00	8,000
\$20	\$20	1,500.00	8,000
(\$5 x 2) + \$10 + \$20 (ACE)	\$40	4,800.00	2,500
\$10 x 4 (ACE)	\$40	4,800.00	2,500
(\$5 x 2) + (\$15 x 2)	\$40	4,800.00	2,500
\$20 x 2	\$40	4,800.00	2,500
\$40	\$40	4,800.00	2,500
(\$20 x 3) + \$40 (ACE)	\$100	12,000.00	1,000
\$25 x 4 (ACE)	\$100	12,000.00	1,000
(\$40 x 2) + \$20	\$100	12,000.00	1,000
\$50 x 2	\$100	12,000.00	1,000
\$100	\$100	20,000.00	600
\$6,000	\$6,000	240,000.00	50

(11) The estimated overall odds of winning some prize in Instant Game Number 1068 are 1 in 4.88. Prizes, including the top prizes, are subject to availability at the time of ticket purchase. Prizes may be unavailable due to prior sale or other causes occurring in the normal course of business including, but not limited to, ticket damage, defect, theft, or loss.

(12) For reorders of Instant Game Number 1068, the estimated odds of winning, value, and number of prizes shall be proportionate to the number of tickets reordered.

(13) By purchasing an ACE IN THE HOLE lottery ticket the player agrees to comply with and abide by all prize payment rules of the Florida Lottery.

(14) Payment of prizes for ACE IN THE HOLE lottery tickets shall be made in accordance with rules of the Florida Lottery governing payment of prizes.

A copy of the current rule can be obtained from the Florida Lottery, Office of the General Counsel, 250 Marriott Drive, Tallahassee, Florida 32399-4011.

Rulemaking Authority 24.105(9)(a), (b), (c), 24.109(1), 24.115(1) FS. Law Implemented 24.105(9)(a), (b), (c), 24.115(1) FS. History—New 8-6-10.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: August 6, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section V
Petitions and Dispositions Regarding Rule
Variance or Waiver**

DEPARTMENT OF COMMUNITY AFFAIRS

NOTICE IS HEREBY GIVEN THAT on August 6, 2010, the Department of Community Affairs, received a petition for waiver from the Board of County Commissioners of Wakulla County. The petitioner seeks a waiver of paragraph 9B-43.0051(7)(c), F.A.C. (effective 2-26-07), which assigns penalty points for failure to create or retain jobs under the Community Development Block Grant program. This waiver is being requested pursuant to the provisions of Section 120.542, F.S., and Chapter 28-104.002, F.A.C. It has been assigned the number DCA10-WAI-160.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Paula P. Ford, Agency Clerk, Department of Community Affairs, 2555 Shumard Oak Boulevard, Tallahassee, Florida 32399-2100.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN THAT on August 3, 2010, the Florida Agency for Health Care Administration, received a petition for Waiver of paragraph 59A-4.1295(7)(e), F.A.C., by Plantation Nursing and Rehabilitation Center. The facility is located at 4250 N. W. 5th Street, Plantation, Florida 33317. This rule limits the number of pediatric residents in a skilled nursing facility to no more than 40 residents. The Petitioner seeks to waive this rule to allow for its entire 152 bed census to consist of pediatric residents.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lorraine M. Novak, Assistant General Counsel, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, FL 32308, Lorraine.Novak@ahca.myflorida.com, (850)412-3630.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on July 14, 2010, the Division of Florida Condominiums, Timeshares, and Mobile Homes has issued an order.

The Division granted Waterbrook Peninsula, LLC's Petition for Emergency Temporary Waiver of paragraph 61B-17.005(3)(b), F.A.C., which was filed on June 17, 2010, by Alexa Guevara, Esq. on behalf of Petitioner, Waterbrook Peninsula, LLC, Docket No.: 2010031215. The Notice of Petition for Emergency Temporary Waiver was published in Vol. 36, No. 27, of the July 9, 2010, Florida Administrative Weekly. Petitioner seeks a waiver of a condominium filing subsection 61B-17.005(3), F.A.C. that operates as an automatic expiration of the division's filing acceptance and requires purchaser refunds. The division found that a limited extension was warranted in order to comply with a bankruptcy court order staying action on the filing and refunding all purchasers through the court and Petitioner is not offering units to the public so the consumer protection purposes of the rule have been met.

A copy of the Order may be obtained by contacting: Ronda Bryant, Agency Clerk, Department of Business and Professional Regulation, 1940 N. Monroe Street, Tallahassee, Florida 32399-2202 (850)921-0342.

NOTICE IS HEREBY GIVEN THAT on July 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Clarion Hotel Maingate. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 3.3.2 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, platform guards and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-482).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Riverdome Apartments, Inc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-483).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Shipmaster. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings and platform guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-484).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 22, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sailmaster. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, 2.7.4 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings and platform guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-485).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Halifax Professional Building. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4 and of ASME A17.1, Section 1002.2(f), as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings and firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-486).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from UCF – Arts Complex II. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators by having a sump pump which poses a significant economic/financial hardship. Any interested person may file comments

within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-487).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from UCF – Public Safety. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators by adding a sump pump which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-488).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Halifax Professional Building. Petitioner seeks a variance of the requirements of ASME A17.1, Section 1001.2(a)(1), as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a routine inspection of door reopening device which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-489).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Embassy Suites. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-490).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 28, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 333 Southern Blvd. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-491).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Lemon Bay View East Condo Assoc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-492).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 29, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 200 E Forsyth Street, Inc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 3.10.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and top of car operating devices which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-493).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Springlake. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 2.7.4, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-495).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Harbor Oaks Professional Center. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-496).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Medical Arts Bldg. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-497).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Waters Edge IV, Bldg. A. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and platform guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-498).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Menorah Manor. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-499).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Schooner Bay. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-500).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Waters Edge IV, Bldg. B. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3 and 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and platform guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-501).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Renaissance Orlando at Seaworld. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-502).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Robb & Stucky Bldg. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-503).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on August 2, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from John R. Kelly Generating Station. Petitioner seeks a variance of the requirements of ASME A17.1, Section 111.5, as adopted by Chapter 30, Section 3001.2 Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-504).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on July 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Routine Variance petition on July 23, 2010 for paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code, from Axum Coffee LLC, Winter Garden, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom on the same level be provided for use by customers and employees. They are requesting to utilize public bathrooms located on a different level of the building than the food service establishment.

The petition will publish in Vol. 36, No. 32 on 8/13/10 and approval is contingent upon the Petitioner ensuring the public bathrooms located on the second level within the building are available during all hours of operation. The Petitioner shall also ensure directional signage is installed within the establishment clearly stating the location of the bathrooms.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on July 27, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Routine Variance on June 25, 2010 for Paragraph 4-301.12(A), 2001 FDA Food Code, subsection 61C-4.010(5), F.A.C., from Fitness San Jose Country Club Snack Bar, Jacksonville, FL. The above referenced F.A.C. addresses the requirement that dishwashing facilities for washing, rinsing and sanitizing are provided within each public

food service establishment. They are requesting to utilize dishwashing facilities located within another licensed facility under the same ownership.

The Petition was published in Vol. 36, No. 28 on 7/16/10 and variance approval was contingent upon The Petitioner must ensure the dishwashing facility located within San Jose Co Club D R, are maintained in a clean and sanitary manner and provided with hot and cold running water under pressure and available during all hours of operation. If the ownership of San Jose Co Club D R changes, an updated signed agreement for use of the dishwashing facility is required immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on July 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Routine Variance petition on July 6, 2010 for subsection 61C-1.004(1), Florida Administrative Code and Paragraph 5-202.11(A), 2001 FDA Food Code, from Florida Mutts, Springhill, FL. The above referenced F.A.C. addresses the requirement that each establishment have an approved plumbing system installed to transport wastewater. They are requesting to utilize holding tanks to provide potable water and to collect wastewater.

The petition was published in Vol. 36, No. 31 on 8/6/10 and approval is contingent upon the Petitioner ensuring the wastewater holding tanks for the three-compartment sink and handwash sink are installed as to not create a sanitary nuisance and disposed of into an approved sewer system.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE OF WITHDRAWAL

Notice is hereby given that the Notice of Petition for Wavier and Variance filed by Michael Froncek for the above rule, as noticed in Vol. 36, No. 26, July 2, 2010, Florida Administrative Weekly has been withdrawn.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on August 9, 2010, the Board of Medicine, received a petition for waiver or variance filed on behalf of Simon B. Santos, M.D., from subsection 64B8-2.001(2), F.A.C., with regard to the requirement for the passing score on the FLEX examination to be obtained in one administration of the examination. Comments on this petition should be filed with the Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Larry McPherson, Jr., Executive Director, Board of Medicine, at the above address, or telephone (850)245-4131.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on July 29, 2010, the Department of Children and Families, received a petition for waiver of paragraph 65C-13.027(2)(a), Florida Administrative Code, assigned Case No.: 10-041W, from Florida Mentor and Brenda Peart-Anderson. Paragraph 65C-13.027(2)(a), F.A.C., states that is a licensed out-of-home caregiver marries or reconciles with a unlicensed spouse shall complete an "Application for License to Provide Out-of-Home Care for Dependent Children."

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on August 6, 2010, the Florida Housing Finance Corporation, received a petition for Waiver/Variance from subsection 67-48.004(14), F.A.C., from HTG VERANDA SENIOR, LTD. The petition is seeking a waiver from subsection 67-48.004(14), F.A.C., permitting Petitioner to revise its Application to state that the Total Number of units in the Development is ninety-nine (99).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website at: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on August 9, 2010, the Florida Housing Finance Corporation, received a petition for Waiver/Variance from Rule 67-48.004, F.A.C., from American Opportunity For Housing-Greenview Manor, LP. The petition is seeking a waiver from the provisions in FHFC's Universal Application (2006 Cycle) and Instructions Part III.D.1.f., which require "Horizontal grab bars around shower per ANSI requirements" for classification as Elderly housing.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website: www.floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

NOTICE IS HEREBY GIVEN THAT on August 5, 2010, the Florida Housing Finance Corporation, received a petition for Waiver/Variance from subsections 67-48.009(2) and 67-48.0105(4), F.A.C., from NOAH Development Corporation. The petition is seeking a waiver of certain rules and regulations of its existing SAIL-Loan 90S-001 in order to restore Doveland Villas (property) to financial stability in order to continue the provision of housing to the very low income and low income Farm Worker families in the Western region of Palm Beach County (The Glades).

A copy of the Petition for Variance or Waiver may be obtained by contacting: Della Harrell, Corporation Clerk, Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329. The Petition has also been posted on Florida Housing's website at: floridahousing.org. Florida Housing will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received on or before 5:00 p.m. (Eastern Standard Time), on the 14th day after publication of this notice at: Florida Housing Finance Corporation, 227 North Bronough Street, Suite 5000, Tallahassee, Florida 32399-1329.

Section VI**Notices of Meetings, Workshops and Public Hearings****DEPARTMENT OF STATE**

The Florida **Department of State, Division of Elections on behalf of the Elections Canvassing Commission** announces a public meeting to which all persons are invited.