

screeners performing electronic fingerprinting meet the requirements of Section 435.04(1)(c), F.S., and have been subject to, and passed, a Level 1 background screening under the standards set forth in Chapter 435, F.S.

(a) Any screening company listed on the FDLE website as authorized to perform Level 2 LiveScan background screenings. The website address is: <http://www.fdle.state.fl.us/Content/getdoc/04833e12-3fc6-4c03-9993-379244e0da50/livescan.aspx>.

(b) Any local law enforcement capable of performing Level 2 Livescan background screenings, provided the equipment and electronic fingerprint data submission have been evaluated by FDLE to verify compliance with both FDLE and FBI regulations and standards.

(7) SHARING OF SCREENING RESULTS.

The information that a particular direct service provider has successfully passed a Level 2 background screening may be shared among DOEA programs and providers. In addition, passage of a Level 2 background screening for one program or provider shall constitute passage for all programs and providers. However, the use of a Level 2 background screening by a subsequent program or provider shall not affect the applicable date for rescreening pursuant to paragraph (3)(d) of this rule, if any. No information other than the fact that the applicant passed Level 2 screening may be shared.

Rulemaking Authority 430.08, 435.01(2) FS. Law Implemented 430.0402, 435.01, 435.02, 435.03, 435.04, 435.06, 435.07 FS. History—New 11-1-10.

Editorial note: Supersedes 58ER10-1.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: November 1, 2010

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

Section V

Petitions and Dispositions Regarding Rule Variance or Waiver

DEPARTMENT OF COMMUNITY AFFAIRS

NOTICE IS HEREBY GIVEN THAT on October 12, 2010, the Department of Community Affairs has issued an order.

The petition for waiver was received from the Wakulla County Board of County Commissioners on August 6, 2010, and was assigned the number DCA10-WAI-160. The rule from which

the waiver was sought was paragraph 9B-43.0051(7)(c), Florida Administrative Code. Notice of receipt of this petition was published in the August 20, 2010 (Vol. 36, No. 33) edition of the Florida Administrative Weekly.

This matter involves the CDBG Economic Development subgrant awarded to Wakulla County, Florida, Board of County Commissioners (Petitioner) during the 2005 Federal Fiscal Year (FFY) by the Department of Community Affairs (the Department) under the Small Cities Community Development Block Grant (CDBG) program. Pursuant to paragraph 9B-43.0051(7)(c), F.A.C. (in effect at the time of the award of the subgrant), certain penalties are assessed on future subgrant applications as follows: [a] penalty of five points per job, up to a maximum of 50 points, for failure to create or retain the total number of jobs in the original contract in the Economic Development category. The Petitioner did not deliver the full number of jobs promised, blaming the unforeseen downturn in the national economy. Petitioner did create a significant number of jobs and demonstrated the expenditure-per-job-created ratio was better than that required by the program. The waiver was granted to avoid unjust penalization of the Petitioner for events beyond its expectation and control. The fact that Petitioner did create jobs economically should be acknowledged.

A copy of the Order may be obtained by contacting: Paula P. Ford, Agency Clerk, Department of Community Affairs, 2555 Shumard Oak Boulevard, Tallahassee, Florida 32399-2100, (850)922-1682.

NOTICE IS HEREBY GIVEN THAT on September 30, 2010, the Department of Community Affairs, received a petition for waiver from Robert R. McDonald, of Greenberg Traurig, on behalf of William Scotsman, Inc. This rule governs responsibility for affixing insignia to existing factory built schools and the conditions therefore. It has been assigned the number DCA10-WAI-194.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Paula P. Ford, Commission Clerk, Department of Community Affairs, 2555 Shumard Oak Boulevard, Tallahassee, Florida 32399-2100, (850)922-1682.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Suwannee River Water Management District (SRWMD) has issued an order.

This Order (10-0013) grants variance under Section 120.542, F.S., to Cheryl & Michael Mahan, P. O. Box 848, Live Oak, Florida 32064, for an existing dock within Township 7 South, Range 14 East, Section 4, Suwannee County for C. Mahan District Floodway Project (ERP09-0090). The petition for variance was received by SRWMD on October 5, 2010. Notice of receipt of petition requesting variance was published in F.A.W., Vol. 36, No. 41, October 15, 2010. No public comment has been received. This Order provides a variance from SRWMD criteria for paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirements. SRWMD granted the petition because the petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that a substantial hardship would be created if the petitioners were required to comply with this rule.

A copy of the Order may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Suwannee River Water Management District (SRWMD), received a petition for variance from Arthur Lee Hane, 15659 N. W. 49th Lane, Cheifland, Florida 32626, pursuant to Section 120.542, F.S. Petitioner is seeking variance from subsection 40B-4.3030(9), F.A.C., as to the zero rise certification requirement, and paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirement. Petitioner intends to rebuilt home destroyed by fire in the same footprint as previous home, located in Township 12, Range 13E, Section 32, Levy County. These rules are intended to set forth criteria for development activities within a Work of the District. The petition has been assigned ERP Number 10-0218, A. Hane District Floodway Project.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Suwannee River Water Management District, received a petition for variance from Suwannee County Board of County Commissioners, 224 Pine Ave, Live Oak, FL 32060, pursuant to Section 120.542, F.S. Petitioner is seeking variance from subsection 40B-4.3030(9), F.A.C., as to the zero rise certification requirement, and paragraph 40B-4.3030(12)(b), F.A.C., as to the 75-foot setback requirement. Petitioner intends to reconstruct retaining walls and resurface parking area, in Suwannee County, in Township 1 South, Range 13 East, Section 12, and Township 1 South, Range 14 East, Section 7. These rules are intended to set forth criteria for

development activities within a Work of the District. The petition has been assigned ERP Number 04-0217M2, Dees Howard Boat Ramp Modification.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Robin Lamm, Business Resource Specialist, Suwannee River Water Management District, 9225 CR 49, Live Oak, FL 32060, (386)362-1001 or 1(800)226-1066 in Florida only.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Florida Capital Bank Building, filed April 5, 2010, and advertised in Vol. 36, No. 19 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until March 31, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-224).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Landmark I, filed April 6, 2010, and advertised in Vol. 36, No. 20 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings until November 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-232).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Gas Plant Antique Arcade, filed April 9, 2010, and advertised in Vol. 36, No. 19 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance because the Petitioner failed to meet it's burden by not providing the information requested by the Division (VW 2010-240).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from 100 Madison Bldg., filed April 26, 2010, and advertised in Vol. 36, No. 21 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until April 1, 2017, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-275).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Sarasota Kennel Club, filed June 7, 2010, and advertised in Vol. 36, No. 26 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance from Rule 2.7.4, ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for

restricted door openings because the Petitioner failed to meet it's burden by not providing the information requested by the Division (VW 2010-380).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Alhambra Club Condo, filed June 24, 2010, and advertised in Vol. 36, No. 29 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance because the Petitioner failed to meet it's burden by not providing the information requested by the Division (VW 2010-436).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Union 700, Inc., filed June 24, 2010, and advertised in Vol. 36, No. 29 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 3.10.4(t), 3.11.1(a)(2), 3.10.1, 3.4.5(d), 2.3.3 and 2.1.1 ASME A17.3, 1996 edition and from Rule 8.6.1.2.2 ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, keyed stop switch, two-way communication, emergency lighting and signaling devices, pit stop switch, repairing the hoistway wall, door c/w, door lock and door assembly and allow a tiller rope operation until December 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-437).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Medical Arts Bldg., filed July 30, 2010, and

advertised in Vol. 36, No. 33 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until August 1, 2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-497).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from St. John's River Power Park, filed March 16, 2010, and advertised in Vol. 36, No. 34 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4.2(a) and 2.1.6.4(e)(1) ASME A17.1, 2004 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a minimum clearance of 84 inches in the machine space within the machine room and restricts the use of wire instead of bevels in the hoistway to a strength greater than or equal to 1.110 mm because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-511).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from J.H. Miller Health Science Center, filed August 11, 2010, and advertised in Vol. 36, No. 34 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.3.2 ASME A17.3, 1996 edition and from Rule 2.27.8 ASME A17.1, 2007 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for platform guards and switch keys until February 1,

2011, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-524).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Environmental Services Lab, filed August 16, 2010, and advertised in Vol. 36, No. 36 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Chapter 30, Section 3006.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators venting because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-533).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Maitland Forum, filed August 26, 2010, and advertised in Vol. 36, No. 38 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-552).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. That Final Order was in response to a Petition for Variance from Park Center, filed August 26, 2010, and advertised in Vol. 36, No. 38 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance denies the Petitioner a variance because the Petitioner failed to meet its burden by not providing the information requested by the Division (VW 2010-553).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013, (850)488-1133.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Housing Authority of Daytona Beach, filed September 9, 2010, and advertised in Vol. 36, No. 40 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until June 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-575).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Oak Hospital, filed September 13, 2010, and advertised in Vol. 36, No. 40 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-581).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Reef Resort Condo Assoc., Inc., filed September 24, 2010, and advertised in Vol. 36, No. 40 of the Florida Administrative Weekly. No comments were

received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.11.1 (a)(2) ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and two-way communications until September 24, 2010, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-587).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Waterview, filed October 21, 2010, and advertised in Vol. 36, No. 41 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-594).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Reef Club, filed September 22, 2010, and advertised in Vol. 36, No. 41 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-595).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Park Plaza, filed September 22, 2010, and advertised in Vol. 36, No. 41 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.7.4, 3.3.2, 3.11.1(a)(2), 3.10.4(e) & (u), 2.3.3 and 3.4.5(d) ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings, platform guards, two-way communication, electrical protective devices, a stop switch in the pit and emergency lighting until September 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-596).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Building I & II, filed September 23, 2010, and advertised in Vol. 36, No. 41 of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.11.1(a)(2) ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and two-way communications until September 15, 2013, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-598).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received

a petition from Winter Haven Building. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-631).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 800 Beach Road Condo. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.10.6, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators phase reversal and failure protection which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-632).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 13, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Atlantis Regency East Gardens. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-633).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Title & Trust Co. of Florida Building. Petitioner seeks a variance of the requirements of ASME A17.3, Section

3.11.3 and 3.10.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and a car top inspection station which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-634).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Embassy Suites Tampa Airport/Westshore. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-635).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 14, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Islander Club. Petitioner seeks a variance of the requirements of ASME A17.3, Section 2.7.4 and 3.10.4(t), as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for restricted door openings and car stop switch which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-637).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Bahia Vista Prof. Bldg. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3,

as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-638).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Hope VI Senior Housing, Bradenton Village II. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 2.2.2.5, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for a sump pump which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-639).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Blue Water Bay Condo. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-642).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 19, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Arbor Shoreline Office Park. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3,

as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-640, VW 2010-641, VW 2010-643).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 8, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Nine Fifty Broadway. Petitioner seeks a variance of the requirements of an unspecified Section of A17.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-646).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from First Baptist Church. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-648).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 25, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from McCrory Building. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 3.19.3.3.1, as adopted by Chapter 30, Section 3001.2,

Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that regulates flexible hose and fitting assembly which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-649).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 26, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 2200 Lucien Way. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-651).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Division of Hotels and Restaurants, received a petition for an Emergency Variance for subparagraph 61C-1.002(5)(a)2., Florida Administrative Code, from East Plaza #1, 2, 3 & 4, Miami, FL. The above referenced F.A.C. addresses the requirement that a mobile food dispensing vehicle be a vehicle that is otherwise movable. They are requesting to install casters on the unit rather than axle-mounted wheels in order to be otherwise movable from place to place.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on October 26, 2010, the Electrical Contractors' Licensing Board, received a petition for Timothy P. Atkinson, Esquire, on behalf of Ira L. Thompson, seeking a variance or waiver of subsection 61G6-5.004(2), Florida Administrative Code, which requires in part that a comprehensive financial statement be forwarded to the Department for the Board's review, reflecting the financial condition of the business organization in its previous fiscal year; provided, however, that the statement be prepared within 12 months of the date of filing of the application. The financial

statement must indicate a minimum net worth as indicated below for the following categories: (a) Unlimited electrical and alarm contractor \$10,000 (b) Specialty Contractor \$5,000.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juanita Chastain, Executive Director, Electrical Contractors' Licensing Board, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Electrical Contractors' Licensing Board within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on October 19, 2010, the Florida Real Estate Appraisal Board, received a petition for Kenneth L. Reynolds, seeking a variance or waiver of paragraph 61J1-4.010(1)(c), Florida Administrative Code, that requires that a supervisory appraiser must have been licensed as an appraiser or certified as a residential or general appraiser for at least 48 months to qualify to supervise trainees.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Thomas W. O'Bryant, Jr., Deputy Director, Division of Real Estate, 400 West Robinson Street, Hurston Building, North Tower, Suite N801, Orlando, Florida 32801. Comments on this petition should be filed with: The Florida Real Estate Appraisal Board within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Florida Department of Environmental Protection has issued an order.

This Order (WL-911 AR ATF V) grants a variance under Section 120.542, F.S., to John B. Higdon Jr., C. Wayne and Mary H Walker, Jr., and John F. Steen, regarding WL-911 AR ATF, an application for after-the-fact armoring. A petition for variance was received on April 3, 2009. Notice of receipt of petition requesting the variance was published in the F.A.W., Vol. 36, No. 16, April 24, 2009. No public comment was received. This Order grants a limited variance from subparagraph 62B-33.0051(1)(a)1., F.A.C., which provides the condition where construction of armoring shall be authorized for the protection of an eligible structure. The petition was approved because the petitioner was able to demonstrate that strict adherence would create a substantial hardship and that the underlying statute's purpose will be or has been achieved by other means. The properties are located at 4559, 4569, 4579, and 4589, Coastal Highway 30A, Dune Allen Beach, Walton County, FL.

A copy of the Order may be obtained by contacting: Rosaline Beckham at (850)488-7815 or by e-mail: rosaline.beckham@dep.state.fl.us.

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Florida Department of Environmental Protection has issued an order.

This Order (WL-1058 AR ATF V) grants a variance under Section 120.542, F.S., to Charlotte Lee Jones Anderson, Jerral Wayne Jones, Jr., John Stephen Jones, Jerral Wayne Jones, Sr., regarding WL-1058 AR ATF, an application for after-the-fact armoring. A petition for variance was received on July 28, 2010. Notice of receipt of petition requesting the variance was published in the F.A.W., Vol. 36, No. 32, August 13, 2010. No public comment was received. This Order grants a limited variance from subsections 62B-33.002(18) and (44), F.A.C., which defines "eligible structures" and "nonconforming structure," respectively, and from subparagraph 62B-33.0051(1)(a)1., F.A.C., which provides the condition where construction of armoring shall be authorized for the protection of an eligible structure. The petition was approved because the petitioner was able to demonstrate that strict adherence would create a substantial hardship and that the underlying statute's purpose will be or has been achieved by other means. The property is located at 120 Village Baach East, Santa Rosa Beach, Walton County, FL.

A copy of the Order may be obtained by contacting: Rosaline Beckham at (850)488-7815 or by e-mail: rosaline.beckham@dep.state.fl.us.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on October 21, 2010, the Board of Clinical Laboratory Personnel, received a petition for Edward D. Haley. Petitioner is seeking a variance or waiver of paragraph 64B3-5.002(1)(a), Florida Administrative Code, which requires for licensure with a specialty, that the licensee have a bachelors degree with 24 semester hours of academic science including 8 semester hours of biological sciences and 8 semester hours of chemical sciences.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Bruce Deterding, Executive Director, Board of Clinical Laboratory Personnel, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257. Comments on the petition should be filed with the Board of Clinical Laboratory Personnel within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on October 20, 2010, the Board of Psychology, received a petition for a waiver filed by Laura Tendler, Psy.D., from Rule 64B19-11.0075, F.A.C., with regard to closing the application file after 24 months if the applicant is unable to document successful completion of the Laws and Rules examination. Comments on this petition

should be filed with: The Board of Psychology, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3055, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Allen Hall, Executive Director, Board of Psychology, at the above address, or telephone (850)245-4373.

FLORIDA HOUSING FINANCE CORPORATION

NOTICE IS HEREBY GIVEN THAT on October 22, 2010, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: BISCAYNE APARTMENTS ASSOCIATES, LTD

DATE PETITION WAS FILED: September 14, 2010

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Subsection 9I-ER93-10(3), F.A.C., which requires "Interest payments, where applicable, on the HOME mortgage will be due to the servicer on the first day of the calendar quarter".

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, September 24, 2010, Vol. 36, No. 38.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: October 22, 2010

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or email: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing's website at: www.floridahousing.org.

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or email: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing's website at: www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on October 22, 2010, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: NOAH DEVELOPMENT CORPORATION

DATE PETITION WAS FILED: August 11, 2010

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Subsections 67-48.0092(2) and 67-48.0105(4), F.A.C., which refers to the program procedures and administers the application process for SAIL loans.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, August 20, 2010, Vol. 36, No. 33.

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION DISMISSED THE VARIANCE OR WAIVER: October 22, 2010

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or email: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing's website at: www.floridahousing.org.

NOTICE IS HEREBY GIVEN THAT on October 22, 2010, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: NORTHWEST PROPERTIES PHASE III, LTD.

DATE PETITION WAS FILED: September 17, 2010

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Paragraph 67-48.004(14)(g), F.A.C.; which prohibits changing the development type selected in the Application after the Application Deadline. REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, October 1, 2010, Vol. 36, No. 39

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: October 22, 2010

NOTICE IS HEREBY GIVEN THAT on October 22, 2010, the Florida Housing Finance Corporation has issued an order.

NAME OF THE PETITIONER: SUNRISE PARK PHASE I, LTD

DATE PETITION WAS FILED: September 16, 2010

RULE NUMBER AND NATURE OF THE RULE FROM WHICH THE WAIVER OR VARIANCE IS SOUGHT: Paragraph 67-48.004(14)(g), F.A.C., which states that certain items must be included in the Application and cannot be revised, corrected or supplemented after the Application Deadline.

REFERENCE TO THE PLACE AND DATE OF THE PUBLICATION OF THE NOTICE OF PETITION: Florida Administrative Weekly, October 1, 2010, Vol. 36, No. 39

THE DATE THE BOARD OF DIRECTORS OF FLORIDA HOUSING FINANCE CORPORATION APPROVED THE VARIANCE OR WAIVER: October 22, 2010

THE GENERAL BASIS FOR THE DECISION: The purpose of the underlying statute is to make loans to Eligible Housing Providers and Eligible Home Buyers for the construction of affordable housing. The waiver will further this purpose.

A copy of the Order may be obtained by contacting: Della Harrell, Corporation Clerk at (850)488-4197 or email: Della.Harrell@floridahousing.org. The Final Order is posted on Florida Housing's website at: www.floridahousing.org.

Section VI

Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF STATE

The **Division of Historical Resources and Florida Historical Commission** announces a public meeting to which all persons are invited.

DATES AND TIME: November 15-16, 2010, 9:00 a.m. – 5:00 p.m.

PLACE: Heritage Hall Auditorium, R. A. Gray Building, 500 South Bronough Street, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: Annual election of the Florida Historical Commission's Assistant Presiding Officer. Also to review and rank 2012 Special Category Grant Applications.

A copy of the agenda may be obtained by contacting: Grants Staff at 1(800)847-7278, email: bhpggrants@flheritage.com or by visiting: www.flheritage.com/grants.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 1 day before the workshop/meeting by contacting: Grants Staff at 1(800)847-7278, email: bhpggrants@flheritage.com. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Grants Staff at 1(800)847-7278, email: bhpggrants@flheritage.com or by visiting: www.flheritage.com/grants.

The Florida **Department of State, Division of Elections** on behalf of the Elections Canvassing Commission announces a public meeting to which all persons are invited.

DATE AND TIME: Tuesday, November 16, 2010, 9:00 a.m.

PLACE: Cabinet Meeting Room, LL03, The Capitol, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: To certify official elections results for the 2010 General Election.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Amber Barrett, Division of Elections at (850)245-6224, email: anbarrett@dos.state.fl.us. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Donald Palmer, Director, Division of Elections, Florida Department of State at (850)245-6200, email: dlpalmer@dos.state.fl.us.

The **Division of Cultural Affairs and Citizens for Florida Arts, Inc.** announces a public meeting to which all persons are invited.

DATE AND TIME: Thursday, November 18, 2010, 10:00 a.m.

PLACE: This meeting will take place via teleconference. For instructions on how to participate please visit: <http://www.florida-arts.org/about/calendar/> and click on the Citizens for Florida Arts, Inc. meeting listing

GENERAL SUBJECT MATTER TO BE CONSIDERED: To discuss, review, and take action on funding and any other business that may appropriately come before the board.

A copy of the agenda may be obtained by contacting: Morgan Lewis, Division of Cultural Affairs at (850)245-6470 or email: mblewis@dos.state.fl.us.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: Laura Blischke at (850)245-6475 or by email: llblischke@dos.state.fl.us. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Morgan Lewis, Division of Cultural Affairs at (850)245-6470 or email: mblewis@dos.state.fl.us.

DEPARTMENT OF EDUCATION

The **Florida Rehabilitation Council**, Executive Committee announces a telephone conference call to which all persons are invited.

DATE AND TIME: November 8, 2010, 9:00 a.m. – 11:00 a.m.

PLACE: VR Headquarters, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: To conduct a meeting of the Florida Rehabilitation Council.