

- (a) through (b) No change.
- (8) No change.
- (a) through (d) No change.
- (9) Training and Standard Operating Procedures;
 - (a) Counties shall include specified training standards in their standard operating procedures. These SOPs shall include classroom and on-the-job instruction and training course content required for 911 public safety telecommunicators.

Rulemaking Authority 365.171(4) FS. Law Implemented 365.171 (10) FS. History--New_____.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF ENVIRONMENTAL PROTECTION

RULE NOS.:	RULE TITLES:
62-550.200	Definitions for Public Water Systems
62-550.514	Disinfectant Residuals and Disinfection Byproducts Monitoring Requirements
62-550.540	Monitoring of Consecutive Public Water Systems
62-550.550	Certified Laboratories and Analytical Methods for Public Water Systems
62-550.720	Recordkeeping
62-550.730	Reporting Requirements for Public Water Systems
62-550.821	Disinfectant Residuals, Disinfection Byproducts, and Disinfection Byproduct Precursors
62-550.822	Initial Distribution System Evaluations and Stage 2 Disinfection Byproducts Requirements
62-550.824	Consumer Confidence Reports

NOTICE OF WITHDRAWAL

Notice is hereby given that the above rule, as noticed in Vol. 36, No. 10, March 12, 2010 issue of the Florida Administrative Weekly has been withdrawn.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

RULE NOS.:	RULE TITLES:
62-550.310	Primary Drinking Water Standards: Maximum Contaminant Levels and Maximum Residual Disinfectant Levels
62-550.500	General Monitoring and Compliance Measurement Requirements for Contaminants and Disinfectant Residuals

NOTICE OF WITHDRAWAL

Notice is hereby given that the above rule, as noticed in Vol. 36, No. 13, April 2, 2010 issue of the Florida Administrative Weekly has been withdrawn.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

RULE NO.:	RULE TITLE:
62-560.400	Scope of Drinking Water Public Notification Rules

NOTICE OF WITHDRAWAL

Notice is hereby given that the above rule, as noticed in Vol. 36, No. 10, March 12, 2010 issue of the Florida Administrative Weekly has been withdrawn.

**Section IV
Emergency Rules**

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

**Section V
Petitions and Dispositions Regarding Rule Variance or Waiver**

DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

NOTICE IS HEREBY GIVEN THAT on December 2, 2010, the Department of Agriculture and Consumer Services has issued an order.

The Order grants a permanent variance from application of subsection 5F-11.002(1), F.A.C., and Section 7.9.2.2, NFPA 54, National Fuel Gas Code, to the Petitioner, The Windsor at Bay Colony Condominium Association. Petitioner represents The Windsor Condominiums at Bay Colony, which was found not in compliance with Section 7.9.2.2, NFPA 54. Petitioner has successfully demonstrated that strict compliance with subsection 5F-11.002(1), F.A.C., would create a substantial hardship and that compliance can be met by other means. The Order requires completion of conditions.

A copy of the Order may be obtained by contacting: Lisa M. Bassett, Chief, Bureau of LP Gas Inspection, 3125 Conner Boulevard, Suite N, Tallahassee, Florida 32399-1650 or by calling: Lisa M. Bassett at (850)921-8001.

DEPARTMENT OF LAW ENFORCEMENT

NOTICE IS HEREBY GIVEN THAT on December 2, 2010, the Criminal Justice Standards and Training Commission, received a petition for permanent waiver of paragraph 11B-27.013(8)(b), F.A.C., by Robert J. Dudley. The rule requires canine team instructors who wish to become canine team evaluators to successfully train twelve patrol canine teams to FDLE standards and document the training by using form CJSTC-70. The Petitioner has successfully trained 29 patrol canine teams, but only seven of them have achieved certification through FDLE. Many teams trained by Petitioner were certified through the United States Police Canine Association, which is an accepted certification standard in Florida. The Petitioner would like the canine teams that he trained to certification through the United States Police Canine Association recognized as the equivalent of FDLE canine team certification in fulfillment of the rule, or, in the alternative, that the seven teams that he trained to FDLE canine team certification would suffice to fulfill the rule requirement of training twelve FDLE certified canine teams for the purposes of obtaining his Canine Team Evaluator status.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, FL 32302, (850)410-7676.

NOTICE IS HEREBY GIVEN THAT on December 3, 2010, the Criminal Justice Standards and Training Commission, received a petition for permanent waiver of paragraphs 11B-27.00213(4)(a), (b), F.A.C., by Tabitha Williams. The rule requires recruits employed by agencies on a temporary employment authorization (TEA) to have a four-year break in service before they may enter into another TEA if their TEA is terminated prior to the recruit becoming certified. Petitioner's employer terminated her employment for cause while she was on a TEA. Petitioner seeks a waiver of this rule so that she may seek another TEA immediately at another facility and, thereby, remain employed while she fulfills the requirements of Section 943.13, F.S., to become certified.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Grace A. Jaye, Assistant General Counsel, Florida Department of Law Enforcement, P. O. Box 1489, Tallahassee, FL 32302, (850)410-7676.

BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT TRUST FUND

Notices for the Board of Trustees of the Internal Improvement Trust Fund between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Nordvind, filed September 7, 2010, and advertised in Vol. 36, No. 38, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until December 31, 2014, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-566).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Coco Key Hotel and Water Resort, filed September 8, 2010, and advertised in Vol. 36, No. 38, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until September 1, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-570).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Bank of America Centre, filed September 8, 2010, and advertised in Vol. 36, No. 40, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until July 31, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-573).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from The Islander Condo Assoc., filed September 9, 2010, and advertised in Vol. 36, No. 40, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.1(a)(1), 3.3.2, 3.10.3(a) and 3.9.1 ASME A17.3, 1996 edition, from Rule 207.3 ASME A17.1, 1996 edition, and from ANSI/NFPA 70, Article 620.22(A), NEC 2005 edition as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading with emergency signaling devices, platform guards, top-of-car continuous-pressure button switch, normal terminal stopping devices, elevator capacity and data plate and a separate car light branch circuit until October 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-574).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for Variance from Marker "5" Condo Assoc., Inc., filed September 9, 2010, and advertised in Vol. 36, No. 40, of

the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 and 3.3.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations and platform guards until January 1, 2015, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-585).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Jewett Orthopaedic Clinic, filed November 2, 2010, and advertised in Vol. 36, No. 45, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 2.2.2.5 ASME A17.1a, 2005 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a sump pump in the hoistway because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-661).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety has issued an order. The Final Order was in response to a Petition for emergency Variance from Racquet Club C, filed November 2, 2010, and advertised in Vol. 36, No. 45, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3, 2.7.4, 3.10.4(t) and 3.3.2 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations, restricted door openings, in-car stop switch and platform guards until November 1, 2013, because the Petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-662).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sarasota Memorial Hospital – New Patient Tower. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.1, 2.20.9 and 2.24.2, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which would allow the installation of an Otis Gen2 elevator system. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-703).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Sarasota Memorial Hospital – Medical Arts Elevator Addition. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.1, 2.20.9 and 2.24.2, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which would allow the installation of an Otis Gen2 elevator system. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-704).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from St. Anthony's Hospital Emergency Center Tower Project. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.20.1, 2.20.9 and 2.24.2, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which would allow the installation of an Otis Gen2 elevator system. Any interested person may file

comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-705).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Pelican Bay. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-706).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Tamiami Square Bldg. 200. Petitioner seeks a variance of the requirements of an unspecified Section of A17.1, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-707).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from The Water Club. Petitioner seeks a variance of the requirements of Section 3003.3, Florida Building Code, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a permanent sign above each hall push station reading "In case of fire, do not use elevator. Use exit stairs.", which poses a significant economic/financial hardship. Any interested person may file comments

within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-708).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from Flamingo Bay Club Condo Assoc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-710).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition from 56 E Pine Street. Petitioner seeks a variance of the requirements of ASME A17.1, Section 2.2.4.2, as adopted by Chapter 30, Section 3001.2, Florida Building Code, adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a ladder in a pit extending more than 900 mm below the sill of the pit access door which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2010-711).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for an Emergency Variance on October 25, 2010 for subsections 61C-4.010(6), (7), Florida Administrative Code, from Burrito Brothers, Jupiter, FL. The above referenced F.A.C. addresses the requirements that at

least one accessible bathroom be provided for use by customers. They are requesting to share bathrooms located within another business for use by customers only.

The Petition was published in Vol. 36, No. 45 on November 12, 2010, and after a complete review of the variance request, the Division finds that the application of this rule will create a financial hardship to the food service establishment. Furthermore, the Division finds that the Petitioner meets the burden of demonstrating that the underlying statute has been achieved by the Petitioner ensuring the bathrooms located within Rosetta's Produce are maintained in a clean and sanitary manner, have cold running water under pressure, soap, approved hand drying devices and are available during all hours of operation and that directional signage is installed in the establishment clearly stating the location of the bathrooms. If the ownership of Rosetta's Produce changes, an updated signed agreement for use of the bathroom facilities is required immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for an Emergency Variance on November 2, 2010 for subsections 61C-4.010(6), (7), Florida Administrative Code, from Chef Dee's Catering, Panama City, FL. The above referenced F.A.C. addresses the requirements that at least one accessible bathroom be provided for use by customers. They are requesting to share bathrooms located within an adjacent licensed food service establishment under the same ownership.

The Petition was published in Vol. 36, No. 46 on 11/19/10 and after a complete review of the variance request, the Division finds that the application of this Rule will create a financial hardship to the food service establishment. Furthermore, the Division finds that the Petitioner meets the burden of demonstrating that the underlying statute has been achieved by the Petitioner ensuring the bathrooms located within an adjacent business (Dee's Hangout, SEA1305191) are maintained in a clean and sanitary manner and are provided with cold running water under pressure, soap, approved hand drying devices, and are available during all hours of operation. The Petitioner shall also ensure directional signage is installed within or outside the establishment clearly stating the location of the bathrooms. If the hours of operation or ownership of Dee's Hangout changes, an updated signed agreement for use of the bathroom facilities is required immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 15, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Routine Variance petition on October 28, 2010 for paragraph 61C-1.004(2)(a), subsections 61C-4.010(6), (7), Florida Administrative Code, and Section 6-402.11, 2001 FDA Food Code from The Fish House, Ruskin, FL. The above referenced F.A.C. addresses the requirement that at least one accessible bathroom on the same level be provided for use by customers and employees. They are requesting to share bathroom facilities with another nearby business.

The Petition published Vol. 36, No. 45 on 11/12/10 and after a complete review of the variance request, the Division finds that the application of this rule will create a financial hardship to the food service establishment. Furthermore, the Division finds that the Petitioner meets the burden of demonstrating that the underlying statute has been achieved by the Petitioner ensuring the bathrooms located within River Haven Mobile Home Park Municipal Building are maintained in a clean and sanitary manner, have hot and cold running water under pressure, soap, approved hand drying devices and are available during all hours of operation. The Petitioner shall also ensure directional signage is installed in the establishment clearly stating the location of the bathrooms. If the ownership of River Haven Mobile Home Park Municipal Building changes, an updated signed agreement for use of the bathroom facilities is required immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 24, 2010, the Division of Hotels and Restaurants, received a petition for a Routine Variance for paragraph 61C-1.004(1)(a), Florida Administrative Code and Paragraph 5-202.11(A), 2001 FDA Food Code from McCoy's Bar & Grill, Orlando, FL. The above referenced F.A.C. addresses the requirement that each establishment have an approved plumbing system installed to transport water and to collect wastewater. They are requesting to utilize holding tanks to provide potable water and to collect wastewater.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for a Routine Variance on November 2, 2010 for paragraph 61C-1.004(1)(a), Florida Administrative Code and Section 5-203.13, 2001 FDA Food Code, Paragraph 4-301.12(A), 2001 FDA Food Code and subsection 61C-4.010(5), Florida Administrative Code, from Subway, Fort Myers, FL. The above referenced F.A.C. addresses the requirements that at least one service sink is provided for the cleaning of mops or similar cleaning tools and the disposal of mop water and that dishwashing facilities for manually washing, rinsing and sanitizing equipment and utensils are provided. They are requesting to utilize a mopsink and dishwashing facility located within another establishment.

The initial petition was published in Vol. 36, No. 46 on 11/19/10. After a complete review of the variance request, the Division finds that the application of this rule will create a financial hardship to the food service establishment. Furthermore, the Division finds that the Petitioner meets the burden of demonstrating that the underlying statute has been achieved by the Petitioner ensuring the dishwashing facility and mop sink located within Gulf Coast Medical Center Kitchen are maintained in a clean and sanitary manner and provided with hot and cold running water under pressure and are available during all hours of operation. If the hours of operation or ownership of Gulf Coast Medical Center Kitchen changes, an updated signed agreement for use of the dishwashing facility and mop sink is required immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@dbpr.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Business and Professional Regulation, Division of Hotels and Restaurants has issued an order.

The Department received a Petition for an Emergency Variance on November 5, 2010 for subsection 61C-4.010(6), Florida Administrative Code and Section 6-201.18, 2001 FDA Food Code, Subparagraph 6-101.11 (A)(1) & (3), 2001 FDA Food Code, Paragraph 6-201.11, 2001 FDA Food Code from Zoinks Kidstation, Tallahassee, FL. The above referenced F.A.C. addresses that studs, joist and rafters may not be exposed in areas subject to moisture and that ceilings must be smooth, nonabsorbent and easily cleanable in areas subject to moisture.

They are requesting to operate with exposed studs, joists or rafters in the kitchen and utilize a ceiling that is not smooth and easily cleanable.

The Petition was published in Vol. 36, No. 47 on 11/24/10 and after a complete review of the variance request, the Division finds that the application of this rule will create a financial hardship to the food service establishment. Furthermore, the Division finds that the Petitioner meets the burden of demonstrating that the underlying statute has been achieved by the Petitioner ensuring there is a cleaning regimen to preclude the accumulation of dust, dirt and other debris on the ceiling that could cross contaminate the food and food-contact surfaces. Also, that the current menu (consisting of drinks and precooked pizzas) does not change. If changes to the menu occur, the Petitioner shall notify the Division immediately.

A copy of the Order may be obtained by contacting: Lydia.Gonzalez@DBPR.state.fl.us, Division of Hotels and Restaurants, 1940 North Monroe Street, Tallahassee, Florida 32399-1011.

The Construction Industry Licensing Board hereby gives notice that it has received a petition, filed on November 24, 2010, by Jason Hickson, seeking a waiver or variance of Rule 61G4-16.005, F.A.C., dealing with duration of exam validity, a passing grade shall be valid only for a period of four (4) years from the date the list of successful candidates is approved by the Board.

Comments on this petition should be filed with: Construction Industry Licensing Board, Northwood Center, 1940 North Monroe Street, Tallahassee, FL 32399, within 14 days of publication of this notice.

For a copy of the petition, contact: G. W. Harrell, Executive Director, Construction Industry Licensing Board, at above address or telephone (850)487-1395.

NOTICE IS HEREBY GIVEN THAT on November 23, 2010, the Board of Accountancy, received a petition for Kristen Lepisto, seeking a variance or waiver of paragraph 61H1-28.0052(1)(b), Florida Administrative Code, that requires candidates to pass all four test sections of the CPA Examination within a rolling eighteen-month period, which begins on the NASBA grade release date for the first test section(s) passed.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN THAT on November 22, 2010, the Board of Accountancy, received a petition for Jody Michalec, seeking a variance or waiver of paragraph

61H1-27.0041(1)(b), Florida Administrative Code, which lists the requirements for work experience supervision as the subjection of the applicant, during employment, to oversight, guidance and evaluation by a supervisor who had the right to control and direct the applicant as to the result to be accomplished by the work and also as to the means by which the result was to be accomplished. Petitioner is also seeking a variance of waiver of paragraph 61H1-27.0041(1)(c), F.A.C., which lists the requirements for a supervisor as one who is either a licensed certified public accountant in good standing with any regulating body or a charter accountant recognized by the International Qualifications Appraisal Board. Petitioner is also seeking a variance of waiver of subsection 61H1-27.0041(2), F.A.C., which requires that one year of work experience shall be held and understood to mean the rendition of services such as are customarily performed by full-time, regularly employed staff employees of a certified public accountant during the normal workweek as required by the employing certified public accountant, commencing after the completion of the educational requirements set forth in subsection 61H1-27.002(3), F.A.C.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N. W. 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices for the Department of Environmental Protection between December 28, 2001 and June 30, 2006, go to <http://www.dep.state.fl.us/> under the link or button titled "Official Notices."

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN THAT on December 7, 2010, the Department of Health has issued an order.

The order granted a petition for permanent variance from the requirements of paragraphs 64E-15.005(2)(a) & (b), F.A.C., as filed by Plaza 3300, Inc., T/A Central and Harbour MHP was granted on December 7, 2010. The petition was filed with the Department on September 8, 2010, and noticed in the Florida Administrative Weekly on September 24, 2010, in Vol. 36, No. 38. The Department determined that Petitioner was able to demonstrate that the underlying statute has been achieved by other means and that application of the rules would create a substantial hardship.

A copy of the Order may be obtained by contacting: Agency Clerk, Department of Health, 4052 Bald Cypress Way, Bin A02, Tallahassee, Florida 32399-1703, (850)245-4005.

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

NOTICE IS HEREBY GIVEN THAT on November 23, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-14.055(4), Florida Administrative Code, from Florida Baptist Children’s Home and Randy Harrison. Subsection 65C-14.055(4), F.A.C., requires staff responsible for the supervision, evaluation and monitoring of the direct child care staff shall have a bachelor’s degree in social work, or related area of study from a college or university and at least 3 years of experience in working with children, or 2 years of college and 4 years of experience in working with children.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

NOTICE IS HEREBY GIVEN THAT on November 30, 2010, the Department of Children and Families, received a petition for waiver of subsection 65C-14.026(4), Florida Administrative Code, from Grandma’s Place. Subsection 65C-14.016(4), F.A.C. states the agency shall have financial records audited annually.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Agency Clerk, Department of Children and Families, 1317 Winewood Blvd., Bldg. 2, Room 204, Tallahassee, FL 32399-0700.

Section VI

Notices of Meetings, Workshops and Public Hearings

DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

The **Pesticide Registration Evaluation Committee** announces a public meeting to which all persons are invited.

DATE AND TIME: January 6, 2011, 9:00 a.m.

PLACE: Bureau of Pesticides, Building 6, Room 606, Conference Room, 3125 Conner Boulevard, Tallahassee, Florida 32399, (850)617-7940

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Committee discusses and makes recommendations on pesticide registration issues impacting human health and safety and the environment.

A copy of the agenda may be obtained by contacting: The Pesticide Registration Section at (850)617-7940 or from the PREC Web Site at: http://www.flaes.org/pesticide/pesticide_registration.html.

For more information, you may contact: Mr. Charlie L. Clark, Administrator, Pesticide Registration Section, 3125 Conner Boulevard, Building 6, Room 601, Tallahassee, Florida 32399-1650, (850)617-7940.

DEPARTMENT OF EDUCATION

The **Florida Rehabilitation Council (FRC)**, Evaluation Contract Discussion for Full Council announces a telephone conference call to which all persons are invited.

DATE AND TIME: January 4, 2011, 1:30 p.m. – 3:30 p.m.

PLACE: VR Headquarters, Tallahassee, Florida

GENERAL SUBJECT MATTER TO BE CONSIDERED: To conduct a meeting of the Florida Rehabilitation Council.

Any interested parties that need further information may contact: Paige Sharpton at (850)245-3397.

For appeal process see Section 286.0105, Florida Statutes.

Please note that committees of the Florida Rehabilitation Council will meet at various times throughout the year to carry out the work of the council; the meeting dates and times will be posted at: www.rehabworks.org at least seven days before the meeting. Persons who want to be notified of such meetings may request to be put on a mailing list by writing to Paige Sharpton at the Council’s address.

A copy of the agenda may be obtained by contacting: The FRC at (850)245-3397.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 3-5 days before the workshop/meeting by contacting: The FRC at (850)245-3397. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

The Florida **Department of Education** announces a public meeting to which all persons are invited.

DATES AND TIME: January 19-20, 2011, 8:30 a.m.

PLACE: Turlington Building, Room 1721/25, 325 West Gaines Street, Tallahassee, FL 32399

GENERAL SUBJECT MATTER TO BE CONSIDERED: Education Commissioner Dr. Eric J. Smith announces the 9-12C Science adoption meeting of the State Instructional Materials Committee. The Committee will evaluate instructional materials that were submitted for consideration by publishers in May of 2010 and will recommend titles to be placed on the state-adopted list of instructional materials for use by public schools beginning with the 2011-2012 school year.