

available from the Medicaid fiscal agent's Web Portal at <http://mymedicaid-florida.com>. Click on Public Information for Providers, then on Provider Support, and then on Fee Schedules. Paper copies of the rate table may be obtained from the Agency for Health Care Administration, Bureau of Medicaid Services, 2727 Mahan Drive, M.S. 20, Tallahassee, Florida 32308.

Rulemaking Authority 409.919 FS. Law Implemented 393.0661, 409.906, 409.908 FS. History—New 4-1-11.

59GER11-2 Developmental Disabilities Waiver Services Procedure Codes.

(1) This rule applies to all developmental disabilities waiver services providers enrolled in the Medicaid program. This rule is effective from April 1, 2011 through June 30, 2011.

(2) All developmental disabilities waiver services providers enrolled in the Medicaid program must be in compliance with the Developmental Disabilities Home and Community-Based Services Waiver Procedure Codes and Maximum Units of Service, April 1, 2011, which is incorporated by reference. The Developmental Disabilities Home and Community-Based Services Waiver Procedure Codes and Maximum Units of Service is available from the Medicaid fiscal agent Web Portal at <http://mymedicaid-florida.com>. Click on Public Information for Providers, then on Provider Support, and then on Fee Schedules.

Rulemaking Authority 409.919 FS. Law Implemented 393.0661, 409.906, 409.908 FS. History—New 4-1-11.

59GER11-3 Developmental Disabilities Waiver Residential Habilitation Services in a Licensed Facility Provider Rate Table.

(1) This rule applies to all developmental disabilities waiver services providers enrolled in the Medicaid program. This rule is effective from April 1, 2011 through June 30, 2011.

(2) All developmental disabilities waiver services providers enrolled in the Medicaid program must be in compliance with the Developmental Disabilities Waiver Residential Habilitation Services in a Licensed Facility Provider Rate Table, April 1, 2011, which is incorporated by reference. The rate table is available from the Medicaid fiscal agent's Web Portal at <http://mymedicaid-florida.com>. Click on Public Information for Providers, then on Provider Support, and then on Fee Schedules. Paper copies of the rate table may be obtained from the Agency for Health Care Administration, Bureau of Medicaid Services, 2727 Mahan Drive, M.S. 20, Tallahassee, Florida 32308.

Rulemaking Authority 409.919 FS. Law Implemented 393.0661, 409.906, 409.908 FS. History—New 4-1-11.

59GER11-4 Family and Supported Living Waiver Provider Rate Table.

(1) This rule applies to all family and supported living waiver services providers enrolled in the Medicaid program. This rule is effective from April 1, 2011 through June 30, 2011.

(2) All family and supported living waiver services providers enrolled in the Medicaid program must be in compliance with the Family and Supported Living Waiver Provider Rate Table, April 1, 2011, which is incorporated by reference. The rate table is available from the Medicaid fiscal agent's website at <http://mymedicaid-florida.com>. Click on Provider Support, and then on Fee Schedules.

Rulemaking Authority 409.919 FS. Law Implemented 393.0661, 409.906, 409.908 FS. History—New 4-1-11.

59GER11-5 Family and Supported Living Waiver Services Procedure Codes.

(1) This rule applies to all family and supported living waiver services providers enrolled in the Medicaid program. This rule is effective from April 1, 2011 through June 30, 2011.

(2) All family and supported living waiver services providers enrolled in the Medicaid program must be in compliance with the Family and Supported Living Home and Community-Based Services Waiver Procedure Codes and Maximum Units of Service April 1, 2011, which is incorporated by reference. The Family and Supported Living Home and Community-Based Services Waiver Procedure Codes and Maximum Units of Service is available from the Medicaid fiscal agent's website at <http://floridamedicaid.acs-inc.com>. Click on Provider Support, and then on fees.

Rulemaking Authority 409.919 FS. Law Implemented 393.0661, 409.906, 409.908 FS. History—New 4-1-11.

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: April 1, 2011

Section V Petitions and Dispositions Regarding Rule Variance or Waiver

WATER MANAGEMENT DISTRICTS

NOTICE IS HEREBY GIVEN that on March 25, 2011, the South Florida Water Management District (District), received a petition for waiver, amending a previous petition filed on March 7, 2011, from Florida Department of Transportation, Application No. 11-0307-2, for utilization of Works or Lands of the District known as the C-2 Canal, for installation of a concrete shared use path, safety railing, retaining wall, light poles, signs, landscaping and bank stabilization/revetment

within the south right of way of C-2, located between S.W. 70th Avenue and SR-5/US-1; Section 35, Township 54 South, Range 40 East, Miami-Dade County. The petition seeks relief from paragraph 40E-6.221(2)(j) and subsections 40E-6.011(4), (6), F.A.C., which governs placement of permanent and semi-permanent above-ground structures within 40' of top of canal bank and within designated 100' long equipment staging areas within Works or Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail at jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn: Juli Russell, Office of Counsel.

NOTICE IS HEREBY GIVEN that on March 28, 2011, the South Florida Water Management District (District), received a petition for waiver from Southern Gardens Grove Corporation, Application No. 11-0328-1, for utilization of Works or Lands of the District known as the G-3W (also known as the Deer Fence Canal), to allow 3-48" CMP's, 2-12" above-ground blow-off pipes and parallel fencing; also, 4 non-functioning 42" CMP's to remain through the north right of way of the G-3W Canal; Sections 1, 2, & 3, Township 47 South, Range 32 East, Hendry County. The petition seeks relief from Rule 40E-6.601, F.A.C., which governs the payment of Application Processing Fees associated with the issuance of Right of Way Permits for use of Works and Lands of the District.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juli Russell at (561)682-6268 or e-mail at jurussel@sfwmd.gov. The District will accept comments concerning the petition for 14 days from the date of publication of this notice. To be considered, comments must be received by the end of business on the 14th day at: South Florida Water Management District, 3301 Gun Club Road, MSC 1410, West Palm Beach, FL 33406, Attn: Juli Russell, Office of Counsel.

AGENCY FOR HEALTH CARE ADMINISTRATION

NOTICE IS HEREBY GIVEN that on March 16, 2011, the Agency for Health Care Administration, received a petition for Variance or Waiver from of sub-subparagraph 59A-1.005(1)(a)2.g., 3., Florida Administrative Code, from ISOTIS ORTHOBIOLOGICS, INC. The petition requests a variance of rule provisions requiring the tissue bank's medical director to have medical licensure in the state in which the tissue bank is incorporated. The specific provision on which the waiver is sought is sub-subparagraph 59A-1.005(1)(a)2.g., 3., Florida Administrative Code. The Petitioner in its request seeks a permanent variance from the rule due to substantial hardship.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Jamie L. Jackson, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308.

NOTICE IS HEREBY GIVEN that on March 22, 2011, the Agency for Health Care Administration, received a petition for Variance from or Waiver of subsection 59A-1.005(3), Florida Administrative Code, from the Wright Medical Technologies, Inc. The petition requests a variance or waiver of the rule requiring the medical Director of a tissue bank to be licensed to practice medicine and surgery in the state in which the tissue bank is incorporated. The specific provision on which the variance or waiver is sought is subsection 59A-1.005(3), Florida Administrative Code. The Petitioner seeks a variance or waiver on a permanent basis.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Jamie L. Jackson, Agency for Health Care Administration, 2727 Mahan Drive, Mail Stop #3, Tallahassee, Florida 32308.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 31, 2011, the Division issued an order. The Final Order was in response to a Petition for Variance from WPB Resource Recovery, filed March 2, 2011, and advertised in Vol. 37, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 5.7.12.2 ASME A17.1, 2000 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires special purpose personnel elevator's capacity not exceed 1000 lbs. and the inside clear area not exceed 13 square feet because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-073).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 31, 2011, the Division issued an order. The Final Order was in response to a Petition for Variance from City Center, filed March 2, 2011, and advertised in Vol. 37, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 303.3d ASME A17.1a, 1982 edition, as

adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a supply line shutoff valve in the machine room because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-074).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice: On March 31, 2011, the Division issued an order. The Final Order was in response to a Petition for Variance from Alexander Building, filed March 2, 2011, and advertised in Vol. 37, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 303.3d ASME A17.1b, 1989 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a supply line shutoff valve in the machine room because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-072).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 31, 2011, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Wells Fargo, filed March 15, 2011, and advertised in Vol. 37, No. 12, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations until March 15, 2014, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-087).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice: On March 31, 2011, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Beach Club Condo, filed March 3, 2011, and advertised in Vol. 37, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators for firefighters' emergency operations because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-077).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 31, 2011, the Division issued an order. The Final Order was in response to a Petition for emergency Variance from Turlington, filed March 8, 2011, and advertised in Vol. 37, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 61C-5.0051, Florida Administrative Code, that requires providing an in-car stop switch until June 30, 2012, because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-075).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on March 31, 2011, the Division issued an order. The Final Order was in response to a Petition for Variance from Sarasota Manatee Airport Authority, filed March 9, 2011, and advertised in Vol. 37, No. 11, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 6.1.3.15 ASME A17.1, 2005 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires a permanent means to prevent water accumulation because the Petitioner has demonstrated that the purpose of the statute

underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2011-076).

A copy of the Order may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on March 24, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for Union 700, Inc. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.3.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires platform guards which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-095).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on March 24, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for Patrician Arms II. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 2.18.5.1 and 2.20.1, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that governs the suspension, material and factor of safety for the elevator ropes which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-100).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on March 28, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for Edison College Allied Health. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 2.20.4, 2.18.5 and 8.11.2.1.3(cc)(1)&(3), as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires that suspension and governor ropes be no less than 9.5mm which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the

publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-101).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on March 21, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for Ybor City Business Condo Association. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code, that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-554).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on March 28, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for Embassy Suites. Petitioner seeks a variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 14 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-103).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on April 5, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for Air Traffic Control Tower – Albert Whitted Airport. Petitioner seeks an emergency variance of the requirements of ASME A17.1, Section 2.2.2, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires the sump pit size be no less than 18 inches diameter by 24 inches deep which poses a significant economic/financial hardship. Any interested person may file comments within 5

days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-104).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on April 5, 2011, the Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety received a petition for Hilton. Petitioner seeks an emergency variance of the requirements of ASME A17.3, Section 3.11.3, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators with firefighters' emergency operations which poses a significant economic/financial hardship. Any interested person may file comments within 5 days of the publication of this notice with Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013 (VW 2011-105).

A copy of the Petition may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

The Department of Business and Professional Regulation, Division of Hotels and Restaurants, Bureau of Elevator Safety hereby gives notice on April 5, 2011 the Division issued an order. The Final Order was in response to a Petition for Variance from Holiday Inn Harbourside, filed November 12, 2010, and advertised in Vol 36, No 47, of the Florida Administrative Weekly. No comments were received in response to the petition. The Final Order on the Petition for Variance grants the Petitioner a variance from Rule 3.11.3 ASME A17.3, 1996 edition, as adopted by Chapter 30, Section 3001.2 Florida Building Code adopted by paragraph 61C-5.001(1)(a), Florida Administrative Code that requires upgrading the elevators for firefighters' emergency operations until August 1, 2013 because the Petitioner has demonstrated that the purpose of the statute underlying the rule will be met and that Petitioner would suffer a substantial hardship if required to comply with this rule (VW 2010-681).

A copy of the Order or additional information may be obtained by contacting: Mark Boutin, Bureau of Elevator Safety, 1940 North Monroe Street, Tallahassee, Florida 32399-1013.

NOTICE IS HEREBY GIVEN that on April 4, 2011, the Electrical Contractors' Licensing Board, received a petition for William Glenn Duke, seeking a variance or waiver of Rule 61G6-6.017, Florida Administrative Code, which requires for the purpose of certification, a passing examination score on any part of the examination shall be valid only for a period of two (2) years from the date of the examination.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juanita Chastain, Executive Director, Electrical Contractors' Licensing Board, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Electrical Contractors' Licensing Board within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN that on February 8, 2011, the Electrical Contractors' Licensing Board, received a petition for Rene Suarez, seeking a variance or waiver of Rule 61G6-6.017, Florida Administrative Code, which requires for the purpose of certification, a passing examination score on any part of the examination shall be valid only for a period of two (2) years from the date of the examination.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Juanita Chastain, Executive Director, Electrical Contractors' Licensing Board, 1940 North Monroe Street, Tallahassee, FL 32399-0783. Comments on this petition should be filed with the Electrical Contractors' Licensing Board within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN that on March 28, 2011, the Board of Accountancy, received a petition for Craig Charles Harrington, seeking a variance or waiver of paragraph 61H1-27.0041(1)(b), Florida Administrative Code, which lists the requirements for work experience supervision as the subjection of the applicant, during employment, to oversight, guidance and evaluation by a supervisor who had the right to control and direct the applicant as to the result to be accomplished by the work and also as to the means by which the result was to be accomplished. Petitioner is also seeking a variance of waiver of subsection 61H1-27.0041(2), F.A.C., which requires that one year of work experience shall be held and understood to mean the rendition of services such as are customarily performed by full-time, regularly employed staff employees of a certified public accountant during the normal workweek as required by the employing certified public accountant, commencing after the completion of the educational requirements set forth in subsection 61H1-27.002(3), F.A.C.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N.W. 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

NOTICE IS HEREBY GIVEN that on March 23, 2011, the Board of Accountancy, received a petition for Anthony Perez, seeking a variance or waiver of subsection 61H1-33.003(6), Florida Administrative Code, which requires that each Florida certified public accountant, as a part of the biennial licensure renewal, on or before December 31 prior to his/her biennial

license renewal, report on forms prescribed by the Board, compliance with continuing professional education requirements completed during the applicable reestablishment period. Petitioner is also seeking a variance or waiver of subsection 61H1-31.001(4), F.A.C., that requires a fee of two hundred and fifty dollars (\$250.00) for reactivation of a delinquent status license to active.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Veloria Kelly, Division Director, Board of Accountancy, 240 N.W. 76th Dr., Suite A, Gainesville, Florida 32607. Comments on this petition should be filed with the Board of Accountancy within 14 days of publication of this notice.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

NOTICE IS HEREBY GIVEN that on March 25, 2011, the Department of Environmental Protection, Northwest District, received a petition for a variance under Section 120.542, Florida Statutes, from the requirements of subsection 62-610.421(2), F.A.C. The petitioner, Joyce Estes, Chairperson, Eastpoint Water & Sewer District, Sewer Plant Road, Eastpoint, Florida 32328, seeks relief from the Part II, Slow-rate land application systems, restricted public access setback distance requirement of 100 feet from the edge of the wetted area to buildings that are not part of the treatment facility, utilities system, or municipal operation; or to the site property line required by subsection 62-610.421(2), F.A.C., for the Eastpoint Wastewater Treatment Plant Sprayfield. The petitioner is requesting a variance to reduce the setback from 100 feet to 20 feet for the existing 38.42 acres of sprayfields that were previously permitted by the Department in July 2000. The petition has been assigned OGC File No. 11-0543 and PA File No.: FLA010065-007-DWF/VO. Public comment must be received by the person below no later than 14 days from the date of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Jonathan May, Department of Environmental Protection, Domestic Wastewater Section, Northwest District, 160 West Governmental Street, Suite 308, Pensacola, Florida 32502-5740; (jonathan.may@dep.state.fl.us), telephone (850)595-0609.

NOTICE IS HEREBY GIVEN that on March 23, 2011, the Department of Environmental Protection, received a petition for a variance from Hendry County under Section 120.542, Florida Statutes, requesting a variance from meeting the requirements of subsection 62-610.865(8), F.A.C., at their wastewater treatment plant. When blending of reclaimed water with demineralization concentrate, subsection 62-610.865(8), F.A.C., requires continuous monitoring for specific conductance and weekly monitoring of total suspended solids, fluoride, total dissolved solids, chlorides, pH, and sodium absorption ratio. Hendry County is requesting a variance to

reduce the monitoring of these parameters to quarterly. The petition has been assigned OGC File No. 11-0509. Public comment must be received by the person below no later than 14 days from the date of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Brandon Ivey, Department of Environmental Protection, South District, P. O. Box 2549, Fort Myers, Florida 33902-2549, (brandon.ivey@dep.state.fl.us), telephone (239)344-5600.

The Department of Environmental Protection, Bureau of Beaches and Coastal Systems hereby gives notice:

On April 27, 2010, the Department received a petition for variance or waiver under Section 120.542, F.S., from the U.S. Army Corps of Engineers, Jacksonville District. The Petition requested a variance from or waiver of certain provisions in Rule 62B-41.007, F.A.C., as those provisions apply to the maximum allowable amount of silt in the placement of sand associated with beach restoration and nourishment projects. Notice of receipt of this petition was published in the Florida Administrative Weekly on June 18, 2010. No public comment was received. On August 3, 2010, the Petitioner voluntarily withdrew its petition for variance or waiver, and an order closing file was issued on March 30, 2011.

A copy of the Order or additional information may be obtained by contacting: N. West Gregory, Department of Environmental Protection, Office of General Counsel, 3900 Commonwealth Boulevard, MS 35, Tallahassee, Florida 32399-3000, west.gregory@dep.state.fl.us.

DEPARTMENT OF HEALTH

NOTICE IS HEREBY GIVEN that on April 4, 2011, the Board of Medicine, received a petition for waiver or variance filed by Quan Nguyen, M.D., from subsection 64B8-4.009(5), F.A.C., with regard to the requirement for submission of documentation of medical education directly from Petitioner's medical school. Comments on this petition should be filed with: Board of Medicine, 4052 Bald Cypress Way, Bin #C03, Tallahassee, Florida 32399-3053, within 14 days of publication of this notice.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Joy Tootle, Executive Director, Board of Medicine, at the above address or telephone (850)245-4131.

Section VI Notices of Meetings, Workshops and Public Hearings

The following state governmental agencies, boards and commissions announce a public meeting to which all persons are invited: