

Section III
Notices of Changes, Corrections and
Withdrawals

DEPARTMENT OF CORRECTIONS

| RULE NOS.: | RULE TITLES: |
|------------|--|
| 33-103.001 | Inmate Grievances – General Policy |
| 33-103.002 | Inmate Grievances – Terminology and Definitions |
| 33-103.003 | Inmate Grievances – Training Requirements |
| 33-103.004 | Inmate Grievances – Staff and Inmate Participation |
| 33-103.005 | Informal Grievance |
| 33-103.006 | Formal Grievance – Institution or Facility Level |
| 33-103.007 | Appeals and Direct Grievances to the Office of the Secretary |
| 33-103.008 | Grievances of Medical Nature |
| 33-103.011 | Time Frames for Inmate Grievances |
| 33-103.014 | Reasons for Return of Grievance or Appeal Without Processing |
| 33-103.015 | Inmate Grievances – Miscellaneous Provisions |
| 33-103.016 | Follow Through on Approved Grievances |
| 33-103.018 | Evaluation of the Grievance Procedure |
| 33-103.019 | Inmate Grievances – Forms |

NOTICE OF CORRECTION

Notice is hereby given that the following correction has been made to the proposed rule in Vol. 38, No. 7, February 17, 2012 issue of the Florida Administrative Weekly.

The following technical corrections associated with Rule 33-103.006(1) on page 9 were identified and corrected:

- 1) At the end of subsection (1), “The effective date is 2-05.” was added.
- 2) At the end of subsection (1)(a), the reference was corrected to read “33-103.002(14)(b).” instead of “33-103.002(17)(b).”

WATER MANAGEMENT DISTRICTS

South Florida Water Management District

| RULE NO.: | RULE TITLE: |
|-----------|--------------------------------|
| 40E-4.101 | Content of Permit Applications |

NOTICE OF CHANGE

Notice is hereby given that the following changes have been made to the proposed rule in accordance with subparagraph 120.54(3)(d)1., F.S., published in Vol. 38, No. 6, February 10, 2012 issue of the Florida Administrative Weekly.

Form 0971, Joint Application for Environmental Resource Permit/Authorization to Use State Owned Submerged Lands/Federal Dredge and Fill Permit, incorporated by reference in (1), is changed to delete the term “general” from “standard” permits on pages 3, 9, 11 and 34.

WATER MANAGEMENT DISTRICTS

South Florida Water Management District

| RULE NO.: | RULE TITLE: |
|-------------|---|
| 40E-400.211 | Processing Procedures for Noticed General Permits |

NOTICE OF CHANGE

Notice is hereby given that the following changes have been made to the proposed rule in accordance with subparagraph 120.54(3)(d)1., F.S., published in Vol. 38, No. 6, February 10, 2012 issue of the Florida Administrative Weekly. References to the term “standard” are changed to “general” throughout Form 0980, Notice of Intent to Use a Noticed General Environmental Resource Permit, incorporated by reference in subsection (2).

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Board of Professional Engineers

| RULE NO.: | RULE TITLE: |
|--------------|-----------------------------------|
| 61G15-19.008 | Confidentiality of Investigations |

NOTICE OF WITHDRAWAL

Notice is hereby given that the above rule, as noticed in Vol. 37, No. 43, October 28, 2011 issue of the Florida Administrative Weekly has been withdrawn.

DEPARTMENT OF HEALTH

Board of Acupuncture

| RULE NO.: | RULE TITLE: |
|------------|-------------------------|
| 64B1-3.004 | Acupuncture Examination |

NOTICE OF CORRECTION

Notice is hereby given that the following correction has been made to the proposed rule in Vol. 38, No. 11, March 16, 2012 issue of the Florida Administrative Weekly.

PURPOSE AND EFFECT: The Board proposes to add additional portions of the national exam to the approved examination and amend the rule to include an effective date of implementation of this rule.

In addition, Rule Development publication date listed in the Notice should be corrected to reflect the publication date of November 23, 2011.

The above changes do not substantively affect the rule.

DEPARTMENT OF HEALTH

Board of Occupational Therapy

RULE NO.: 64B11-4.003
 RULE TITLE: Standards of Practice; Discipline
 NOTICE OF CORRECTION

Notice is hereby given that the following correction has been made to the proposed rule in accordance with subparagraph 120.54(3)(d)1., F.S., published in the December 30, 2011, issue of the Florida Administrative Code, in Vol. 37, No. 52.

The correction is being made pursuant to comments made by the Joint Administrative Procedures Committee in its correspondence, on January 17, 2012. The correction is as follows:

The Rule Development publication date should be November 4, 2011.

THE PERSON TO BE CONTACTED REGARDING THIS RULE IS: Allen Hall, Executive Director, Electrolysis Council, 4052 Bald Cypress Way, Bin #C05, Tallahassee, Florida 32399-3258

DEPARTMENT OF CHILDREN AND FAMILY SERVICES

Economic Self-Sufficiency Program

RULE NO.: 65A-1.712
 RULE TITLE: SSI-Related Medicaid Resource Eligibility Criteria
 NOTICE OF PUBLIC HEARING

The Department of Children and Family Services announces a change of hearing regarding the above rule, as noticed in Vol. 38, No. 8, February 24, 2012, Florida Administrative Weekly.

DATE AND TIME: April 6, 2012, 1:30 p.m.

PLACE: 1317 Winewood Boulevard, Building 3, Room 455, Tallahassee, Florida 32399-0700

GENERAL SUBJECT MATTER TO BE CONSIDERED: Proposed rule as published.

**Section IV
 Emergency Rules**

NONE

**Section V
 Petitions and Dispositions Regarding Rule
 Variance or Waiver**

WATER MANAGEMENT DISTRICTS

The South Florida Water Management District (District) hereby gives notice on March 15, 2012, the District's Governing Board issued SFWMD Order No. 2012-027-DAO-ROW to Broward County Highway and

Bridge Maintenance Division (Application No. 12-0130-1M). The petition for waiver was received by the District on January 30, 2012. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 38, No. 8, on February 24, 2012. No public comment was received. This Order provides a waiver of the District's criteria to allow for the placement of a concrete barrier wall with guardrail at the northwest and southeast quadrants of the existing Pine Island Road bridge crossing the C-13 Canal; Sections 28 & 29, Township 49 South, Range 41 East, Broward County. Specifically, the Order grants a waiver from subsections 40E-6.011(4), (6) and paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground structures within 40 feet of the top of canal bank and within the District's designated equipment staging areas located at all bridges and pile-supported utility crossings within works or lands of the District. Generally, the Order sets forth the basis of the Governing Board decision to grant the waiver as follows: 1) the barrier wall and guardrail will not significantly interfere with the District's current ability to perform necessary construction, alteration, operation, and routine maintenance activities; and 2) the Order granting a waiver from the subject rule is based upon principles of fairness.

A copy of the Order or additional information may be obtained by contacting: Juli Russell, South Florida Water Management District, 3301 Gun Club Road, MSC #1410, West Palm Beach, Florida 33406-4680, (561)682-6268 or by email: jurussel@sfwmd.gov.

The South Florida Water Management District (District) hereby gives notice on March 15, 2012, the District's Governing Board issued SFWMD Order No. 2012-028-DAO-ROW to Florida Department of Transportation (Application No. 11-1102-2). The petition for waiver was received by the District on November 2, 2011. Notice of receipt of the petition requesting the waiver was published in the Florida Administrative Weekly, Vol. 37, No. 47, on November 23, 2011. No public comment was received. This Order provides a waiver of the District's criteria to allow for the proposed placement of a guardrail within the south right of way of C-100 Canal at the southeast quadrant of the Dixie Highway (SR 5/US 1) bridge; Section 28, Township 55 South, Range 40 East, Miami-Dade County. Specifically, the Order grants a waiver from subsections 40E-6.011(4), (6) and paragraph 40E-6.221(2)(j), Florida Administrative Code, and the Basis of Review for Use or Occupancy of the Works or Lands of the District, incorporated by reference in subsection 40E-6.091(1), Florida Administrative Code, which governs the placement of permanent and/or semi-permanent above-ground