### Section I Notice of Development of Proposed Rules and Negotiated Rulemaking

#### **NONE**

### Section II Proposed Rules

#### NONE

# Section III Notice of Changes, Corrections and Withdrawals

#### **NONE**

### Section IV Emergency Rules

## DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

**Division of Consumer Services** 

RULE NO.: RULE TITLE:

5JER20-3: Volatility Standards for Gasoline

SPECIFIC REASONS FOR FINDING AN IMMEDIATE DANGER TO THE PUBLIC HEALTH, SAFETY OR WELFARE: Due to the global crisis related to COVID-19 and the Center for Disease Control and Prevention's directive to limit travel, there is an extreme and unusual oversupply of fuel meeting winter season volatility requirements. Pursuant to adopted national fuel standards and federal law, volatility requirements will soon shift to accommodate the changing seasons, leaving distributors unable to supply this fuel for retail sale. The unexpected oversupply of winter season fuel is also monopolizing fuel storage systems, preventing distributors from being able to shift their supplies to season-appropriate fuel. If volatility standards are not adjusted to account for this extraordinary situation, there will be a shortage of lawful fuel available for sale, even as storage tanks sit full of useable fuel. In response to these conditions, on March 27, 2020, the United States Environmental Protection Agency (EPA) issued its "May 1, 2020 Fuel Waiver Concerning Summer Gasoline," allowing for the continued sale and distribution of winter season fuel beyond the termination date set forth in the Code of Federal Regulations. However, the EPA's waiver specifically indicates that state and local requirements related to fuel remain in effect unless waived by appropriate authorities. This emergency rule

allows for the continued sale of higher volatility fuel at wholesale terminals and at retail for an extended time period. Since Florida's average temperatures are higher than those across much of the nation, though, there is a greater concern that vehicle operability, drivability, and portable power supply generator reliability could be impacted if high volatility fuel is used into the late spring and early summer months. Therefore, requirements for the sale of lower volatility fuels, more stringent than the EPA's waiver allows at the federal level, will be implemented in Florida. This phased-in approach balances the public need for a reliable fuel supply with the industry's need to help stabilize the fuel market, all while protecting the public welfare.

REASON FOR CONCLUDING THAT THE PROCEDURE IS FAIR UNDER THE CIRCUMSTANCES: This emergency rule was initiated at the request of fuel suppliers and in response to the waiver issued by the EPA to ensure a consistent supply of fuel in Florida while avoiding the unnecessary creation of a fuel shortage. As the COVID-19 health crisis is an unprecedented and rapidly-evolving situation, prompt action based on information regarding recent developments in the fuel industry is both necessary and fair.

SUMMARY: This emergency rule allows fuels of different volatility classes than those set forth in ASTM International designation D4814-13a, as adopted in rule 5J-21.001, F.A.C., for the periods indicated. The specific standards affected are included below.

THE PERSON TO BE CONTACTED REGARDING THE EMERGENCY RULE IS: Richard Kimsey, Assistant Director of Consumer Services, 2005 Apalachee Parkway, Tallahassee, FL 32399, (850)921-1556.

#### THE FULL TEXT OF THE EMERGENCY RULE IS:

5JER20-3 Volatility Standards for Gasoline

(1) Fuel Introduced at Wholesale.

- (a) Volatility Class D-4 fuels, as specified in ASTM International designation D4814-13a, shall be lawful for introduction into terminal storage tanks from which gasoline and gasoline blendstocks are dispensed for distribution to retail outlets through April 30.
- (b) Volatility Class C-3 fuels, as specified in ASTM International designation D4814-13a, shall be lawful for introduction into terminal storage tanks from which gasoline and gasoline blendstocks are dispensed for distribution to retail outlets through May 20.
- (c) Gasoline and gasoline blendstocks introduced into terminal storage tanks for distribution to retail outlets beginning May 21 shall meet Volatility Class A-3 fuel standards, as specified in ASTM International designation D4814-13a.
  - (2) Fuel Sold at Retail.

- (a) Volatility Class D-4 fuels, as specified in ASTM International designation D4814-13a, shall be lawful for sale at retail through May 31.
- (b) Volatility Class C-3 fuels, as specified in ASTM International designation D4814-13a, shall be lawful for sale at retail from June 1 through June 30.
- (c) Starting no later than July 1, gasoline sold at retail shall meet Volatility Class A-3 fuel standards, as specified in ASTM International designation D4814-13a.

<u>Rulemaking Authority 525.037, 525.14, 570.07(23) FS. Law Implemented 525.01, 525.037, 525.14 FS. History – New 4-14-20.</u>

THIS RULE TAKES EFFECT UPON BEING FILED WITH THE DEPARTMENT OF STATE UNLESS A LATER TIME AND DATE IS SPECIFIED IN THE RULE.

EFFECTIVE DATE: 4/14/20

# Section V Petitions and Dispositions Regarding Rule Variance or Waiver

WATER MANAGEMENT DISTRICTS

Southwest Florida Water Management District

RULE NO.: RULE TITLE:

40D-22.201 Year-Round Water Conservation Measures

NOTICE IS HEREBY GIVEN that on April 13, 2020, the Southwest Florida Water Management District, received a petition for a variance or waiver.

Petitioner's Name: 20-4312 (Duncan Groves Homeowners Association, Inc.)

Rule No.: 40D-22.201

Nature of the rule for which variance or waiver is sought: Lawn and landscape irrigation.

The Petition has been assigned tracking No. 20-4312.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Michael Bench, 7601 US Highway 301, Tampa, Florida 33637, 1(813)985-7481 x. 2298, water.variances@watermatters.org. Any interested person or other agency may submit written comments within 14 days after the publication of this notice. (TS2020024).

## AGENCY FOR HEALTH CARE ADMINISTRATION Certificate of Need

certificate of reced

RULE NO.: RULE TITLE:

59C-1.044 Organ Transplantation

The Agency for Health Care Administration hereby gives notice: That on April 9, 2020, the Agency for Health Care Administration entered an order disposing of the emergency petition for variance filed by the Public Health Trust of Miami-Dade County, Florida on March 18, 2020, and advertised in Vol 46, No. 57, Florida Administrative register on March 23, 2020.

The petition was assigned Agency Case Number 2020005180. The Agency for Health Care Administration has issued a Final Order Granting a Limited Emergency Variance from Rule 59C-1.044, Florida Administrative Code limited to the specific patient identified in the petition.

A copy of the Order or additional information may be obtained by contacting: Richard Shoop, Agency Clerk, Agency for Health Care Administration, 2727 Mahan Drive, Bldg 3, MS 3, Tallahassee, FL 32308.

#### AGENCY FOR HEALTH CARE ADMINISTRATION

Certificate of Need

RULE NO.: RULE TITLE:

59C-1.044 Organ Transplantation

The Agency for Health Care Administration hereby gives notice: That on April 9, 2020, the Agency for Health Care Administration entered an order disposing of the emergency petition for variance filed by the Public Health Trust of Miami-Dade County, Florida on March 25, 2020, and advertised in Vol 46, No. 60, Florida Administrative register on March 26, 2020. The petition was assigned Agency Case Number 2020005555. The Agency for Health Care Administration has issued a Final Order Granting a Limited Emergency Variance from Rule 59C-1.044, Florida Administrative Code limited to the specific patient identified in the petition.

A copy of the Order or additional information may be obtained by contacting: Richard Shoop, Agency Clerk, Agency for Health Care Administration, 2727 Mahan Drive, Bldg 3, MS 3, Tallahassee, FL 32308.

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

Division of Hotels and Restaurants

RULE NO.: RULE TITLE:

61C-4.010 Sanitation and Safety Requirements

NOTICE IS HEREBY GIVEN that on April 15, 2020, the Florida Department of Business and Professional Regulation, Division of Hotels and Restaurants, received a petition for A Routine Variance for paragraph 3-305.11(A)(2), 2017 FDA Food Code, Section 3-305.14, 2017 FDA Food Code, Section 6-202.15, 2017 FDA Food Code, Section 6-202.16, 2017 FDA Food Code, subsection 61C-4.010(1), Florida Administrative Code, and subsection 61C-4.010(6), Florida Administrative Code from Mama La Cubana located in ORLANDO. The above referenced F.A.C. addresses the requirement for proper handling and dispensing of food. They are requesting to dispense bulk time/temperature control for safety foods from an open air mobile food dispensing vehicle.

The Division of Hotels and Restaurants will accept comments concerning the Petition for 14 days from the date of publication of this notice. To be considered, comments must be received before 5:00 p.m.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Kasimira.Kelly@myfloridalicense.com, Division of Hotels and Restaurants, 2601 Blair Stone Road, Tallahassee, Florida 32399-1011.

## DEPARTMENT OF ENVIRONMENTAL PROTECTION RULE NO.: RULE TITLE:

62-330.302 Additional Conditions for Issuance of Individual and Conceptual Approval Permits

NOTICE IS HEREBY GIVEN that on April 10, 2020, the Department of Environmental Protection, received a petition for variance or waiver pursuant to Section 120.542, F.S. from Petitioner, Lola Anne O'Neal Watkins. The petition requested a variance from Rule 62-330.302, F.A.C., and Applicant's Handbook Volume I, Section 10.2.5, due to existence of an unpermitted 8-slip docking facility serving a single-family residence, which docking facility exceeds the 2-slip limitation provided by the section 10.2.5 of the handbook. The facility is located at 13 Grouper Hole, Boca Grande, FL 33921. The petition has been assigned OGC # 20-0059 and File No. 0142814-004.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Toby Schwetje, telephone (239)344-5631, e-Toby.Schwetje@FloridaDEP.gov; Department mail Environmental Protection, 2295 Victoria Ave., Suite 364, Fort Myers Florida 33902; during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays. The application file is available online and can be accessed through the Department's Information Portal http://prodenv.dep.state.fl.us/DepNexus/public/electronicdocuments/ERP\_142814/facility!search.

If you have any questions or are experiencing difficulty viewing the electronic application, please call the South District Office at (239)344-5600. Written comments must be received by the Department of Environmental Protection no later than 14 days from the date of publication of this notice.

#### DEPARTMENT OF HEALTH

**Board of Nursing Home Administrators** 

The Board of Nursing Home Administrators hereby gives notice: that on April 15, 2020, an Order was filed on the Petition for Variance or Waiver. The initial Petition was filed by Warren Keene, on January 17, 2020, an amended petition was filed on March 12, 2020 and a second amended petition was file on March 26, 2020. Petitioner sought a variance or waiver of Rule 64B10-15.001, F.A.C., with regards to the requirements for continuing education for licensure renewal which requires that every person licensed pursuant to Chapter 468, Part II, F.S. shall be required to obtain continuing education which contributes to increasing or enhancing the licensee's professional skill or which enables the licensee to keep abreast of changes that affect the field of nursing home administration.

The initial Notice of Petition for Variance or Waiver was published in Vol. 46, No. 14, on January 22, 2020, the first amended notice was published in Vol. 46, No. 56, on March 20, 2020, and the second amended notice was published in Vol. 46, No. 64, on April 1, 2020, in the Florida Administrative Register. The Board, at its meeting held on April 10, 2020, voted to deny the Petitions for Variance or Waiver finding that Petitioner failed to demonstrate a substantial hardship; failed to demonstrate that application of the rule would violate the principles of fairness; failed to demonstrate and that the purpose of the underlying statute had been met.

A copy of the Order or additional information may be obtained by contacting: Anthony B. Spivey, Executive Director, Board of Nursing Home Administrators, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257, Anthony. Spivey@flhealth.gov.

#### DEPARTMENT OF HEALTH

**Board of Optometry** 

RULE NO.: RULE TITLE:

64B13-4.001 Examination Requirements

NOTICE IS HEREBY GIVEN that on April 15, 2020, the Board of Optometry, received a petition for waiver or variance filed by Rebecca Weisbrot. Petitioner is seeking a variance or waiver of subparagraphs 64B13-4.001(1)(d)2. and 3., F.A.C., which states in part that the licensure examination authorized in subsection 463.006(2), F.S., shall consist of four parts with one being the Florida Practical Examination. The Florida Practical Examination shall consist of three (3) tested skills and the Board requires passage of all three (3) skills on the same test attempt. The three (3) skills are Biomicroscopy, Binocular Indirect Ophthalmoscopy, Dilated Biomicroscopy and Non-Contact Fundus Lens Evaluation and are weighted equally. The passing score for each skill shall be seventy-five percent (75%) or better, and a passing score on each of the three (3) skills must be obtained on the same test attempt.

A copy of the Petition for Variance or Waiver may be obtained by contacting: Anthony Spivey, Executive Director, Board of Optometry, 4052 Bald Cypress Way, Bin #C07, Tallahassee, Florida 32399-3257. Comments on this petition should be filed with the Board of Optometry within 14 days of publication of this notice.

### Section VI Notice of Meetings, Workshops and Public Hearings

DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

Division of Consumer Services

The Board of Professional Surveyors and Mappers announces a telephone conference call to which all persons are invited.

DATE AND TIME: Friday, April 24, 2020, 10:00 a.m.

PLACE: Call-in number: 1(888)585-9008, participant code: 114-840-063#

GENERAL SUBJECT MATTER TO BE CONSIDERED: Application Review Committee will meet to review applications submitted for licensure. The Board will then convene to vote on the Application Review Committee's recommendations.

A copy of the agenda may be obtained by contacting: Liz Compton, Executive Director, Board of Professional Surveyors and Mappers, 2005 Apalachee Parkway, Tallahassee, FL 3299-6500, (850)410-3674.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 3 days before the workshop/meeting by contacting: Liz Compton at (850)410-3674. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Liz Compton, Executive Director, Board of Professional Surveyors and Mappers, 2005 Apalachee Parkway, Tallahassee, Florida 32399-6500, (850)410-3674.

#### DEPARTMENT OF EDUCATION

State Board of Education

The Bureau of Federal Educational Programs, Title I Committee of Practitioners announces a public meeting to which all persons are invited.

DATE AND TIME: April 28, 2020, 4:00 p.m. -5:00 p.m. Eastern Time

PLACE: The meeting will be conducted using communications via media technology, specifically via ZOOM. Join the meeting at:

https://zoom.us/j/5785486524?pwd=bUFmRU1STFEzQU9kU GpsYXF5NXc3Zz09, if needed, the meeting ID is 578-548-6524, and the meeting password is 0IEZjM.

GENERAL SUBJECT MATTER TO BE CONSIDERED: Regular committee business.

A copy of the agenda may be obtained by contacting: Shonda Goldsmith at FloridaCOP@fldoe.org or (850)245-0693.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Shonda Goldsmith at FloridaCOP@fldoe.org or (850)245-0693. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Shonda Goldsmith at FloridaCOP@fldoe.org or (850)245-0693.

#### REGIONAL PLANNING COUNCILS

West Florida Regional Planning Council

The Emerald Coast Regional Council Board Meeting announces a public meeting to which all persons are invited.

DATE AND TIME: April 23, 2020, 10:00 a.m.

PLACE: The public is able to access the meeting via phone: United States: (646)749-3112

GENERAL SUBJECT MATTER TO BE CONSIDERED: The Emerald Coast Regional Council Board will discuss general business, the meeting agenda can be accessed at www.ecrc.org/ECRCBoardMeetings.

The public is able to access the meeting via phone: United States: (646)749-3112, Access Code: 316-484-213

A copy of the agenda may be obtained by contacting: Tammy Neal, tammy.neal@ecrc.org or (850)332-7976.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: Brittany Ellers, titleVI@ecrc.org or (850)333-7976. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Tammy Neal, tammy.neal@ecrc.org or (850)332-7976.

#### DEPARTMENT OF ELDER AFFAIRS

Office of Public and Professional Guardians

The Department of Elder Affairs Office of Public and Professional Guardians announces a telephone conference call to which all persons are invited.

DATE AND TIME: Thursday, April 16, 2020, 10:00 a.m.

PLACE: UPDATED CODE Telephone conference call: dial-in 1(888)585-9008, participant code: 553-664-740

GENERAL SUBJECT MATTER TO BE CONSIDERED: Board of Directors updates relative to the Florida for Indigent Guardianship Trust, Inc.

A copy of the agenda may be obtained by contacting: Charles Alkire, via email at charles.alkire@verizon.net.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 2 days before the workshop/meeting by

contacting: Melissa Singletary, (850)414-2381. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

## DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

The Board of Architecture and Interior Design announces a public meeting to which all persons are invited.

DATE AND TIME: April 17, 2020, 9:00 a.m.

PLACE: Hilton Cocoa Beach, 1550 N Atlantic Avenue, Cocoa Beach, Florida 32931. CANCELLED in person meeting and scheduled as a telephone conference call.

GENERAL SUBJECT MATTER TO BE CONSIDERED: General Business. To participate in the toll free telephone conference call, contact 1(888)585-9008, participant pass code 491089625.

A copy of the agenda may be obtained by contacting: Board of Architecture and Interior Design, 2601 Blair Stone Road, Tallahassee, Florida 32399-0751

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 5 days before the workshop/meeting by contacting: Board of Architecture and Interior Design, 2601 Blair Stone Road, Tallahassee, Florida 32399-0751. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

For more information, you may contact: Board of Architecture and Interior Design, 2601 Blair Stone Road, Tallahassee, Florida 32399-0751.

#### DEPARTMENT OF HEALTH

Division of Medical Quality Assurance

The Department of Health, Board of Physical Therapy announces a telephone conference call to which all persons are invited.

DATE AND TIME: CHANGE OF DATE: May 15, 2020, 8:00 a.m. E.T.

PLACE: CHANGE OF PLACE: Conference Calls: 1(888) 585-9008; then enter Conference Room Number 564-341-766 followed by the # sign.

GENERAL SUBJECT MATTER TO BE CONSIDERED: General Business Meeting.

A copy of the agenda may be obtained by contacting: The Board of Physical Therapy, 4052 Bald Cypress Way, Bin C05, Tallahassee, FL 32399-3255, by calling the board office at (850)245-4373 or by visiting the website: http://floridasphysicaltherapy.gov/.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 48 hours before the workshop/meeting by contacting: The Department of Health at (850)245-4444. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice). If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

If any person decides to appeal any decision made by the Board with respect to any matter considered at this meeting or hearing, he/she will need to ensure that a verbatim record of the proceeding is made, which record includes the testimony and evidence from which the appeal is to be issued.

#### DEPARTMENT OF HEALTH

Division of Children's Medical Services

The State Child Abuse Death Review Ad-Hoc Committee announces a telephone conference call to which all persons are invited

DATE AND TIME: April 27, 2020, 10:00 a.m. – 12:00 Noon PLACE: Conference Number: 1(888)585-9008 Conference Room 574-649-225

Webinar Link:

https://attendee.gotowebinar.com/register/6606042187802359 564

GENERAL SUBJECT MATTER TO BE CONSIDERED: Discuss statewide messaging that will be used on behalf of the State Child Abuse Death Review Committee in regards to child safety during COVID-19.

A copy of the agenda may be obtained by contacting: Joshua.Thomas@flhealth.gov.

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this workshop/meeting is asked to advise the agency at least 7 days before the workshop/meeting by contacting: Joshua.Thomas@flhealth.gov. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1(800)955-8771 (TDD) or 1(800)955-8770 (Voice).

For more information, you may contact: Joshua.Thomas@flhealth.gov.

# Section VII Notice of Petitions and Dispositions Regarding Declaratory Statements

#### **NONE**

# Section VIII Notice of Petitions and Dispositions Regarding the Validity of Rules

Notice of Petition for Administrative Determination has been filed with the Division of Administrative Hearings on the following rules:

#### **NONE**

Notice of Disposition of Petition for Administrative Determination has been filed with the Division of Administrative Hearings on the following rules:

#### **NONE**

# Section IX Notice of Petitions and Dispositions Regarding Non-rule Policy Challenges

#### **NONE**

# Section X Announcements and Objection Reports of the Joint Administrative Procedures Committee

#### **NONE**

Section XI Notices Regarding Bids, Proposals and Purchasing

#### **NONE**

### Section XII Miscellaneous

#### DEPARTMENT OF STATE

Index of Administrative Rules Filed with the Secretary of State Pursuant to subparagraph 120.55(1)(b)6. – 7., F.S., the below list of rules were filed in the Office of the Secretary of State between 3:00 p.m., Thursday, April 9, 2020 and 3:00 p.m., Wednesday, April 15, 2020.

Rule No.	File Date	Effective Date
5B-57.013	4/14/2020	5/4/2020
5JER20-3	4/14/2020	4/14/2020
5L-1.003	4/14/2020	5/4/2020
6A-1.09412	4/15/2020	5/5/2020
6A-1.09441	4/15/2020	5/5/2020
6A-1.0955	4/15/2020	5/5/2020
6E-2.009	4/15/2020	5/5/2020
6E-4.005	4/15/2020	5/5/2020
6N-1.001	4/15/2020	5/5/2020
6N-1.002	4/15/2020	5/5/2020
6N-1.003	4/15/2020	5/5/2020
6N-1.004	4/15/2020	5/5/2020
53ER20-30	4/9/2020	4/9/2020
61G15-22.011	4/13/2020	5/3/2020
61H1-26.005	4/13/2020	5/3/2020
61H1-29.002	4/13/2020	5/3/2020
61JER20-3	4/9/2020	4/9/2020
62-210.700	4/10/2020	4/30/2020
63D-8.001	4/14/2020	5/4/2020
63D-9.001	4/14/2020	5/4/2020
63D-9.002	4/14/2020	5/4/2020
63D-9.003	4/14/2020	5/4/2020
63D-9.004	4/14/2020	5/4/2020
63D-9.005	4/14/2020	5/4/2020

63D-9.006	4/14/2020	5/4/2020
63D-10.001	4/14/2020	5/4/2020
63D-10.002	4/14/2020	5/4/2020
63D-10.003	4/14/2020	5/4/2020
63D-10.004	4/14/2020	5/4/2020
63D-10.005	4/14/2020	5/4/2020
63D-10.006	4/14/2020	5/4/2020
63D-11.001	4/14/2020	5/4/2020
63D-11.002	4/14/2020	5/4/2020
63D-11.003	4/14/2020	5/4/2020
63D-11.004	4/14/2020	5/4/2020
63D-11.005	4/14/2020	5/4/2020
63D-11.006	4/14/2020	5/4/2020
63D-11.007	4/14/2020	5/4/2020
63D-12.001	4/14/2020	5/4/2020
63D-12.002	4/14/2020	5/4/2020
63D-12.003	4/14/2020	5/4/2020
63D-12.004	4/14/2020	5/4/2020
63D-12.005	4/14/2020	5/4/2020
63D-12.006	4/14/2020	5/4/2020
63D-13.001	4/14/2020	5/4/2020
63D-13.002	4/14/2020	5/4/2020
63D-13.0021	4/14/2020	5/4/2020
63D-13.0022	4/14/2020	5/4/2020
63D-13.0023	4/14/2020	5/4/2020
63D-13.0024	4/14/2020	5/4/2020
63D-13.0025	4/14/2020	5/4/2020
63D-13.003	4/14/2020	5/4/2020
63D-13.004	4/14/2020	5/4/2020
63D-13.0041	4/14/2020	5/4/2020
63D-13.0042	4/14/2020	5/4/2020
63D-13.0043	4/14/2020	5/4/2020

63D-13.0051         4/14/2020         5/4/2020           63D-13.0052         4/14/2020         5/4/2020           63D-13.0053         4/14/2020         5/4/2020           63D-13.0054         4/14/2020         5/4/2020           63D-13.006         4/14/2020         5/4/2020           63D-13.0061         4/14/2020         5/4/2020           63D-13.0062         4/14/2020         5/4/2020           63D-13.0063         4/14/2020         5/4/2020           63D-13.0064         4/14/2020         5/4/2020           63D-13.0065         4/14/2020         5/4/2020           64B6ER20-25         4/9/2020         4/9/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.038         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-1	63D-13.005	4/14/2020	5/4/2020
63D-13.0053         4/14/2020         5/4/2020           63D-13.0054         4/14/2020         5/4/2020           63D-13.006         4/14/2020         5/4/2020           63D-13.0061         4/14/2020         5/4/2020           63D-13.0062         4/14/2020         5/4/2020           63D-13.0063         4/14/2020         5/4/2020           63D-13.0064         4/14/2020         5/4/2020           63D-13.0065         4/14/2020         5/4/2020           64BER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/30/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13	63D-13.0051	4/14/2020	5/4/2020
63D-13.0054         4/14/2020         5/4/2020           63D-13.006         4/14/2020         5/4/2020           63D-13.0061         4/14/2020         5/4/2020           63D-13.0062         4/14/2020         5/4/2020           63D-13.0063         4/14/2020         5/4/2020           63D-13.0064         4/14/2020         5/4/2020           63D-13.0065         4/14/2020         5/4/2020           64BER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/30/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.038         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45	63D-13.0052	4/14/2020	5/4/2020
63D-13.006         4/14/2020         5/4/2020           63D-13.0061         4/14/2020         5/4/2020           63D-13.0062         4/14/2020         5/4/2020           63D-13.0063         4/14/2020         5/4/2020           63D-13.0064         4/14/2020         5/4/2020           63D-13.0065         4/14/2020         5/4/2020           64B6ER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/30/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.038         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-4	63D-13.0053	4/14/2020	5/4/2020
63D-13.0061         4/14/2020         5/4/2020           63D-13.0062         4/14/2020         5/4/2020           63D-13.0063         4/14/2020         5/4/2020           63D-13.0064         4/14/2020         5/4/2020           63D-13.0065         4/14/2020         5/4/2020           64B6ER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/30/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.038         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-	63D-13.0054	4/14/2020	5/4/2020
63D-13.0062         4/14/2020         5/4/2020           63D-13.0063         4/14/2020         5/4/2020           63D-13.0064         4/14/2020         5/4/2020           63D-13.0065         4/14/2020         5/4/2020           64B6ER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/30/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.038         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-	63D-13.006	4/14/2020	5/4/2020
63D-13.0063         4/14/2020         5/4/2020           63D-13.0064         4/14/2020         5/4/2020           63D-13.0065         4/14/2020         5/4/2020           64B6ER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/10/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.038         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-	63D-13.0061	4/14/2020	5/4/2020
63D-13.0064         4/14/2020         5/4/2020           63D-13.0065         4/14/2020         5/4/2020           64B6ER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/10/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.038         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.	63D-13.0062	4/14/2020	5/4/2020
63D-13.0065         4/14/2020         5/4/2020           64B6ER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/10/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.038         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	63D-13.0063	4/14/2020	5/4/2020
64B6ER20-25         4/9/2020         4/9/2020           64DER20-26         4/10/2020         4/10/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	63D-13.0064	4/14/2020	5/4/2020
64DER20-26         4/10/2020         4/10/2020           65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	63D-13.0065	4/14/2020	5/4/2020
65C-13.022         4/10/2020         4/30/2020           65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	64B6ER20-25	4/9/2020	4/9/2020
65C-13.023         4/10/2020         4/30/2020           65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	64DER20-26	4/10/2020	4/10/2020
65C-13.024         4/10/2020         4/30/2020           65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	65C-13.022	4/10/2020	4/30/2020
65C-13.025         4/10/2020         4/30/2020           65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	65C-13.023	4/10/2020	4/30/2020
65C-13.026         4/10/2020         4/30/2020           65C-13.027         4/10/2020         4/30/2020           65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	65C-13.024	4/10/2020	4/30/2020
65C-13.027         4/10/2020         4/30/2020           65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	65C-13.025	4/10/2020	4/30/2020
65C-13.028         4/10/2020         4/30/2020           65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	65C-13.026	4/10/2020	4/30/2020
65C-13.030         4/10/2020         4/30/2020           65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	65C-13.027	4/10/2020	4/30/2020
65C-13.031         4/10/2020         4/30/2020           65C-13.032         4/10/2020         4/30/2020           65C-13.033         4/10/2020         4/30/2020           65C-13.034         4/10/2020         4/30/2020           65C-13.035         4/10/2020         4/30/2020           65C-45.0121         4/14/2020         5/4/2020           65C-45.0122         4/14/2020         5/4/2020           65C-45.0123         4/14/2020         5/4/2020           65E-5.280         4/14/2020         5/4/2020           65H-1.011         4/14/2020         5/4/2020	65C-13.028	4/10/2020	4/30/2020
65C-13.032       4/10/2020       4/30/2020         65C-13.033       4/10/2020       4/30/2020         65C-13.034       4/10/2020       4/30/2020         65C-13.035       4/10/2020       4/30/2020         65C-45.0121       4/14/2020       5/4/2020         65C-45.0122       4/14/2020       5/4/2020         65C-45.0123       4/14/2020       5/4/2020         65E-5.280       4/14/2020       5/4/2020         65H-1.011       4/14/2020       5/4/2020	65C-13.030	4/10/2020	4/30/2020
65C-13.033       4/10/2020       4/30/2020         65C-13.034       4/10/2020       4/30/2020         65C-13.035       4/10/2020       4/30/2020         65C-45.0121       4/14/2020       5/4/2020         65C-45.0122       4/14/2020       5/4/2020         65C-45.0123       4/14/2020       5/4/2020         65E-5.280       4/14/2020       5/4/2020         65H-1.011       4/14/2020       5/4/2020	65C-13.031	4/10/2020	4/30/2020
65C-13.034       4/10/2020       4/30/2020         65C-13.035       4/10/2020       4/30/2020         65C-45.0121       4/14/2020       5/4/2020         65C-45.0122       4/14/2020       5/4/2020         65C-45.0123       4/14/2020       5/4/2020         65E-5.280       4/14/2020       5/4/2020         65H-1.011       4/14/2020       5/4/2020	65C-13.032	4/10/2020	4/30/2020
65C-13.035       4/10/2020       4/30/2020         65C-45.0121       4/14/2020       5/4/2020         65C-45.0122       4/14/2020       5/4/2020         65C-45.0123       4/14/2020       5/4/2020         65E-5.280       4/14/2020       5/4/2020         65H-1.011       4/14/2020       5/4/2020	65C-13.033	4/10/2020	4/30/2020
65C-45.0121       4/14/2020       5/4/2020         65C-45.0122       4/14/2020       5/4/2020         65C-45.0123       4/14/2020       5/4/2020         65E-5.280       4/14/2020       5/4/2020         65H-1.011       4/14/2020       5/4/2020	65C-13.034	4/10/2020	4/30/2020
65C-45.0122       4/14/2020       5/4/2020         65C-45.0123       4/14/2020       5/4/2020         65E-5.280       4/14/2020       5/4/2020         65H-1.011       4/14/2020       5/4/2020	65C-13.035	4/10/2020	4/30/2020
65C-45.0123     4/14/2020     5/4/2020       65E-5.280     4/14/2020     5/4/2020       65H-1.011     4/14/2020     5/4/2020	65C-45.0121	4/14/2020	5/4/2020
65E-5.280     4/14/2020     5/4/2020       65H-1.011     4/14/2020     5/4/2020	65C-45.0122	4/14/2020	5/4/2020
65H-1.011 4/14/2020 5/4/2020	65C-45.0123	4/14/2020	5/4/2020
	65E-5.280	4/14/2020	5/4/2020
65H-1.012 4/14/2020 5/4/2020	65H-1.011	4/14/2020	5/4/2020
	65H-1.012	4/14/2020	5/4/2020

65H-1.013	4/14/2020	5/4/2020
65H-1.014	4/14/2020	5/4/2020
65H-1.015	4/14/2020	5/4/2020
65H-1.016	4/14/2020	5/4/2020
65H-1.017	4/14/2020	5/4/2020
65H-1.018	4/14/2020	5/4/2020
68A-12.002	4/10/2020	7/1/2020

#### LIST OF RULES AWAITING LEGISLATIVE APPROVAL SECTIONS 120.541(3), 373.139(7) AND/OR 373.1391(6), FLORIDA STATUTES

Rule No.	File Date	Effective Date
60FF1-5.009	7/21/2016	**/**/***
60P-1.003	11/5/2019	**/**/***
60P-2.002	11/5/2019	**/**/***
60P-2.003	11/5/2019	**/**/***
64B8-10.003	12/9/2015	**/**/***

## DEPARTMENT OF ENVIRONMENTAL PROTECTION Division of Resource Management

NOTICE OF EXTENSION UNDER SUBSECTION 120.74(5), FLORIDA STATUTES

In accordance with subsection 120.74(5), F.S., the Department of Environmental Protection (Department) extends the April 1 deadline to publish Notice of Proposed Rule for rules required by 2013-205, Laws of Florida, regarding natural gas storage facilities. The Department is continuing its technical research and review related to Florida specific issues for facilities covered by this law.

### Section XIII Index to Rules Filed During Preceding Week

NOTE: The above section will be published on Tuesday beginning October 2, 2012, unless Monday is a holiday, then it will be published on Wednesday of that week.