

PRESCRIBED DRUGS IMMUNIZATION FEE SCHEDULE
COVERAGE INFORMATION AND SPECIAL CONSIDERATIONS

General Immunization Billing Requirements:

Florida Medicaid providers administering vaccines to Florida Medicaid recipients enrolled in the fee-for-service delivery system must submit two Current Procedural Terminology (CPT) codes on the claim for reimbursement of administration from Florida Medicaid: (1)The vaccine product code AND (2)The vaccine administration code. A corresponding administration code must be submitted for each vaccine administered during the same visit on the claim form.

Vaccines for Children (VFC) Program Reimbursement Guidelines:

Florida Medicaid providers receiving vaccine products through the Vaccine for Children (VFC) Program for fee-for-service recipients 0 through 18 years of age are reimbursed for the administration of the vaccine(s) only. Vaccine product codes are reimbursed at \$0.00. Vaccine administration codes are reimbursed in accordance with rates established on this fee schedule.

MediKids Guidelines:

MediKids enrolls children one through four years of age. MediKids enrollees are eligible for all immunizations recommended by the Advisory Committee on Immunization Practices (ACIP) for this age group. However, MediKids enrollees are not eligible to receive products provided through the VFC Program. Florida Medicaid providers who administer vaccines to MediKids enrollees are to be reimbursed for the vaccine products and administration services by the enrollee's Managed Care Plan.

Mid-level Practitioner Reimbursement:

Administration services are reimbursed at 80% of the maximum fee when performed by an advanced practice registered nurse (APRN), physician's assistant (PA), or registered pharmacist (RPh). Vaccine product codes are reimbursed in accordance with rates established on this fee schedule.

COVID-19 Vaccine Billing and Reimbursement Guidelines:

Florida Medicaid providers administering COVID-19 vaccines to Florida Medicaid recipients enrolled in the fee-for-service delivery system must submit the CPT code for the specific vaccine product in conjunction with the COVID-19-specific vaccine administration code on the claim for reimbursement. The product CPT code and the COVID-19 administration code must be submitted for each vaccine dose administered on the claim form.

[^] Respiratory Syncytial Virus monoclonal antibody codes have specific administration codes that must be billed together.

PREScribed DRUGS IMMUNIZATION FEE SCHEDULE

EFFECTIVE: JULY 1, 2026

CPT Code	Qualified Products	Modifier	Units	Age (Years)	MaxFee
GENERAL VACCINE ADMINISTRATION CODES					
<u>90460</u>	<u>N/A</u>			<u>0-18</u>	<u>10.00</u>
<u>90461</u>	<u>N/A</u>			<u>0-18</u>	<u>10.00</u>
<u>90471</u>	<u>N/A</u>			<u>0-18</u>	<u>10.00</u>
<u>90471</u>	<u>N/A</u>	<u>HA</u>		<u>19+</u>	<u>10.00</u>
<u>90472</u>	<u>N/A</u>			<u>0-18</u>	<u>10.00</u>
<u>90472</u>	<u>N/A</u>	<u>HA</u>		<u>19+</u>	<u>10.00</u>
<u>90473</u>	<u>N/A</u>			<u>0-18</u>	<u>10.00</u>
<u>90473</u>	<u>N/A</u>	<u>HA</u>		<u>19+</u>	<u>10.00</u>
<u>90474</u>	<u>N/A</u>			<u>0-18</u>	<u>10.00</u>
<u>90474</u>	<u>N/A</u>	<u>HA</u>		<u>19+</u>	<u>10.00</u>
<u>90482</u>	<u>N/A</u>			<u>0-18</u>	<u>\$11.43</u>
<u>90482</u>	<u>N/A</u>	<u>HA</u>		<u>19+</u>	<u>\$11.43</u>
<u>90483</u>	<u>N/A</u>			<u>0-18</u>	<u>\$22.08</u>
<u>90483</u>	<u>N/A</u>	<u>HA</u>		<u>19+</u>	<u>\$22.08</u>
<u>90484</u>	<u>N/A</u>			<u>0-18</u>	<u>\$32.21</u>
<u>90484</u>	<u>N/A</u>	<u>HA</u>		<u>19+</u>	<u>\$32.21</u>
CHIKUNGUNYA					
<u>90589</u>	<u>Ixchiq</u>		<u>1</u>	<u>18+</u>	<u>275.00</u>
MPOX					
<u>90611</u>	<u>JYNNEOS</u>		<u>1</u>	<u>18+</u>	<u>247.34</u>
HEPATITIS B					
<u>90739</u>	<u>HEPLISAV-B</u>		<u>1</u>	<u>18+</u>	<u>155.75</u>
<u>90740</u>	<u>RECOMBICAV-DIALYSIS</u>		<u>1</u>	<u>18+</u>	<u>164.42</u>
<u>90743</u>	<u>RECOMBIVAX HB-ADULT</u>		<u>1</u>	<u>11 - 15</u>	<u>72.21</u>
<u>90744</u>	<u>Recombivax-PEDS; Engerix-B-PEDS</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
<u>90746</u>	<u>RECOMBIVAX HB-ADULT, ENERGIX-B ADULT</u>		<u>1</u>	<u>19+</u>	<u>72.23</u>
<u>90759</u>	<u>PREHEVBRIO Hepatitis B Vaccine (Recombinant)</u>		<u>1</u>	<u>18+</u>	<u>73.82</u>
ROTAVIRUS (RV)					
<u>90680</u>	<u>RotaTeq</u>		<u>1</u>	<u>0-1</u>	<u>0.00</u>
<u>90681</u>	<u>Rotarix</u>		<u>1</u>	<u>0-1</u>	<u>0.00</u>
DIPHTHERIA/TETANUS/ACELLULAR PERTUSSIS AND COMBINATIONS					
<i>Diphtheria, Tetanus, & Pertussis (DTaP)</i>					

90700	<u>Daptacel; Infanrix</u>		<u>1</u>	<u>0-6</u>	<u>0.00</u>
<u>Tetanus & Diphtheria (Td)</u>					
90714	<u>Tenivac</u>		<u>1</u>	<u>7 - 18</u>	<u>0.00</u>
90714	<u>Tenivac</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>42.25</u>
<u>Tetanus, Diphtheria, & Pertussis (Tdap)</u>					
90715	<u>Boostrix, Adacel</u>		<u>1</u>	<u>7 - 18</u>	<u>0.00</u>
90715	<u>Boostrix, Adacel</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>48.98</u>
<u>Diphtheria & Tetanus Combinations</u>					
90696	<u>Quadracel; Kinrix</u>		<u>1</u>	<u>4 - 6</u>	<u>0.00</u>
90697	<u>Vaxelis</u>		<u>1</u>	<u>0-4</u>	<u>0.00</u>
90698	<u>Pentacel</u>		<u>1</u>	<u>0-4</u>	<u>0.00</u>
90723	<u>Pediarix - Latex Free</u>		<u>1</u>	<u>0-6</u>	<u>0.00</u>
<u>HAEMOPHILUS INFLUENZAE TYPE B (Hib)</u>					
90647	<u>PedvaxHIB</u>		<u>1</u>	<u>0-5</u>	<u>0.00</u>
90648	<u>ActHIB; Hiberix</u>		<u>1</u>	<u>0-5</u>	<u>0.00</u>
<u>PNEUMOCOCCAL</u>					
90671	<u>VAXNEUVANCE</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
90671	<u>VAXNEUVANCE</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>240.62</u>
90677	<u>PREVNAR 20</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
90677	<u>PREVNAR 20</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>274.60</u>
90732	<u>PNEUMOVAX 23</u>		<u>1</u>	<u>2 - 18</u>	<u>0.00</u>
90732	<u>PNEUMOVAX 23</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>117.08</u>
90684	<u>CAPVAXIVE</u>		<u>1</u>	<u>18+</u>	<u>302.10</u>
<u>INACTIVATED POLIOVIRUS (IPV)</u>					
90713	<u>IPOI</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
90713	<u>IPOI</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>44.73</u>
<u>INFLUENZA, 2025 - 2026 SEASON</u>					
<u>Influenza (aIIIV)</u>					
90653	<u>FLUAD</u>		<u>1</u>	<u>18+</u>	<u>98.16</u>
<u>Influenza (IIIV3)</u>					
90656	<u>FLULAVAL TIV , FLUZONE TIV</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
90656	<u>AFLURIA TIV, FLUARIX TIV, FLUZONE TIV, FLULAVAL TIV</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>23.22</u>
90658	<u>AFLURIA TIV, FLUZONE TIV</u>		<u>1</u>	<u>19+</u>	<u>22.07</u>
90662	<u>FLUZONE HIGH-DOSE</u>		<u>1</u>	<u>18+</u>	<u>98.16</u>
<u>Influenza (LAIV3)</u>					
90660	<u>FLUMIST TIV</u>		<u>1</u>	<u>2-18</u>	<u>0.00</u>
90660	<u>FLUMIST TIV</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>29.71</u>
<u>Influenza (ccIIIV3)</u>					
90661	<u>FLUCELVAX TIV PF</u>		<u>1</u>	<u>0 - 18</u>	<u>0.00</u>
90661	<u>IFLUCELVAX TIV; FLUCELVAX TIV PF</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>49.50</u>
<u>Influenza (RIV3)</u>					
90673	<u>FLUBLOK</u>		<u>1</u>	<u>18</u>	<u>98.16</u>
90673	<u>FLUBLOK</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>98.16</u>
<u>INFLUENZA, 2026 - 2027 SEASON</u>					
<u>Influenza (aIIIV)</u>					
90653	<u>FLUAD</u>		<u>1</u>	<u>18+</u>	<u>86.23</u>
<u>Influenza (IIIV3)</u>					
90656	<u>FLULAVAL TIV PF, FLUZONE TIV PF</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
90656	<u>FLUARIX TIV PF, FLUZONE TIV PF, FLULAVAL TIV</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>21.08</u>
90658	<u>FLUZONE TIV</u>		<u>1</u>	<u>19+</u>	<u>22.28</u>
90662	<u>FLUZONE HIGH-DOSE</u>		<u>1</u>	<u>18+</u>	<u>86.23</u>
<u>Influenza (LAIV3)</u>					
90660	<u>FLUMIST TIV PF</u>		<u>1</u>	<u>2-18</u>	<u>0.00</u>
90660	<u>FLUMIST TIV PF</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>26.20</u>
<u>Influenza (ccIIIV3)</u>					
90661	<u>FLUCELVAX TIV PF</u>		<u>1</u>	<u>0 - 18</u>	<u>0.00</u>
90661	<u>FLUCELVAX TIV PF</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>43.54</u>
<u>Influenza (RIV3)</u>					
90673	<u>FLUBLOK</u>		<u>1</u>	<u>18</u>	<u>86.23</u>
90673	<u>FLUBLOK</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>86.23</u>
<u>MEASLES, MUMPS, RUBELLA (MMR)</u>					
<u>MMR</u>					
90707	<u>M-M-R II; PRIORIX</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
90707	<u>M-M-R II; PRIORIX</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>96.60</u>

<u>MMR/VZV Combination</u>					
<u>90710</u>	<u>PROQUAD</u>		<u>1</u>	<u>4 - 12</u>	<u>0.00</u>
<u>VARICELLA (VAR)</u>					
<u>90716</u>	<u>VARIVAX</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
<u>90716</u>	<u>VARIVAX</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>192.12</u>
<u>HEPATITIS A (HepA)</u>					
<u>90632</u>	<u>VAQTA-ADULT; HAVRIX-ADULT</u>		<u>1</u>	<u>19+</u>	<u>84.94</u>
<u>90633</u>	<u>VAQTA-PEDS; HAVRIX-PEDS</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
<u>HUMAN PAPILLOMAVIRUS (HPV)</u>					
<u>90651</u>	<u>GARDASIL 9</u>		<u>1</u>	<u>9 - 18</u>	<u>0.00</u>
<u>90651</u>	<u>GARDASIL 9</u>	<u>HA</u>	<u>1</u>	<u>19 - 45</u>	<u>329.09</u>
<u>MENINGOCOCCAL</u>					
<u>Meningococcal Serogroups A, C, W, and Y (MenACWY)</u>					
<u>90619</u>	<u>MenQuadfi</u>		<u>1</u>	<u>2-18</u>	<u>0.00</u>
<u>90619</u>	<u>MenQuadfi</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>171.97</u>
<u>90734</u>	<u>MENVEO</u>		<u>1</u>	<u>0-18</u>	<u>0.00</u>
<u>90734</u>	<u>MENVEO</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>166.75</u>
<u>Meningococcal Serogroup B (MenB)</u>					
<u>90620</u>	<u>BEXSERO</u>		<u>1</u>	<u>10-18</u>	<u>0.00</u>
<u>90620</u>	<u>BEXSERO</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>237.13</u>
<u>90621</u>	<u>TRUMENBA</u>		<u>1</u>	<u>10-18</u>	<u>0.00</u>
<u>90621</u>	<u>TRUMENBA</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>207.32</u>
<u>Meningococcal Serogroups A, B, C, W, and Y (MenABCWY)</u>					
<u>90623</u>	<u>PENBRAYA</u>		<u>1</u>	<u>10-18</u>	<u>0.00</u>
<u>90623</u>	<u>PENBRAYA</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>237.65</u>
<u>90624</u>	<u>PENMENVY</u>		<u>1</u>	<u>10-18</u>	<u>0.00</u>
<u>90624</u>	<u>PENMENVY</u>	<u>HA</u>	<u>1</u>	<u>19-25</u>	<u>250.00</u>
<u>ZOSTER RECOMBINANT (RZV)</u>					
<u>90750</u>	<u>SHINGRIX</u>		<u>1</u>	<u>18+</u>	<u>215.51</u>
<u>RABIES</u>					
<u>90375</u>	<u>HyperRAB, HyperRAB S/D, KEDRAB</u>		<u>9</u>		<u>279.95</u>
<u>90376</u>	<u>IMOGAM RABIES - HT</u>		<u>9</u>		<u>479.72</u>
<u>90675</u>	<u>IMOVAX; RABAVERT</u>		<u>1</u>		<u>319.75</u>
<u>RESPIRATORY SYNCYTIAL VIRUS ADMINISTRATION CODES AND VACCINES</u>					
<u>96380</u>	<u>N/A</u>		<u>1</u>	<u>0-2</u>	<u>10.00</u>
<u>96381</u>	<u>N/A</u>		<u>1</u>	<u>0-2</u>	<u>10.00</u>
<u>90380</u>	<u>BEYFORTUS</u>		<u>1</u>	<u>0-1</u>	<u>0.00</u>
<u>90381</u>	<u>BEYFORTUS</u>		<u>1</u>	<u>0-1</u>	<u>0.00</u>
<u>90381</u>	<u>BEYFORTUS</u>		<u>2</u>	<u>1-2</u>	<u>0.00</u>
<u>90382</u>	<u>ENFLONSIA</u>		<u>1</u>	<u>0-1</u>	<u>0.00</u>
<u>90678</u>	<u>ABRYSVO</u>	<u>HD</u>	<u>1</u>	<u>10-18 (PREGNANCY ONLY)</u>	<u>306.80</u>
<u>90678</u>	<u>ABRYSVO</u>	<u>HA, HD</u>	<u>1</u>	<u>19-49 (PREGNANCY ONLY)</u>	<u>306.80</u>
<u>90678</u>	<u>ABRYSVO</u>	<u>HA</u>	<u>1</u>	<u>50+</u>	<u>306.80</u>
<u>90679</u>	<u>AREXVY</u>		<u>1</u>	<u>50+</u>	<u>306.35</u>
<u>90683</u>	<u>mRESVIA</u>		<u>1</u>	<u>50+</u>	<u>290.00</u>
<u>COVID-19 ADMINISTRATION CODE & VACCINES, 2026-2027 SEASON</u>					
<u>90480</u>	<u>All Manufacturers</u>		<u>1</u>	<u>ANY</u>	<u>10.00</u>
<u>91304</u>	<u>NUVAXOVID, 2026-2027 Formula</u>		<u>1</u>	<u>12-18</u>	<u>0.00</u>
<u>91304</u>	<u>NUVAXOVID, 2026-2027 Formula</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>232.22</u>
<u>91319</u>	<u>COMIRNATY, 2026-2027 Formula</u>		<u>1</u>	<u>5-11YRS</u>	<u>0.00</u>
<u>91320</u>	<u>COMIRNATY, 2026-2027 Formula</u>		<u>1</u>	<u>12-18</u>	<u>0.00</u>
<u>91320</u>	<u>COMIRNATY, 2026-2027 Formula</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>230.40</u>
<u>91321</u>	<u>SPIKEVAX, 2026-2027 Formula</u>		<u>1</u>	<u>6MO-11YRS</u>	<u>0.00</u>
<u>91322</u>	<u>SPIKEVAX, 2026-2027 Formula</u>		<u>1</u>	<u>12-18</u>	<u>0.00</u>
<u>91322</u>	<u>SPIKEVAX, 2026-2027 Formula</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>172.97</u>
<u>91323</u>	<u>mNEXSPIKE, 2026-2027 Formula</u>		<u>1</u>	<u>12-18</u>	<u>0.00</u>

<u>91323</u>	<u>mNEXSPIKE, 2026-2027</u> <u>Formula</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>252.23</u>
COVID-19 ADMINISTRATION CODE & VACCINES, 2025-2026 SEASON					
<u>90480</u>	<u>N/A</u>		<u>1</u>	<u>ANY</u>	<u>10.00</u>
<u>91304</u>	<u>NUVAXOVID, 2025-2026</u> <u>Formula</u>		<u>1</u>	<u>12-18</u>	<u>0.00</u>
<u>91304</u>	<u>NUVAXOVID, 2025-2026</u> <u>Formula</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>191.92</u>
<u>91319</u>	<u>COMIRNATY, 2025-2026</u> <u>Formula</u>		<u>1</u>	<u>5-11YRS</u>	<u>0.00</u>
<u>91320</u>	<u>COMIRNATY, 2025-2026</u> <u>Formula</u>		<u>1</u>	<u>12-18</u>	<u>0.00</u>
<u>91320</u>	<u>COMIRNATY, 2025-2026</u> <u>Formula - no freeze</u> <u>formulation</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>168.37</u>
<u>91321</u>	<u>COMIRNATY, 2025-2026</u> <u>Formula - no freeze</u> <u>formulation</u>		<u>1</u>	<u>6MO-11YRS</u>	<u>0.00</u>
<u>91322</u>	<u>SPIKEVAX, 2025-2026 Formula</u>		<u>1</u>	<u>12-18</u>	<u>0.00</u>
<u>91322</u>	<u>SPIKEVAX, 2025-2026 Formula</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>161.65</u>
<u>91320</u>	<u>SPIKEVAX, 2025-2026 Formula</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>168.37</u>
<u>91321</u>	<u>COMIRNATY, 2025-2026</u> <u>Formula - no freeze</u> <u>formulation</u>		<u>1</u>	<u>6MO-11YRS</u>	<u>0.00</u>
<u>91322</u>	<u>SPIKEVAX, 2025-2026 Formula</u>		<u>1</u>	<u>12-18</u>	<u>0.00</u>
<u>91322</u>	<u>SPIKEVAX, 2025-2026 Formula</u>	<u>HA</u>	<u>1</u>	<u>19+</u>	<u>161.65</u>