

United States Department of Agriculture

Agricultural Marketing Service

Fruit and Vegetable Division

Processed Products Branch

# United States Standards for Grades of Frozen Concentrated Blended Grapefruit Juice and Orange Juice

Effective date September 21, 1968

This is the first issue, as amended, of the United States Standards for Frozen Concentrated Blended Grapefruit Juice and Orange Juice. This issue contains all of the requirements of the first issue, effective December 10, 1951 and the amendments published in the **FEDERAL REGISTER** of December 9, 1953 (18 FR 7999) to become effective September 21, 1968.

Voluntary U.S. grade standards are issued under the authority of the Agricultural Marketing Act of 1946, which provides for the development of official U.S. grades to designate different levels of quality. These grade standards are available for use by producers, suppliers, buyers, and consumers. As in the case of other standards for grades of processed fruits and vegetables, these standards are designed to facilitate orderly marketing by providing a convenient basis for buying and selling, for establishing quality control programs, and for determining loan values.

The standards also serve as a basis for the inspection and grading of commodities by the Federal inspection service, the only activity authorized to approve the designation of U.S. grades as referenced in the standards, as provided under the Agricultural Marketing Act of 1946. This service, available as on-line (in-plant) or lot inspection and grading of all processed fruit and vegetable products, is offered to interested parties, upon application, on a fee-for-service basis. The verification of some specific recommendations, requirements, or tolerances contained in the standards can be accomplished only by the use of on-line inspection procedures. In all instances, a grade can be assigned based on final product factors or characteristics.

In addition to the U.S. grade standards, grading manuals or instructions for inspection of several processed fruits and vegetables are available upon request for a nominal fee. These manuals or instructions contain detailed interpretations of the grade standards and provide step-by-step procedures for grading the product.

Grade standards are issued by the Department after careful consideration of all data and views submitted, and the Department welcomes suggestions which might aid in improving the standards in future revisions. Comments may be submitted to, and copies of standards and grading manuals obtained from:

Chief, Processed Products Branch Fruit and Vegetable Division, AMS U.S. Department of Agriculture P.O. Box 96456, Rm. 0709, So. Bldg. Washington, D.C. 20090-6456

Section	Page No.
§52.1311	Product description
§52.1312	Styles of frozen concentrated blended grapefruit juice and orange juice.
§52.1313	Grades of frozen concentrated blended grapefruit juice and orange juice.
§52.1314	Recommended fill of container
§52.1315	Ascertaining the grade
§52.1316	Ascertaining the rating for the factors which are scored
§52.1317	Color
§52.1318	Absence of defects
§52.1319	Flavor
§52.1320	Definitions of terms as used in these standards
§52.1321	Explanation of analyses
§52.1322	Ascertaining the grade of a lot 14
§52.1323	Score sheet for frozen concentrated blended grapefruit juice and orange juice. 15
Authority:	Agricultural Marketing Act of 1946, Secs. 203, 205, 60 Stat. 1087, as amended, 1090, as amended (7 U.S.C. 1622, 1624).

Note: Compliance with the provisions of these standards shall not excuse failure to comply with the provisions of the Federal Food, Drug, and Cosmetic Act, or with applicable State laws and regulations.

# §52.1311 Product description.

Frozen concentrated blended grapefruit juice and orange juice is the frozen product prepared from a combination of concentrated, unfermented juices obtained from sound, mature grapefruit (Citrus paradisi) and from sound, mature fruit of the sweet orange group (Citrus sinensis) and Mandarin group (Citrus reticulata), except tangerines. The fruit is prepared by sorting and by washing prior to extraction of the juices to assure a clean product. The juices may be blended upon extraction of such juices or after concentration and fresh orange juice extracted from sorted and washed fruit, as aforesaid, is admixed to the concentrate. It is recommended that the frozen concentrated blended grapefruit juice and orange juice be composed of the equivalent of not less than 50 percent orange juice in the reconstituted juice; however, in oranges yielding light-colored juice it is further recommended that as much as the equivalent of 75 percent orange juice in the reconstituted juice be used. The concentrated juice is packed in accordance with good commercial practice and is frozen and maintained at temperatures necessary for the preservation of the product.

## §52.1312 Styles of frozen concentrated blended grapefruit juice and orange juice.

- (a) Style I, without sweetening ingredient added. The Brix value of the finished concentrate shall be not less than 40 degrees nor more than 44 degrees.
- (b) Style II, with sweetening ingredient added. The finished concentrate, exclusive of added sweetening ingredient, has a Brix value of not less than 38 degrees; and the finished concentrate, including added sweetening ingredient, shall have a Brix value of not less than 40 degrees but not more than 48 degrees.

# §52.1313 Grades of frozen concentrated blended grapefruit juice and orange juice.

(a) U.S. Grade A or U.S. Fancy is the quality of frozen concentrated blended grapefruit juice and orange juice which reconstitutes properly and of which the reconstituted juice possesses the appearance of fresh juices of such a blend; possesses a very good color; is practically free from defects; possesses a very good flavor; and scores not less than 85 points when scored in accordance with the scoring system outlined in this subpart.

- (b) U.S. Grade B or U.S. Choice is the quality of frozen concentrated blended grapefruit juice and orange juice which reconstitutes properly and of which the reconstituted juice possesses a good color; is reasonably free from defects; possesses a good flavor; and scores not less than 70 points when scored in accordance with the scoring system outlined in this subpart.
- (c) Substandard is the quality of frozen concentrated blended grapefruit juice and orange juice that fails to meet the requirements of U.S. Grade B or U.S. Choice.

# §52.1314 Recommended fill of container.

The recommended fill of container is not incorporated in the grades of the finished product since fill of container, as such, is not a factor of quality for the purposes of these grades. It is recommended that each container be filled with frozen concentrated blended grapefruit juice and orange juice as full as practicable without impairment of quality.

## §52.1315 Ascertaining the grade.

- (a) The grade of frozen concentrated blended grapefruit juice and orange juice is ascertained by considering in conjunction with the requirements of the respective grade, the respective ratings for the factors of color, absence of defects, and flavor.
- (b) The relative importance of each factor which is scored is expressed numerically on the scale of 100. The maximum number of points that may be given such factors are:

Factors	Points
Color	20
Absence of defects	40
Flavor	40
Total score	100

#### §52.1316 Ascertaining the rating for the factors which are scored.

The essential variations within each factor which is scored are so described that the value may be ascertained for each factor and expressed numerically. The numerical range within each factor which is score is inclusive (for example, **17 to 20 points** means 17, 18, 19, or 20 points).

# §52.1317 Color.

- (a) "A" classification. Frozen concentrated blended grapefruit juice and orange juice of which the reconstituted juice possesses a very good color may be given a score of 17 to 20 points. Very good color means that the color is bright, light yellow-orange, and typical of freshly extracted juices of such a blend and is free from any trace of browning indicative of scorching, oxidation, caramelization, or other causes.
- (b) "B" classification. If the reconstituted juice possesses a good color, a score of 14 to 16 points may be given. Frozen concentrated blended grapefruit juice and orange juice that falls into this classification shall not be graded above U.S. Grade B or U.S. Choice, regardless of the total score for the product (this is a limiting rule). Good color means that the color may range from light yellow to light amber, is fairly typical of freshly extracted juices of such a blend and may be slightly dull or may show traces of browning but is not off color for any reason.
- (c) "SStd" classification. If the reconstituted juice fails to meet the requirements of paragraph (b) of this section, a score of 0 to 13 points may be given. Frozen concentrated blended grapefruit juice and orange juice that falls into this classification shall not be graded above Substandard, regardless of the total score for the product (this is a limiting rule).

#### §52.1318 Absence of defects.

- (a) **General.** The factor of absence of defects refers to the degree of freedom from seeds and portions thereof, from excessive juice cells, from free and suspended pulp, from recoverable oil, an from other defects.
  - (1) Free and suspended pulp means particles of membrane, core and peel and other similar extraneous materials in the reconstituted blended grapefruit juice an orange juice.

- (b) "A" classification. Frozen concentrated blended grapefruit juice and orange juice of which the reconstituted juice is practically free from defects may be given a score of 34 to 40 points. Practically free from defects means that there may be present: (1) Small seeds or portions thereof that are of such size that they could pass through round perforations not exceeding one-eighth inch in diameter, provided such seeds or portions thereof do not materially affect the appearance or drinking quality of the juice; (2) juice cells that do not materially affect the appearance or drinking quality of the juice; (3) other defects that are not more that slightly objectionable, and (4) not more than 12 percent free and suspended pulp. To score in this classification the frozen concentrated blended grapefruit juice and orange juice may contain not more than 0.097 ml. of recoverable oil per 100 grams of the concentrated product.
- (c) "B" classification. If the reconstituted juice is reasonably free from defects, a score of 28 to 33 points may be given. Frozen concentrated blended grapefruit juice and orange juice that falls into this classification shall not be graded above U.S. Grade B or U.S. Choice, regardless of the total score for the product (this is a limiting rule). Reasonably free from defects means that there may be present: (1) Small seeds or portions thereof that are of such size that they could pass through round perforations not exceeding one-eighth inch in diameter, provided such seeds or portions thereof do not seriously affect the appearance or drinking quality of the juice; (2) juice cells that do not seriously affect the appearance or drinking quality of the juice; (3) other defects that are not materially objectionable, and (4) nor more than 18 percent free and suspended pulp. To score in this classification the frozen concentrated blended grapefruit juice and orange juice may contain not more than 0.113 ml. of recoverable oil per 100 grams of the concentrated product.
- (d) "SStd" classification. Frozen concentrated blended grapefruit juice and orange juice that fails to meet the requirements of paragraph (c) of this section may be given a score of 0 to 27 points and shall not be graded above Substandard, regardless of the total score for the product (this is a limiting rule).

#### §52.1319 Flavor.

(a) "A" classification. Frozen concentrated blended grapefruit juice and orange juice of which the reconstituted juice possesses a very good flavor may be given a score of 34 to 40 points. Very good flavor means that the flavor is fine, distinct, and substantially typical of freshly extracted juices of such a blend. To score not less than 34 points frozen concentrated blended grapefruit juice and orange juice shall meet the following requirements for the respective style:

- (1) Style I, without sweetening ingredient added. The ratio of Brix value to acid is not less than 10 to 1 nor more than 16 to 1 (See Table I).
- (2) Style II, with sweetening ingredient added. The ratio of Brix value to acid is not less than 11 to 1 nor more than 13 to 1 (See Table II).
- (b) "B" classification. If the reconstituted juice possesses a good flavor, a score of 28 to 33 points may be given. Frozen concentrated blended grapefruit juice and orange juice that falls into this classification shall not be graded above U.S. Grade B or U.S. Choice, regardless of the total score for the product (this is a limiting rule). **Good flavor** means that the flavor is fairly typical of freshly extracted juices of such a blend and is free from abnormal or off flavors of any kind. To score not less than 28 points frozen concentrated blended grapefruit juice and orange juice shall meet the following requirements for the respective style:
  - (1) Style I, without sweetening ingredient added. The ratio of Brix value to acid is not less than 8 to 1 nor more than 18 to 1 (See Table I).
  - (2) Style II, with sweetening ingredient added. The ratio of Brix value to acid is not less than 9 to 1 nor more than 13 to 1 (See Table II).

#### Table I-Maximum and Minimum Acid for Frozen Concentrated Blended Grapefruit Juice and Orange Juice

	U.S. Grade A or U.S. Fancy		U.S. Grade B or U.S. Choice		
	Ratio	Ratio	Ratio	Ratio	
Brix value of the	10:1	16:1	8:1	18:1	
Brix	Acid percer	Acid percent by weight		Acid percent by weight	
	Maximum	Minimum	Maximum	Minimum	
40.0°	4.00	2.50	5.00	2.22	
40.1°	4.01	2.51	5.01	2.23	
40.2°	4.02	2.51	5.03	2.23	
40.3°	4.03	2.52	5.04	2.24	
40.4°	4.04	2.53	5.05	2.24	
40.5°	4.05	2.53	5.06	2.25	
40.6°	4.06	2.54	5.08	2.26	
40.7°	4.07	2.54	5.09	2.26	
40.8°	4.08	2.55	5.10	2.27	
40.9°	4.09	2.56	5.11	2.27	
41.0°	4.10	2.56	5.13	2.28	
41.1°	4.11	2.57	5.14	2.28	
41.2°	4.12	2.58	5.15	2.29	
41.3°	4.13	2.58	5.16	2.29	
41.4°	4.14	2.59	5.18	2.30	
41.5°	4.15	2.59	5.19	2.31	
41.6°	4.16	2.60	5.20	2.31	
41.7°	4.17	2.61	5.21	2.32	
41.8°	4.18	2.61	5.23	2.32	
41.9°	4.19	2.62	5.24	2.33	
42.0°	4.20	2.63	5.25	2.33	
42.1°	4.21	2.63	5.26	2.34	
42.2°	4.22	2.64	5.28	2.34	
42.3°	4.23	2.64	5.29	2.35	
42.4°	4.24	2.65	5.30	2.35	
42.5°	4.25	2.66	5.31	2.36	
42.6°	4.26	2.66	5.33	2.37	
42.7°	4.27	2.67	5.34	2.37	
42.8°	4.28	2.68	5.35	2.38	
42.9°	4.29	2.68	5.36	2.38	
43.0°	4.30	2.69	5.38	2.39	
43.1 °	4.31	2.69	5.39	2.39	
43.2°	4.32	2.70	5.40	2.40	
43.3°	4.33	2.71	5.41	2.41	
43.4°	4.34	2.71	5.43	2.41	
43.5°	4.35	2.72	5.44	2.42	
43.6°	4.36	2.73	5.45	2.42	
43.7°	4.37	2.73	5.46	2.43	
43.8°	4.38	2.74	5.48	2.43	
43.9°	4.39	2.74	5.49	2.44	
44.0°	4.40	2.75	5.50	2.44	

# Style I. Without Sweetening Ingredient Added

# Table II-Maximum and Minimum Acid for Frozen Concentrated Blended Grapefruit Juice and Orange Juice

	U.S. Grade A or U.S. Fancy		U.S. Grade B or U.S. Choice		
	Ratio	Ratio	Ratio Ratio		
Brix value of the	11:1 13:1		9:1 13:1		
Brix	Acid percer	nt by weight	Acid percer	nt by weight	
BIK	Maximum	Minimum	Maximum	Minimum	
40.0°	3.64	3.08	4.44	3.08	
40.1°	3.65	3.08	4.46	3.08	
40.2°	3.65	3.09	4.47	3.09	
40.3°	3.66	3.10	4.48	3.10	
40.4°	3.67	3.11	4.49	3.11	
40.5°	3.68	3.12	4.50	3.12	
40.6°	3.69	3.12	4.51	3.12	
40.7°	3.70	3.13	4.52	3.13	
40.8°	3.71	3.14	4.53	3.14	
40.9°	3.72	3.15	4.54	3.15	
41.0°	3.73	3.15	4.56	3.15	
41.1°	3.74	3.16	4.57	3.16	
41.2°	3.75	3.17	4.58	3.17	
41.3°	3.75	3.18	4.59	3.18	
41.4°	3.76	3.18	4.60	3.18	
41.5°	3.77	3.19	4.61	3.19	
41.6°	3.78	3.20	4.62	3.20	
41.7°	3.79	3.21	4.63	3.21	
41.8°	3.80	3.22	4.64	3.22	
41.9°	3.81	3.22	4.66	3.22	
42.0°	3.82	3.23	4.67	3.23	
42.1°	3.83	3.24	4.68	3.24	
42.2°	3.84	3.25	4.69	3.25	
42.3°	3.85	3.25	4.70	3.25	
42.4°	3.85	3.26	4.71	3.26	
42.5°	3.86	3.27	4.72	3.27	
42.6°	3.87	3.28	4.73	3.28	
42.7°	3.88	3.28	4.74	3.28	
42.8°	3.89	3.29	4.76	3.29	
42.9°	3.90	3.30	4.77	3.30	
43.0°	3.91	3.31	4.78	3.31	
43.1°	3.92	3.32	4.79	3.32	
43.2°	3.93	3.32	4.80	3.32	
43.3°	3.94	3.33	4.81	3.33	
43.4°	3.95	3.34	4.82	3.34	
43.5°	3.95	3.35	4.83	3.35	
43.6°	3.96	3.35	4.84	3.35	
43.7°	3.97	3.36	4.86	3.36	
43.8°	3.98	3.37	4.87	3.37	
43.9°	3.99	3.38	4.88	3.38	
44.0°	4.00	3.38	4.89	3.38	

#### Style II. With Sweetening Ingredient Added

#### Table II-Maximum and Minimum Acid for Frozen Concentrated Blended Grapefruit Juice and Orange Juice-Continued

	U.S. Grade A or U.S. Fancy		U.S. Grade B or U.S. Choice		
	Ratio	Ratio	Ratio	Ratio	
Brix value of the	11:1	13:1	9:1	13:1	
Rrix	Acid percent by weight		Acid percer	Acid percent by weight	
2	Maximum	Minimum	Maximum	Minimum	
44.1°	4.01	3.39	4.90	3.39	
44.2°	4.02	3.40	4.91	3.40	
44.3°	4.03	3.41	4.92	3.41	
44.4°	4.04	3.42	4.93	3.42	
44.5°	4.05	3.42	4.94	3.42	
44.6°	4.05	3.43	4.96	3.43	
44.7°	4.06	3.44	4.97	3.44	
44.8°	4.07	3.45	4.98	3.45	
44.9°	4.08	3.45	4.99	3.45	
45.0°	4.09	3.46	5.00	3.46	
45.1°	4.10	3.47	5.01	3.47	
45.2°	4.11	3.48	5.02	3.48	
45.3°	4.12	3.48	5.03	3.48	
45.4°	4.13	3.49	5.04	3.49	
45.5°	4.14	3.50	5.06	3.50	
45.6°	4.15	3.51	5.07	3.51	
45.7°	4.15	3.52	5.08	3.52	
45.8°	4.16	3.52	5.09	3.52	
45.9°	4.17	3.53	5.10	3.53	
46.0°	4.18	3.54	5.11	3.54	
46.1°	4.19	3.55	5.12	3.55	
46.2°	4.20	3.55	5.13	3.55	
46.3°	4.21	3.56	5.14	3.56	
46.4°	4.22	3.57	5.16	3.57	
46.5°	4.23	3.58	5.17	3.58	
46.6°	4.24	3.58	5.18	3.58	
46.7°	4.25	3.59	5.19	3.59	
46.8°	4.25	3.60	5.20	3.60	
46.9°	4.26	3.61	5.21	3.61	
47.0°	4.27	3.62	5.22	3.62	
47.1°	4.28	3.62	5.23	3.62	
47.2°	4.29	3.63	5.24	3.63	
47.3°	4.30	3.64	5.26	3.64	
47.4°	4.31	3.65	5.27	3.65	
47.5°	4.32	3.65	5.28	3.65	
47.6°	4.33	3.66	5.29	3.66	
47.7°	4.34	3.67	5.30	3.67	
47.8°	4.35	3.68	5.31	3.68	
47.9°	4.35	3.68	5.32	3.68	
48.0°	4.36	3.69	5.33	3.69	

#### Style II. With Sweetening Ingredient Added-continued

(c) "SStd" classification. If the frozen concentrated blended grapefruit juice and orange juice fails to meet the requirements of paragraph (b) of this section, a score of 0 to 27 points may be given. Frozen concentrated blended grapefruit juice and orange juice that falls into this classification shall not be graded above Substandard, regardless of the total score for the product (this is a limiting rule).

#### §52.1320 Definitions of terms as used in these standards.

- (a) **Oranges** means oranges of the sweet orange group (Citrus sinensis) and the Mandarin group (Citrus reticulata), except tangerines.
- (b) **Reconstituted juice** means the product obtained by mixing thoroughly 3 parts by volume of distilled water and one part by volume of frozen concentrated blended grapefruit juice and orange juice.
- (c) Reconstitutes properly means that the reconstituted juice shows no material separation of colloidal or suspended matter, leaving a zone of definitely clear liquid without any turbidity, after standing four (4) hours at a temperature of not less than 68 degrees Fahrenheit in a clear glass tube or cylinder (such as a 50 ml. graduated cylinder).
- (d) Acid means the percent by weight of acid (calculated as anhydrous citric acid) in frozen concentrated blended grapefruit juice and orange juice.
- (e) Brix value in frozen concentrated blended grapefruit juice and orange juice is the refractometric sucrose value determined in accordance with the International Scale of Refractive Indices of Sucrose solutions and to which the applicable correction for acid is added. (See Table III for corrections.)

Citric acid, anhydrous (percent by weight)	Correction to be added to refractometer sucrose value to obtain degree Brix value
2.0	0.39
2.2	0.43
2.4	0.47
2.6	0.51
2.8	0.54
3.0	0.58
3.2	0.62
3.4	0.66
3.6	0.70
3.8	0.74
4.0	0.78
4.2	0.81
4.4	0.85
4.6	0.89
4.8	0.93
5.0	0.97
5.2	1.01
5.4	1.04
5.6	1.07

Table III1Corrections for Obtaining Brix Value

<sup>1</sup> Source: "Refractometric Determination of Soluble Solids in Citrus Juices." by J.W. Stevens and W.E. Baier, from the Analytical Edition of Industrial and Engineering Chemistry, Vol. II, Page 447, Aug. 15, 1939.

# §52.1321 Explanation of analyses.

- (a) The measurement of Brix value is determined on the thawed concentrate in accordance with the refractometric method for sugars and sugar products, outlined in the Official Methods of Analysis of the Association of Official Agricultural Chemists.
- (b) Acid calculated as anhydrous citric acid, is determined by titration with standard sodium hydroxide solution, using phenolphthalein as indicator.
- (c) **Recoverable oil** is determined by the following method:

# METHOD

# (1) Reagents.

**Standard bromide-bromate solution-**prepared and standardized to 0.099N in accordance with Chapter 42, Standard Solutions in the current edition of the AOAC.<sup>1</sup> For use, add 1 volume of standard solution to 3 volumes of water to make 0.0247N solution. 1 ml. of 0.0247N solution supplies bromine to react with 0.00085g., or 0.0010 ml. of d-limonene. The solutions are stable for 6 months.

2-Propanol-Reagent grade ACS (American Chemical Society).

**Dilute hydrochloric acid-** prepared by adding 1 volume of concentrated acid to 2 volumes of water.

Methyl orange indicator-0.1 percent in water.

# (2) Apparatus.

**Electric heater-**with recessed refractory top, 500-750 watts.

**Still, all glass-** 500 ml. distillation flask with 24/40 standard taper neck; 200 mm. Graham condenser with 28/15 receiving socket and drip tip; connecting bulb and adapter as shown in Figure 1.

**Burette-**10 ml. or 25 ml. graduated to 0.1 ml., with easily controllable flow to permit both rapid and dropwise titration.

<sup>&</sup>lt;sup>1</sup> **AOAC**refers to the Official Methods of Analysis published by the Association of Official Analytical (formerly Agricultural) Chemists. Copies may be obtained from this association at Box 540, Benjamin Franklin Station, Washington, D.C. 20044.

## (3) Determination

- (i) Pipette 25 ml. of well-mixed sample (juice or reconstituted juice) into the distillation flask containing carborundum chips or glass beads, and add 25 ml. of 2-Propanol.
- (ii) Distill into a 150 ml. beaker. Continue distilling until solvent ceases to reflux then remove the flask from the heater.
- (iii) Add 10 ml. of dilute hydrochloric acid and 1 drop of indicator. (An alternative method would be to prepare a solution containing 5 ml. of indicator and 1,000 ml. of dilute hydrochloric acid-then add 10 ml. of this acid-indicator mix to the 150 ml. beaker).
- (iv) Titrate with the dilute bromate solution while stirring. The major portion of the titrant may be added rapidly, but the endpoint must be approached at about 1 drop per second. Disappearance of color indicates the endpoint.
- (v) Determine the reagent blank by titrating three separate mixtures of 25 ml. 2-Propanol and 10 ml. of dilute hydrochloric acid with indicatorwithout refilling the burette. Divide the total ml. of titrant used by three to obtain the average blank. Subtract the average blank thus obtained from the ml. of titrant used to titrate the distillate.
- (vi) Multiply the remainder by 0.004 to obtain the percent recoverable oil by volume in the juice sample.
- (vii) The ml. of recoverable oil per 100 grams of the concentrate is determined as follows:

# ml. recoverable oil per 100 grams concentrate = [percent oil by volume recovered] 4 specific gravity of the concentrate

(d) Free and suspended pulp is determined by the following method: Graduated centrifuge tubes with a capacity of 50 ml. are filled with the reconstituted blended grapefruit juice and orange juice and placed in a suitable centrifuge. The speed is adjusted, according to diameter, as indicated in Table IV, and the juice is centrifuged for exactly 10 minutes. As used herein, **diameter** means the over-all distance between the bottoms of opposing centrifuge tubes in operating position. After centrifuging, the milliliter reading at the top of the layer of pulp in the tube is multiplied by 2 to give the percentage of pulp.

Diameter	Approximate revolutions per minute	Diameter	Approximate revolutions per minute
10 inches	1,609	15½ inches	1,292
10½ inches	1,570	16 inches	1,271
11 inches	1,534	16½ inches	1,252
11½ inches	1,500	17 inches	1,234
12 inches	1,468	17½ inches	1,216
12½ inches	1,438	18 inches	1,199
13 inches	1,410	18½ inches	1,182
13½ inches	1,384	19 inches	1,167
14 inches	1,359	19½ inches	1,152
14½ inches	1,336	20 inches	1,137
15 inches	1,313		

# §52.1322 Ascertaining the grade of a lot.

The grade of a lot of frozen concentrated blended grapefruit juice and orange juice covered by these standards is determined by the procedures set forth in the **Regulations Governing Inspection and Certification of Processed Fruits and Vegetables, Processed Products Thereof, and Certain Other Processed Food Products** (7 CFR 52.1 through 52.83, 22 F.R. 3535).

# §52.1323 Score sheet for frozen concentrated blended grapefruit juice and orange juice.

Size and kind of container Container mark or identification Label Liquid measure (FI. ounces) Brix value of concentrate (corrected for acid) Anhydrous citric acid (% by weight) Brix value to acid ratio (-:1) Recoverable oil (ml./100 grams) Free and suspended pulp (%) Reconstituted properly (yes) (no) Appearance of fresh juice (yes) (no)				
Factors		Score Points		
Color	20	"A" "B" "SStd"	17-20 14-16 <u>1</u> / 0-13 <u>1</u> /	
Absence of defects	40	"A" "B" "SStd"	34-40 28-33 <u>1</u> / 0-27 <u>1</u> /	
Flavor	40	"A" "B" "SStd"	34-40 28-33 <u>1</u> / 0-27 <u>1</u> /	
Total Score	100			
Grade				

<u>1</u>/ Indicates limiting rule.

Effective date. The amendments to each affected standard shall become effective 30 days after publication hereof in the Federal Register.

Dated: August 16, 1968.

G.R. Grange, Deputy Administrator, Marketing Services.

Recodified in the Federal Register of December 9, 1953 (18 F.R. 7999) Section 52.1322 amended May 22, 1957 (22 F.R. 3535) Section 52.1318 and 52.1321 amended August 22, 1968 (33 F.R. 11881)

